


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
37	73	74	5 Hjerter	D S 11	650	117,0	-117,0
79	157	158	3 Hjerter	D S 10	630	115,0	-115,0
81	161	162	6 Ruter	D V 9	500	112,0	-112,0
114	227	228	6 Ruter	D V 9	500	112,0	-112,0
53	105	106	4 Hjerter	S 12	480	109,0	-109,0
92	183	184	4 Hjerter	S 11	450	105,0	-105,0
95	189	190	4 Hjerter	S 11	450	105,0	-105,0
5	9	10	5 Hjerter	S 11	450	105,0	-105,0
50	99	100	4 Hjerter	S 10	420	93,0	-93,0
68	135	136	4 Hjerter	S 10	420	93,0	-93,0
38	75	76	4 Hjerter	S 10	420	93,0	-93,0
85	169	170	4 Hjerter	S 10	420	93,0	-93,0
62	123	124	4 Hjerter	S 10	420	93,0	-93,0
45	89	90	4 Hjerter	S 10	420	93,0	-93,0
67	133	134	4 Hjerter	N 10	420	93,0	-93,0
78	155	156	4 Hjerter	S 10	420	93,0	-93,0
47	93	94	4 Hjerter	S 10	420	93,0	-93,0
63	125	126	5 Kløver	D V 9	300	67,0	-67,0
1	1	2	5 Ruter	D Ø 9	300	67,0	-67,0
32	63	64	5 Ruter	D Ø 9	300	67,0	-67,0
58	115	116	5 Ruter	D V 9	300	67,0	-67,0
21	41	42	5 Ruter	D Ø 9	300	67,0	-67,0
18	35	36	5 Ruter	D V 9	300	67,0	-67,0
61	121	122	5 Ruter	D Ø 9	300	67,0	-67,0
66	131	132	5 Ruter	D V 9	300	67,0	-67,0
41	81	82	5 Ruter	D V 9	300	67,0	-67,0
30	59	60	5 Ruter	D V 9	300	67,0	-67,0
118	235	236	5 Ruter	D Ø 9	300	67,0	-67,0
48	95	96	5 Ruter	D Ø 9	300	67,0	-67,0
20	39	40	5 Ruter	D Ø 9	300	67,0	-67,0
10	19	20	5 Ruter	D Ø 9	300	67,0	-67,0
42	83	84	5 Ruter	D Ø 9	300	67,0	-67,0
73	145	146	5 Ruter	D Ø 9	300	67,0	-67,0
116	231	232	5 Ruter	D Ø 9	300	67,0	-67,0
25	49	50	3 Hjerter	S 12	230	49,0	-49,0
52	103	104	2 Hjerter	S 11	200	42,0	-42,0
76	151	152	3 Hjerter	S 11	200	42,0	-42,0
35	69	70	3 Hjerter	S 11	200	42,0	-42,0
94	187	188	3 Hjerter	S 11	200	42,0	-42,0
112	223	224	3 Hjerter	S 11	200	42,0	-42,0
111	221	222	3 Hjerter	S 11	200	42,0	-42,0
31	61	62	2 Hjerter	S 10	170	31,0	-31,0
60	119	120	3 Hjerter	S 10	170	31,0	-31,0
40	79	80	3 Hjerter	S 10	170	31,0	-31,0
51	101	102	3 Hjerter	S 10	170	31,0	-31,0
9	17	18	3 Hjerter	S 10	170	31,0	-31,0
96	191	192	6 Ruter	Ø 9	150	25,0	-25,0
84	167	168	4 Ruter	V 8	100	-13,0	13,0
104	207	208	5 Kløver	V 9	100	-13,0	13,0
33	65	66	5 Ruter	Ø 9	100	-13,0	13,0
59	117	118	5 Ruter	V 9	100	-13,0	13,0
57	113	114	5 Ruter	Ø 9	100	-13,0	13,0
2	3	4	5 Ruter	V 9	100	-13,0	13,0
43	85	86	5 Ruter	Ø 9	100	-13,0	13,0
12	23	24	5 Ruter	V 9	100	-13,0	13,0
100	199	200	5 Ruter	D V 10	100	-13,0	13,0
108	215	216	5 Ruter	V 9	100	-13,0	13,0
54	108	107	5 Ruter	Ø 9	100	-13,0	13,0
15	29	30	5 Ruter	Ø 9	100	-13,0	13,0
89	177	178	5 Ruter	Ø 9	100	-13,0	13,0
23	45	46	5 Ruter	V 9	100	-13,0	13,0
65	129	130	5 Ruter	D V 10	100	-13,0	13,0
99	197	198	5 Ruter	V 9	100	-13,0	13,0
77	153	154	5 Ruter	Ø 9	100	-13,0	13,0
117	233	234	5 Ruter	Ø 9	100	-13,0	13,0
3	5	6	5 Ruter	Ø 9	100	-13,0	13,0
98	195	196	5 Ruter	Ø 9	100	-13,0	13,0
44	87	88	5 Ruter	Ø 9	100	-13,0	13,0
110	220	219	5 Ruter	V 9	100	-13,0	13,0
28	55	56	5 Ruter	V 9	100	-13,0	13,0
90	179	180	5 Ruter	V 9	100	-13,0	13,0
7	13	14	5 Ruter	V 9	100	-13,0	13,0
93	185	186	5 Ruter	V 9	100	-13,0	13,0
83	165	166	5 Ruter	Ø 9	100	-13,0	13,0
17	33	34	5 Ruter	Ø 9	100	-13,0	13,0

8	15	16	5 Ruter	V 9	100	-13,0	13,0
72	143	144	5 Ruter	Ø 9	100	-13,0	13,0
70	139	140	5 Ruter	V 9	100	-13,0	13,0
64	127	128	5 Ruter	V 9	100	-13,0	13,0
75	149	150	5 Ruter	Ø 9	100	-13,0	13,0
105	209	210	5 Ruter	Ø 9	100	-13,0	13,0
103	205	206	5 Ruter	Ø 9	100	-13,0	13,0
102	203	204	5 Ruter	Ø 9	100	-13,0	13,0
74	147	148	5 Ruter	Ø 9	100	-13,0	13,0
86	171	172	4 Kløver	V 9	50	-56,0	56,0
115	229	230	4 Kløver	V 9	50	-56,0	56,0
46	91	92	4 Ruter	V 9	50	-56,0	56,0
22	43	44	4 Ruter	Ø 9	50	-56,0	56,0
97	193	194	4 Ruter	V 9	50	-56,0	56,0
11	21	22	5 Ruter	V 10	50	-56,0	56,0
91	181	182	5 Hjerter	S 10	50	-72,0	72,0
88	175	176	5 Hjerter	S 10	50	-72,0	72,0
16	31	32	5 Hjerter	S 10	50	-72,0	72,0
80	159	160	5 Hjerter	S 10	50	-72,0	72,0
71	141	142	5 Hjerter	S 10	50	-72,0	72,0
106	211	212	5 Hjerter	S 10	50	-72,0	72,0
6	11	12	5 Hjerter	S 10	50	-72,0	72,0
29	57	58	5 Hjerter	N 10	50	-72,0	72,0
82	163	164	5 Hjerter	S 10	50	-72,0	72,0
55	109	110	5 Hjerter	N 10	50	-72,0	72,0
13	25	26	5 Hjerter	D S 10	100	-99,0	99,0
34	67	68	5 Hjerter	D N 10	100	-99,0	99,0
14	27	28	5 Hjerter	D S 10	100	-99,0	99,0
69	137	138	5 Hjerter	D N 10	100	-99,0	99,0
27	53	54	5 Hjerter	D S 10	100	-99,0	99,0
109	217	218	5 Hjerter	D S 10	100	-99,0	99,0
49	97	98	5 Hjerter	S 9	100	-99,0	99,0
113	225	226	5 Hjerter	D S 10	100	-99,0	99,0
87	173	174	5 Hjerter	D S 10	100	-99,0	99,0
24	47	48	5 Hjerter	D S 10	100	-99,0	99,0
56	111	112	5 Hjerter	D S 10	100	-99,0	99,0
39	77	78	5 Hjerter	D S 10	100	-99,0	99,0
19	37	38	5 Hjerter	S 9	100	-99,0	99,0
101	201	202	5 Hjerter	S 9	100	-99,0	99,0
36	71	72	5 Hjerter	D S 10	100	-99,0	99,0
4	7	8	5 Hjerter	D S 10	100	-99,0	99,0
26	51	52	5 Hjerter	D S 10	100	-99,0	99,0
107	213	214	4 Ruter	V 10	130	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ 8652 Mappen: 2(2)
 ♥ Q54 Rundenr: 1
 ♦ QJ8 NS (Ø)
 ♣ AK4


♠ T3 ♠ AKQJ
 ♥ KT8632 ♥ 7
 ♦ K3 ♦ AT9765
 ♣ 732 ♣ Q9

♠ 974
 ♥ AJ9
 ♦ 42
 ♣ JT865

Bord	NS	ØV	NS	ØV	NS	ØV
82	163	164	3NT	Ø 6	150	116,0 -116,0
52	103	104	4 Hjerter	V 7	150	116,0 -116,0
18	35	36	2NT	Ø 6	100	104,0 -104,0
2	3	4	3 Hjerter	V 7	100	104,0 -104,0
68	135	136	3NT	Ø 7	100	104,0 -104,0
59	117	118	3NT	Ø 7	100	104,0 -104,0
53	105	106	3NT	V 7	100	104,0 -104,0
12	23	24	3NT	Ø 7	100	104,0 -104,0
94	187	188	3NT	Ø 7	100	104,0 -104,0
84	167	168	5 Ruter	Ø 9	100	104,0 -104,0
104	207	208	5 Ruter	Ø 9	100	104,0 -104,0
67	133	134	5 Ruter	Ø 9	100	104,0 -104,0
69	137	138	2 Hjerter	V 7	50	69,0 -69,0
31	61	62	2 Hjerter	Ø 7	50	69,0 -69,0
64	127	128	2 Hjerter	V 7	50	69,0 -69,0
100	199	200	2 Hjerter	V 7	50	69,0 -69,0
70	139	140	2 Hjerter	V 7	50	69,0 -69,0
65	129	130	2 Hjerter	V 7	50	69,0 -69,0
8	15	16	2 Hjerter	V 7	50	69,0 -69,0
36	71	72	2 Hjerter	V 7	50	69,0 -69,0
114	227	228	2 Hjerter	V 7	50	69,0 -69,0
88	175	176	2 Hjerter	V 7	50	69,0 -69,0
62	123	124	2 Hjerter	V 7	50	69,0 -69,0
20	39	40	2 Hjerter	V 7	50	69,0 -69,0
7	13	14	2NT	Ø 7	50	69,0 -69,0
34	67	68	2NT	Ø 7	50	69,0 -69,0
72	143	144	2NT	V 7	50	69,0 -69,0
15	29	30	3 Hjerter	V 8	50	69,0 -69,0
1	1	2	3 Hjerter	V 8	50	69,0 -69,0
55	109	110	3 Hjerter	V 8	50	69,0 -69,0
74	147	148	4 Hjerter	V 9	50	69,0 -69,0
81	161	162	4 Ruter	Ø 9	50	69,0 -69,0
63	125	126	4 Ruter	Ø 9	50	69,0 -69,0
37	73	74	4 Ruter	Ø 9	50	69,0 -69,0
41	81	82	4 Ruter	Ø 9	50	69,0 -69,0
45	89	90	4 Ruter	Ø 9	50	69,0 -69,0
109	217	218	5 Ruter	Ø 10	50	69,0 -69,0
101	201	202	2 Hjerter	V 8	110	-4,0 4,0
30	59	60	2 Hjerter	V 8	110	-4,0 4,0
32	63	64	2 Hjerter	V 8	110	-4,0 4,0
93	185	186	2 Hjerter	V 8	110	-4,0 4,0
102	203	204	2 Hjerter	V 8	110	-4,0 4,0
61	121	122	2 Hjerter	V 8	110	-4,0 4,0
116	231	232	2 Hjerter	Ø 8	110	-4,0 4,0
58	115	116	2 Hjerter	V 8	110	-4,0 4,0
113	225	226	2 Hjerter	V 8	110	-4,0 4,0
21	41	42	2 Hjerter	V 8	110	-4,0 4,0
105	209	210	2 Hjerter	V 8	110	-4,0 4,0
108	215	216	2 Ruter	Ø 9	110	-4,0 4,0
112	223	224	3 Ruter	Ø 9	110	-4,0 4,0
16	31	32	3 Ruter	V 9	110	-4,0 4,0
10	19	20	3 Ruter	Ø 9	110	-4,0 4,0
106	211	212	3 Ruter	Ø 9	110	-4,0 4,0
19	37	38	3 Ruter	Ø 9	110	-4,0 4,0
24	47	48	3 Ruter	V 9	110	-4,0 4,0
5	9	10	3 Ruter	Ø 9	110	-4,0 4,0
51	101	102	3 Ruter	Ø 9	110	-4,0 4,0
95	189	190	3 Ruter	Ø 9	110	-4,0 4,0
6	11	12	3 Ruter	Ø 9	110	-4,0 4,0
23	45	46	3 Ruter	Ø 9	110	-4,0 4,0
85	169	170	3 Ruter	Ø 9	110	-4,0 4,0
56	111	112	3 Ruter	Ø 9	110	-4,0 4,0
117	233	234	3 Ruter	Ø 9	110	-4,0 4,0
48	95	96	3 Ruter	Ø 9	110	-4,0 4,0
9	17	18	3 Ruter	Ø 9	110	-4,0 4,0
110	220	219	3 Ruter	Ø 9	110	-4,0 4,0
54	107	108	3 Ruter	Ø 9	110	-4,0 4,0
49	97	98	3 Ruter	Ø 9	110	-4,0 4,0
60	119	120	3 Ruter	Ø 9	110	-4,0 4,0
115	229	230	3 Ruter	Ø 9	110	-4,0 4,0
13	25	26	3 Ruter	Ø 9	110	-4,0 4,0
33	65	66	3 Ruter	Ø 9	110	-4,0 4,0
71	141	142	3 Ruter	Ø 9	110	-4,0 4,0
97	193	194	3 Ruter	Ø 9	110	-4,0 4,0
77	153	154	3 Ruter	Ø 9	110	-4,0 4,0

90	179	180	3 Ruter	Ø 9	110	-4,0 4,0
40	79	80	3 Ruter	Ø 9	110	-4,0 4,0
14	27	28	3 Ruter	Ø 9	110	-4,0 4,0
3	5	6	3 Ruter	Ø 9	110	-4,0 4,0
76	151	152	3 Ruter	Ø 9	110	-4,0 4,0
78	155	156	3 Ruter	Ø 9	110	-4,0 4,0
75	149	150	3 Ruter	Ø 9	110	-4,0 4,0
80	159	160	3 Ruter	Ø 9	110	-4,0 4,0
99	197	198	3 Ruter	Ø 9	110	-4,0 4,0
43	85	86	3 Ruter	Ø 9	110	-4,0 4,0
38	75	76	3 Ruter	Ø 10	130	-63,0 63,0
86	171	172	3 Ruter	Ø 10	130	-63,0 63,0
107	213	214	3 Ruter	Ø 10	130	-63,0 63,0
22	43	44	3 Ruter	Ø 10	130	-63,0 63,0
57	113	114	3 Ruter	Ø 10	130	-63,0 63,0
118	235	236	3 Ruter	Ø 10	130	-63,0 63,0
28	55	56	3 Ruter	Ø 10	130	-63,0 63,0
50	99	100	3 Ruter	Ø 10	130	-63,0 63,0
89	177	178	3 Ruter	Ø 10	130	-63,0 63,0
87	173	174	3 Ruter	Ø 10	130	-63,0 63,0
11	21	22	3 Ruter	Ø 10	130	-63,0 63,0
83	165	166	2 Hjerter	V 9	140	-93,0 93,0
47	93	94	2 Hjerter	V 9	140	-93,0 93,0
73	145	146	2 Hjerter	V 9	140	-93,0 93,0
26	51	52	2 Hjerter	V 9	140	-93,0 93,0
29	57	58	2 Hjerter	V 9	140	-93,0 93,0
91	181	182	2 Hjerter	V 9	140	-93,0 93,0
25	49	50	2 Hjerter	V 9	140	-93,0 93,0
27	53	54	2 Hjerter	V 9	140	-93,0 93,0
44	87	88	2 Hjerter	V 9	140	-93,0 93,0
42	83	84	2 Hjerter	V 9	140	-93,0 93,0
66	131	132	2 Hjerter	V 9	140	-93,0 93,0
103	205	206	2 Hjerter	Ø 9	140	-93,0 93,0
17	33	34	2 Hjerter	V 9	140	-93,0 93,0
4	7	8	2 Hjerter	V 9	140	-93,0 93,0
98	195	196	3 Hjerter	Ø 9	140	-93,0 93,0
35	69	70	3 Hjerter	V 9	140	-93,0 93,0
111	221	222	3 Hjerter	V 9	140	-93,0 93,0
39	77	78	3 Hjerter	V 9	140	-93,0 93,0
79	157	158	3 Hjerter	V 9	140	-93,0 93,0
96	191	192	3 Ruter	Ø 11	150	-113,0 113,0
46	91	92	2NT	D S 7	200	-115,0 115,0
92	183	184	3NT	Ø 10	430	-117,0 117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
80	159	160	4 Ruter	D Ø 5	1400	117,0	-117,0
78	155	156	3 Kløver	D V 5	1100	115,0	-115,0
77	153	154	3 Kløver	D V 6	800	105,0	-105,0
37	73	74	3 Kløver	D V 6	800	105,0	-105,0
104	207	208	3 Kløver	D V 6	800	105,0	-105,0
63	125	126	3 Kløver	D V 6	800	105,0	-105,0
107	213	214	3 Kløver	D Ø 6	800	105,0	-105,0
95	189	190	3 Kløver	D V 6	800	105,0	-105,0
13	25	26	3 Kløver	D V 6	800	105,0	-105,0
67	133	134	3 Kløver	D Ø 6	800	105,0	-105,0
23	45	46	3 Kløver	D V 6	800	105,0	-105,0
16	31	32	4 Hjerter	D S 10	590	94,0	-94,0
42	83	84	4 Hjerter	D S 10	590	94,0	-94,0
99	197	198	2 Hjerter	D S 9	570	91,0	-91,0
7	13	14	3 Hjerter	D S 9	530	89,0	-89,0
112	223	224	2 NT	Ø 3	500	84,0	-84,0
9	17	18	2 Ruter	D Ø 6	500	84,0	-84,0
110	220	219	3 Kløver	D V 7	500	84,0	-84,0
51	101	102	3 Kløver	D V 7	500	84,0	-84,0
43	85	86	2 Hjerter	D S 8	470	79,0	-79,0
105	209	210	3 NT	N 11	460	77,0	-77,0
18	35	36	3 NT	S 10	430	70,0	-70,0
90	179	180	3 NT	N 10	430	70,0	-70,0
113	225	226	3 NT	S 10	430	70,0	-70,0
85	169	170	3 NT	S 10	430	70,0	-70,0
31	61	62	3 NT	N 10	430	70,0	-70,0
118	235	236	3 NT	N 10	430	70,0	-70,0
114	227	228	4 Hjerter	S 10	420	56,0	-56,0
52	103	104	4 Hjerter	S 10	420	56,0	-56,0
109	217	218	4 Hjerter	S 10	420	56,0	-56,0
66	131	132	4 Hjerter	S 10	420	56,0	-56,0
117	233	234	4 Hjerter	S 10	420	56,0	-56,0
46	91	92	4 Hjerter	S 10	420	56,0	-56,0
93	185	186	4 Hjerter	S 10	420	56,0	-56,0
25	49	50	4 Hjerter	S 10	420	56,0	-56,0
58	115	116	3 NT	S 9	400	40,0	-40,0
26	51	52	3 NT	S 9	400	40,0	-40,0
17	33	34	3 NT	N 9	400	40,0	-40,0
96	191	192	3 NT	N 9	400	40,0	-40,0
68	135	136	3 NT	N 9	400	40,0	-40,0
5	9	10	3 NT	N 9	400	40,0	-40,0
62	123	124	3 NT	N 9	400	40,0	-40,0
38	75	76	3 NT	N 9	400	40,0	-40,0
55	109	110	4 Kløver	Ø 7	300	31,0	-31,0
24	47	48	2 Hjerter	S 10	170	24,0	-24,0
116	231	232	2 Hjerter	S 10	170	24,0	-24,0
6	11	12	2 Hjerter	N 10	170	24,0	-24,0
11	21	22	3 Hjerter	S 10	170	24,0	-24,0
106	211	212	3 Hjerter	S 10	170	24,0	-24,0
3	5	6	3 Spar	N 10	170	24,0	-24,0
98	195	196	2 Hjerter	N 9	140	14,0	-14,0
10	19	20	2 Hjerter	S 9	140	14,0	-14,0
21	41	42	3 Hjerter	S 9	140	14,0	-14,0
32	63	64	3 Hjerter	S 9	140	14,0	-14,0
8	15	16	2 Spar	N 8	110	9,0	-9,0
22	43	44	3 Kløver	N 8	50	-43,0	43,0
49	97	98	3 NT	N 8	50	-43,0	43,0
91	181	182	3 NT	N 8	50	-43,0	43,0
54	107	108	3 NT	N 8	50	-43,0	43,0
101	201	202	3 NT	N 8	50	-43,0	43,0
111	221	222	3 NT	N 8	50	-43,0	43,0
83	165	166	3 NT	N 8	50	-43,0	43,0
87	173	174	3 NT	N 8	50	-43,0	43,0
28	55	56	3 NT	N 8	50	-43,0	43,0
115	229	230	3 NT	N 8	50	-43,0	43,0
45	89	90	3 NT	S 8	50	-43,0	43,0
60	119	120	3 NT	N 8	50	-43,0	43,0
65	129	130	3 NT	N 8	50	-43,0	43,0
14	27	28	3 NT	N 8	50	-43,0	43,0
59	117	118	3 NT	N 8	50	-43,0	43,0
39	77	78	3 NT	N 8	50	-43,0	43,0
72	143	144	3 NT	N 8	50	-43,0	43,0
35	69	70	4 Hjerter	S 9	50	-43,0	43,0
74	147	148	4 Hjerter	S 9	50	-43,0	43,0
19	37	38	4 Hjerter	S 9	50	-43,0	43,0

50	99	100	4 Hjerter	S 9	50	-43,0	43,0
56	111	112	4 Hjerter	S 9	50	-43,0	43,0
41	81	82	4 Hjerter	S 9	50	-43,0	43,0
97	193	194	4 Hjerter	S 9	50	-43,0	43,0
29	57	58	4 Hjerter	S 9	50	-43,0	43,0
20	39	40	4 Hjerter	S 9	50	-43,0	43,0
57	113	114	4 Hjerter	S 9	50	-43,0	43,0
40	79	80	4 Hjerter	S 9	50	-43,0	43,0
103	205	206	4 Hjerter	S 9	50	-43,0	43,0
94	187	188	4 Hjerter	S 9	50	-43,0	43,0
108	215	216	4 Hjerter	N 9	50	-43,0	43,0
73	145	146	4 Hjerter	S 9	50	-43,0	43,0
48	95	96	4 Hjerter	S 9	50	-43,0	43,0
64	127	128	4 Hjerter	S 9	50	-43,0	43,0
70	139	140	4 Hjerter	N 9	50	-43,0	43,0
69	137	138	4 Hjerter	S 9	50	-43,0	43,0
15	29	30	4 Hjerter	S 9	50	-43,0	43,0
79	157	158	4 Hjerter	S 9	50	-43,0	43,0
2	3	4	4 Hjerter	S 9	50	-43,0	43,0
81	161	162	4 Hjerter	S 9	50	-43,0	43,0
30	59	60	4 Hjerter	S 9	50	-43,0	43,0
82	163	164	4 Hjerter	S 9	50	-43,0	43,0
75	149	150	4 Hjerter	S 9	50	-43,0	43,0
71	141	142	4 Hjerter	S 9	50	-43,0	43,0
27	53	54	4 Hjerter	S 9	50	-43,0	43,0
76	151	152	4 Hjerter	S 9	50	-43,0	43,0
4	7	8	4 Hjerter	S 9	50	-43,0	43,0
44	87	88	4 Hjerter	S 9	50	-43,0	43,0
84	167	168	4 Hjerter	S 9	50	-43,0	43,0
34	67	68	4 Hjerter	S 9	50	-43,0	43,0
86	171	172	4 Hjerter	S 9	50	-43,0	43,0
100	199	200	3 NT	N 7	100	-104,0	104,0
92	183	184	3 NT	N 7	100	-104,0	104,0
88	175	176	3 NT	N 7	100	-104,0	104,0
36	71	72	3 NT	N 7	100	-104,0	104,0
61	121	122	3 NT	N 7	100	-104,0	104,0
89	177	178	3 NT	N 7	100	-104,0	104,0
47	93	94	4 Hjerter	D S 9	100	-104,0	104,0
33	65	66	4 Hjerter	S 8	100	-104,0	104,0
1	1	2	4 Hjerter	D S 9	100	-104,0	104,0
53	105	106	4 Hjerter	D S 9	100	-104,0	104,0
102	203	204	3 NT	S 6	150	-115,0	115,0
12	23	24	4 Hjerter	D S 8	300	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
51	103	101	2 Kløver	D V 6	500	117,0	-117,0
76	150	152	1 NT	V 5	200	110,0	-110,0
40	78	80	2 Kløver	V 6	200	110,0	-110,0
64	126	128	2 Kløver	V 6	200	110,0	-110,0
109	219	217	2 Kløver	V 6	200	110,0	-110,0
8	14	16	2 Kløver	V 6	200	110,0	-110,0
61	123	121	3 Kløver	V 7	200	110,0	-110,0
87	175	173	2 Spar	N 10	170	103,0	-103,0
63	127	125	1 NT	S 9	150	98,0	-98,0
112	222	224	1 NT	S 9	150	98,0	-98,0
17	35	33	1 NT	S 9	150	98,0	-98,0
10	18	20	1 NT	S 9	150	98,0	-98,0
38	74	76	2 Spar	N 9	140	93,0	-93,0
70	138	140	1 NT	S 8	120	84,0	-84,0
67	135	133	1 NT	S 8	120	84,0	-84,0
110	218	220	1 NT	S 8	120	84,0	-84,0
94	186	188	1 NT	S 8	120	84,0	-84,0
59	119	117	1 NT	S 8	120	84,0	-84,0
82	162	164	1 NT	S 8	120	84,0	-84,0
99	199	197	1 NT	N 8	120	84,0	-84,0
111	223	221	1 NT	S 8	120	84,0	-84,0
78	154	156	1 Spar	N 8	110	74,0	-74,0
32	62	64	2 Spar	N 8	110	74,0	-74,0
62	122	124	1 NT	V 6	100	51,0	-51,0
90	178	180	1 NT	V 6	100	51,0	-51,0
77	155	153	1 NT	V 6	100	51,0	-51,0
48	94	96	1 NT	V 6	100	51,0	-51,0
49	99	97	1 NT	V 6	100	51,0	-51,0
79	159	157	1 NT	V 6	100	51,0	-51,0
101	203	201	1 NT	V 6	100	51,0	-51,0
42	82	84	1 NT	V 6	100	51,0	-51,0
104	206	208	1 NT	V 6	100	51,0	-51,0
18	34	36	1 NT	V 6	100	51,0	-51,0
72	142	144	1 Spar	V 6	100	51,0	-51,0
14	26	28	2 Hjerter	V 7	100	51,0	-51,0
6	10	12	2 Hjerter	V 7	100	51,0	-51,0
29	59	57	2 Kløver	V 7	100	51,0	-51,0
1	3	1	2 Kløver	V 7	100	51,0	-51,0
37	75	73	2 Kløver	V 7	100	51,0	-51,0
11	23	21	2 Kløver	V 7	100	51,0	-51,0
93	187	185	2 Kløver	V 7	100	51,0	-51,0
89	179	177	2 Kløver	V 7	100	51,0	-51,0
88	174	176	2 Kløver	V 7	100	51,0	-51,0
26	50	52	2 Kløver	V 7	100	51,0	-51,0
30	58	60	1 NT	S 7	90	15,0	-15,0
25	49	51	1 NT	S 7	90	15,0	-15,0
22	42	44	1 NT	S 7	90	15,0	-15,0
107	215	213	1 NT	S 7	90	15,0	-15,0
96	190	192	1 NT	S 7	90	15,0	-15,0
81	163	161	1 NT	N 7	90	15,0	-15,0
73	147	145	1 NT	S 7	90	15,0	-15,0
114	226	228	1 NT	S 7	90	15,0	-15,0
20	38	40	1 NT	S 7	90	15,0	-15,0
71	143	141	1 NT	S 7	90	15,0	-15,0
39	79	77	1 NT	S 7	90	15,0	-15,0
85	171	169	1 NT	S 7	90	15,0	-15,0
57	115	113	1 NT	S 7	90	15,0	-15,0
4	6	8	1 NT	S 7	90	15,0	-15,0
80	158	160	1 NT	S 7	90	15,0	-15,0
60	118	120	1 Spar	N 7	80	-4,0	4,0
33	67	65	1 Spar	N 7	80	-4,0	4,0
115	231	229	1 Spar	N 7	80	-4,0	4,0
84	166	168	1 Spar	N 7	80	-4,0	4,0
106	210	212	1 Kløver	V 7	70	-9,0	9,0
16	30	32	1 Spar	V 7	80	-11,0	11,0
23	47	45	1 NT	V 7	90	-24,0	24,0
105	211	209	1 NT	V 7	90	-24,0	24,0
27	55	53	1 NT	V 7	90	-24,0	24,0
5	11	9	1 NT	V 7	90	-24,0	24,0
31	63	61	1 NT	Ø 7	90	-24,0	24,0
41	83	81	1 NT	V 7	90	-24,0	24,0
117	235	233	1 NT	V 7	90	-24,0	24,0
34	66	68	1 NT	V 7	90	-24,0	24,0
91	183	181	2 Kløver	V 8	90	-24,0	24,0
50	98	100	2 Kløver	V 8	90	-24,0	24,0

13	27	25	2 Kløver	V 8	90	-24,0	24,0
12	22	24	2 Kløver	V 8	90	-24,0	24,0
54	106	108	1 NT	S 6	100	-63,0	63,0
98	194	196	1 NT	S 6	100	-63,0	63,0
46	90	92	1 NT	S 6	100	-63,0	63,0
9	19	17	1 NT	S 6	100	-63,0	63,0
19	39	37	1 NT	S 6	100	-63,0	63,0
15	31	29	1 NT	S 6	100	-63,0	63,0
69	139	137	1 NT	S 6	100	-63,0	63,0
68	134	136	1 NT	S 6	100	-63,0	63,0
52	102	104	1 NT	S 6	100	-63,0	63,0
7	15	13	1 NT	S 6	100	-63,0	63,0
113	227	225	1 NT	S 6	100	-63,0	63,0
95	191	189	1 NT	S 6	100	-63,0	63,0
43	87	85	1 Spar	N 6	100	-63,0	63,0
44	86	88	1 Spar	N 6	100	-63,0	63,0
55	111	109	1 Spar	N 6	100	-63,0	63,0
21	43	41	1 Spar	N 6	100	-63,0	63,0
28	54	56	2 Ruter	N 7	100	-63,0	63,0
35	71	69	2 Spar	N 7	100	-63,0	63,0
97	195	193	2 Spar	N 7	100	-63,0	63,0
92	182	184	2 Spar	N 7	100	-63,0	63,0
74	146	148	2 Spar	N 7	100	-63,0	63,0
47	95	93	2 Spar	N 7	100	-63,0	63,0
65	131	129	2 Spar	N 7	100	-63,0	63,0
2	2	4	2 Spar	N 7	100	-63,0	63,0
53	107	105	2 Spar	N 7	100	-63,0	63,0
108	214	216	2 Spar	N 7	100	-63,0	63,0
24	46	48	2 Spar	N 7	100	-63,0	63,0
116	230	232	1 NT	Ø 8	120	-95,0	95,0
58	114	116	1 NT	V 8	120	-95,0	95,0
45	91	89	1 NT	V 8	120	-95,0	95,0
103	207	205	1 NT	V 8	120	-95,0	95,0
66	130	132	2 NT	V 8	120	-95,0	95,0
118	234	236	1 Spar	D V 7	160	-101,0	101,0
3	7	5	1 NT	S 5	200	-110,0	110,0
56	110	112	2 Spar	N 6	200	-110,0	110,0
102	202	204	2 Spar	N 6	200	-110,0	110,0
83	167	165	2 Spar	N 6	200	-110,0	110,0
36	70	72	2 Spar	N 6	200	-110,0	110,0
75	151	149	2 Spar	N 6	200	-110,0	110,0
100	198	200	2 Spar	N 6	200	-110,0	110,0
86	170	172	2 Spar	N 6	200	-110,0	110,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010




Mappen: 5(5)
Rundenr: 2
NS (N)

Bord	NS	ØV	NS	ØV	NS	ØV
25	49	51	4 Spar	Ø 8	100	117,0 -117,0
103	207	205	3NT	V 8	50	113,0 -113,0
97	195	193	4 Spar	Ø 9	50	113,0 -113,0
72	142	144	6 Kløver	Ø 11	50	113,0 -113,0
106	210	212	1NT	V 8	120	109,0 -109,0
18	34	36	3 Spar	Ø 10	170	107,0 -107,0
3	7	5	2 Spar	Ø 11	200	98,0 -98,0
118	234	236	2 Spar	V 11	200	98,0 -98,0
1	3	1	2 Spar	Ø 11	200	98,0 -98,0
86	170	172	2 Spar	V 11	200	98,0 -98,0
89	179	177	3 Spar	Ø 11	200	98,0 -98,0
5	11	9	3 Spar	V 11	200	98,0 -98,0
2	2	4	3 Spar	V 11	200	98,0 -98,0
51	103	101	3 Spar	V 11	200	98,0 -98,0
37	75	73	3 Spar	V 13	260	89,0 -89,0
94	186	188	5 Kløver	Ø 11	400	87,0 -87,0
57	115	113	4 Spar	V 10	420	82,0 -82,0
79	159	157	4 Spar	V 10	420	82,0 -82,0
35	71	69	4 Spar	V 10	420	82,0 -82,0
116	230	232	4 Spar	V 10	420	82,0 -82,0
54	106	108	3NT	V 10	430	77,0 -77,0
48	94	96	4 Hjerter	Ø 11	450	-2,0 2,0
52	102	104	4 Spar	V 11	450	-2,0 2,0
108	214	216	4 Spar	Ø 11	450	-2,0 2,0
12	22	24	4 Spar	V 11	450	-2,0 2,0
76	150	152	4 Spar	V 11	450	-2,0 2,0
41	83	81	4 Spar	V 11	450	-2,0 2,0
15	31	29	4 Spar	Ø 11	450	-2,0 2,0
32	62	64	4 Spar	V 11	450	-2,0 2,0
75	151	149	4 Spar	V 11	450	-2,0 2,0
84	166	168	4 Spar	V 11	450	-2,0 2,0
93	187	185	4 Spar	V 11	450	-2,0 2,0
23	47	45	4 Spar	V 11	450	-2,0 2,0
109	219	217	4 Spar	V 11	450	-2,0 2,0
40	78	80	4 Spar	Ø 11	450	-2,0 2,0
29	59	57	4 Spar	Ø 11	450	-2,0 2,0
60	118	120	4 Spar	V 11	450	-2,0 2,0
101	203	201	4 Spar	V 11	450	-2,0 2,0
10	18	20	4 Spar	Ø 11	450	-2,0 2,0
83	167	165	4 Spar	V 11	450	-2,0 2,0
16	30	32	4 Spar	V 11	450	-2,0 2,0
74	146	148	4 Spar	Ø 11	450	-2,0 2,0
50	98	100	4 Spar	Ø 11	450	-2,0 2,0
24	46	48	4 Spar	V 11	450	-2,0 2,0
73	147	145	4 Spar	V 11	450	-2,0 2,0
8	14	16	4 Spar	Ø 11	450	-2,0 2,0
31	63	61	4 Spar	V 11	450	-2,0 2,0
9	19	17	4 Spar	V 11	450	-2,0 2,0
81	163	161	4 Spar	Ø 11	450	-2,0 2,0
59	119	117	4 Spar	V 11	450	-2,0 2,0
33	67	65	4 Spar	Ø 11	450	-2,0 2,0
47	95	93	4 Spar	Ø 11	450	-2,0 2,0
91	183	181	4 Spar	Ø 11	450	-2,0 2,0
90	178	180	4 Spar	Ø 11	450	-2,0 2,0
21	43	41	4 Spar	V 11	450	-2,0 2,0
115	231	229	4 Spar	V 11	450	-2,0 2,0
53	107	105	4 Spar	Ø 11	450	-2,0 2,0
99	199	197	4 Spar	V 11	450	-2,0 2,0
7	15	13	4 Spar	V 11	450	-2,0 2,0
30	58	60	4 Spar	V 11	450	-2,0 2,0
102	202	204	4 Spar	Ø 11	450	-2,0 2,0
4	6	8	4 Spar	V 11	450	-2,0 2,0
113	227	225	4 Spar	V 11	450	-2,0 2,0
6	10	12	4 Spar	Ø 11	450	-2,0 2,0
20	38	40	4 Spar	V 11	450	-2,0 2,0
27	55	53	4 Spar	V 11	450	-2,0 2,0
28	54	56	4 Spar	V 11	450	-2,0 2,0
62	122	124	4 Spar	V 11	450	-2,0 2,0
39	79	77	4 Spar	Ø 11	450	-2,0 2,0
105	211	209	4 Spar	Ø 11	450	-2,0 2,0
77	155	153	4 Spar	V 11	450	-2,0 2,0
112	222	224	4 Spar	V 11	450	-2,0 2,0
45	91	89	4 Spar	V 11	450	-2,0 2,0
26	50	52	4 Spar	Ø 11	450	-2,0 2,0
65	131	129	4 Spar	V 11	450	-2,0 2,0

71	143	141	4 Spar	V 11	450	-2,0 2,0
82	162	164	4 Spar	V 11	450	-2,0 2,0
114	226	228	4 Spar	V 11	450	-2,0 2,0
56	110	112	4 Spar	V 11	450	-2,0 2,0
70	138	140	4 Spar	V 11	450	-2,0 2,0
100	198	200	4 Spar	V 11	450	-2,0 2,0
14	26	28	4 Spar	V 11	450	-2,0 2,0
111	223	221	4 Spar	V 11	450	-2,0 2,0
13	27	25	4 Spar	V 11	450	-2,0 2,0
19	39	37	4 Spar	Ø 11	450	-2,0 2,0
36	70	72	4 Spar	V 11	450	-2,0 2,0
34	66	68	4 Spar	V 11	450	-2,0 2,0
87	175	173	4 Spar	V 11	450	-2,0 2,0
63	127	125	4 Spar	V 11	450	-2,0 2,0
17	35	33	4 Spar	V 11	450	-2,0 2,0
104	206	208	4 Spar	V 11	450	-2,0 2,0
67	135	133	4 Spar	Ø 11	450	-2,0 2,0
88	174	176	4 Spar	V 11	450	-2,0 2,0
43	87	85	4 Spar	V 11	450	-2,0 2,0
69	139	137	4 Spar	Ø 11	450	-2,0 2,0
95	191	189	4 Spar	V 11	450	-2,0 2,0
11	23	21	4 Spar	V 11	450	-2,0 2,0
96	190	192	4 Spar	V 11	450	-2,0 2,0
58	114	116	5 Spar	Ø 11	450	-2,0 2,0
49	99	97	4 Spar	Ø 12	480	-83,0 83,0
78	154	156	4 Spar	V 12	480	-83,0 83,0
42	82	84	4 Spar	V 12	480	-83,0 83,0
85	171	169	4 Spar	V 13	510	-100,0 100,0
55	111	109	4 Spar	Ø 13	510	-100,0 100,0
38	74	76	4 Spar	V 13	510	-100,0 100,0
80	158	160	4 Spar	V 13	510	-100,0 100,0
68	134	136	4 Spar	V 13	510	-100,0 100,0
92	182	184	4 Spar	V 13	510	-100,0 100,0
107	215	213	4 Spar	V 13	510	-100,0 100,0
98	194	196	4 Spar	V 13	510	-100,0 100,0
117	235	233	4 Spar	V 13	510	-100,0 100,0
44	86	88	4 Spar	V 13	510	-100,0 100,0
46	90	92	4 Spar	Ø 13	510	-100,0 100,0
110	218	220	4 Spar	V 13	510	-100,0 100,0
61	123	121	4 Spar	V 13	510	-100,0 100,0
64	126	128	4 Spar	V 13	510	-100,0 100,0
66	130	132	3NT	V 13	520	-116,0 116,0
22	42	44	3NT	V 13	520	-116,0 116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
114	226	228	4 Hjerter	D V 5	1400	117,0	-117,0
43	87	85	2 Spar	D Ø 6	500	115,0	-115,0
84	166	168	2 Spar	D Ø 7	200	111,0	-111,0
99	199	197	2 Spar	D Ø 7	200	111,0	-111,0
40	78	80	2 Spar	D Ø 7	200	111,0	-111,0
33	67	65	1 NT	S 10	180	107,0	-107,0
112	222	224	3 Hjerter	N 9	140	105,0	-105,0
18	34	36	3 Ruter	N 10	130	102,0	-102,0
105	211	209	4 Ruter	N 10	130	102,0	-102,0
49	99	97	3 Kløver	N 9	110	78,0	-78,0
7	15	13	3 Ruter	N 9	110	78,0	-78,0
13	27	25	3 Ruter	N 9	110	78,0	-78,0
77	155	153	3 Ruter	N 9	110	78,0	-78,0
29	59	57	3 Ruter	N 9	110	78,0	-78,0
15	31	29	3 Ruter	N 9	110	78,0	-78,0
62	122	124	3 Ruter	N 9	110	78,0	-78,0
23	47	45	3 Ruter	S 9	110	78,0	-78,0
100	198	200	3 Ruter	N 9	110	78,0	-78,0
27	55	53	3 Ruter	N 9	110	78,0	-78,0
108	214	216	3 Ruter	N 9	110	78,0	-78,0
97	195	193	3 Ruter	N 9	110	78,0	-78,0
53	107	105	3 Ruter	N 9	110	78,0	-78,0
90	178	180	3 Ruter	N 9	110	78,0	-78,0
2	2	4	3 Ruter	N 9	110	78,0	-78,0
91	183	181	3 Ruter	N 9	110	78,0	-78,0
48	94	96	3 Ruter	N 9	110	78,0	-78,0
116	230	232	3 Ruter	N 9	110	78,0	-78,0
65	131	129	3 Ruter	N 9	110	78,0	-78,0
74	146	148	3 Ruter	N 9	110	78,0	-78,0
56	110	112	3 Ruter	N 9	110	78,0	-78,0
104	206	208	3 Ruter	N 9	110	78,0	-78,0
71	143	141	2 Spar	V 7	100	44,0	-44,0
58	114	116	2 Spar	Ø 7	100	44,0	-44,0
8	14	16	2 Spar	Ø 7	100	44,0	-44,0
9	19	17	2 Spar	V 7	100	44,0	-44,0
69	139	137	2 Spar	Ø 7	100	44,0	-44,0
80	158	160	2 Spar	Ø 7	100	44,0	-44,0
55	111	109	2 Spar	Ø 7	100	44,0	-44,0
41	83	81	2 Spar	Ø 7	100	44,0	-44,0
37	75	73	2 Spar	Ø 7	100	44,0	-44,0
67	135	133	2 Spar	Ø 7	100	44,0	-44,0
115	231	229	2 Spar	Ø 7	100	44,0	-44,0
109	219	217	2 Spar	Ø 7	100	44,0	-44,0
51	103	101	1 NT	S 6	50	0,0	0,0
78	154	156	1 NT	S 6	50	0,0	0,0
87	175	173	2 Hjerter	N 7	50	0,0	0,0
59	119	117	2 NT	S 7	50	0,0	0,0
96	190	192	2 NT	S 7	50	0,0	0,0
39	79	77	2 NT	S 7	50	0,0	0,0
45	91	89	2 NT	S 7	50	0,0	0,0
70	138	140	2 NT	S 7	50	0,0	0,0
34	66	68	3 Hjerter	N 8	50	0,0	0,0
73	147	145	3 Hjerter	N 8	50	0,0	0,0
46	90	92	3 Kløver	S 8	50	0,0	0,0
17	35	33	3 Kløver	S 8	50	0,0	0,0
52	102	104	3 NT	N 8	50	0,0	0,0
82	162	164	4 Ruter	N 9	50	0,0	0,0
30	58	60	4 Ruter	N 9	50	0,0	0,0
5	11	9	4 Ruter	N 9	50	0,0	0,0
36	70	72	4 Ruter	N 9	50	0,0	0,0
98	194	196	4 Ruter	N 9	50	0,0	0,0
118	234	236	4 Ruter	N 9	50	0,0	0,0
85	171	169	4 Ruter	N 9	50	0,0	0,0
26	50	52	4 Ruter	S 9	50	0,0	0,0
47	95	93	4 Ruter	N 9	50	0,0	0,0
117	235	233	4 Ruter	N 9	50	0,0	0,0
102	202	204	4 Ruter	N 9	50	0,0	0,0
31	63	61	4 Ruter	N 9	50	0,0	0,0
42	82	84	4 Ruter	N 9	50	0,0	0,0
68	134	136	4 Ruter	N 9	50	0,0	0,0
14	26	28	4 Ruter	N 9	50	0,0	0,0
4	6	8	4 Ruter	S 9	50	0,0	0,0
12	22	24	4 Ruter	N 9	50	0,0	0,0
106	210	212	4 Ruter	N 9	50	0,0	0,0
113	227	225	4 Ruter	N 9	50	0,0	0,0

25	49	51	2 NT	S 6	100	-73,0	73,0
81	163	161	3 Kløver	S 7	100	-73,0	73,0
110	218	220	3 NT	S 7	100	-73,0	73,0
21	43	41	3 NT	N 7	100	-73,0	73,0
63	127	125	3 NT	N 7	100	-73,0	73,0
38	74	76	3 NT	S 7	100	-73,0	73,0
3	7	5	3 NT	S 7	100	-73,0	73,0
76	150	152	3 NT	S 7	100	-73,0	73,0
86	170	172	3 NT	S 7	100	-73,0	73,0
107	215	213	3 NT	S 7	100	-73,0	73,0
54	106	108	3 NT	N 7	100	-73,0	73,0
6	10	12	3 NT	S 7	100	-73,0	73,0
32	62	64	3 NT	N 7	100	-73,0	73,0
11	23	21	3 NT	N 7	100	-73,0	73,0
20	38	40	3 NT	S 7	100	-73,0	73,0
16	30	32	3 NT	S 7	100	-73,0	73,0
61	123	121	3 NT	S 7	100	-73,0	73,0
83	167	165	4 Hjerter	N 8	100	-73,0	73,0
103	207	205	4 Hjerter	N 8	100	-73,0	73,0
79	159	157	4 Hjerter	N 8	100	-73,0	73,0
111	223	221	4 Hjerter	N 8	100	-73,0	73,0
75	151	149	4 Hjerter	S 8	100	-73,0	73,0
10	18	20	4 Kløver	N 8	100	-73,0	73,0
50	98	100	4 Kløver	S 8	100	-73,0	73,0
57	115	113	5 Ruter	N 9	100	-73,0	73,0
19	39	37	5 Ruter	N 9	100	-73,0	73,0
1	3	1	5 Ruter	N 9	100	-73,0	73,0
35	71	69	5 Ruter	N 9	100	-73,0	73,0
95	191	189	5 Ruter	N 9	100	-73,0	73,0
94	186	188	5 Ruter	N 9	100	-73,0	73,0
28	54	56	5 Ruter	N 9	100	-73,0	73,0
44	86	88	5 Ruter	N 9	100	-73,0	73,0
93	187	185	5 Ruter	N 9	100	-73,0	73,0
66	130	132	5 Ruter	N 9	100	-73,0	73,0
92	182	184	5 Ruter	N 9	100	-73,0	73,0
60	118	120	5 Ruter	N 9	100	-73,0	73,0
22	42	44	5 Ruter	N 9	100	-73,0	73,0
88	174	176	5 Ruter	N 9	100	-73,0	73,0
89	179	177	5 Ruter	N 9	100	-73,0	73,0
64	126	128	5 Ruter	N 9	100	-73,0	73,0
101	203	201	5 Ruter	N 9	100	-73,0	73,0
72	142	144	2 Spar	Ø 8	110	-115,0	115,0
24	46	48	4 Kløver	S 6	200	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
111	156	190	2 Hjerter	Ø 5	300	117,0	-117,0
18	72	204	1 NT	S 11	210	115,0	-115,0
102	162	10	1 NT	S 9	150	113,0	-113,0
108	170	43	2 Hjerter	S 9	140	106,0	-106,0
51	217	158	2 Hjerter	S 9	140	106,0	-106,0
103	14	37	2 Hjerter	S 9	140	106,0	-106,0
57	29	143	3 Hjerter	N 9	140	106,0	-106,0
94	229	193	3 Hjerter	S 9	140	106,0	-106,0
107	87	51	3 Hjerter	N 9	140	106,0	-106,0
15	28	98	2 Kløver	N 9	110	87,0	-87,0
100	224	65	2 Kløver	S 9	110	87,0	-87,0
118	74	134	2 Kløver	N 9	110	87,0	-87,0
22	184	92	2 Kløver	S 9	110	87,0	-87,0
98	90	113	2 Kløver	S 9	110	87,0	-87,0
61	6	30	3 Kløver	N 9	110	87,0	-87,0
91	124	221	3 Kløver	S 9	110	87,0	-87,0
32	45	231	3 Kløver	S 9	110	87,0	-87,0
26	194	187	3 Kløver	S 9	110	87,0	-87,0
34	41	19	3 Kløver	S 9	110	87,0	-87,0
14	38	202	3 Kløver	N 9	110	87,0	-87,0
70	132	2	3 Kløver	S 9	110	87,0	-87,0
117	36	126	3 Kløver	N 9	110	87,0	-87,0
80	16	33	1 NT	V 6	100	73,0	-73,0
35	68	214	1 NT	S 7	90	70,0	-70,0
77	211	11	1 NT	S 7	90	70,0	-70,0
7	174	25	1 NT	S 6	100	55,0	-55,0
86	64	47	1 NT	N 6	100	55,0	-55,0
105	97	111	1 NT	S 6	100	55,0	-55,0
99	141	55	1 NT	S 6	100	55,0	-55,0
4	78	135	1 NT	S 6	100	55,0	-55,0
39	34	15	1 NT	S 6	100	55,0	-55,0
12	52	88	1 NT	S 6	100	55,0	-55,0
13	206	166	1 NT	S 6	100	55,0	-55,0
21	56	89	1 NT	S 6	100	55,0	-55,0
8	189	155	1 NT	S 6	100	55,0	-55,0
65	99	79	3 Hjerter	S 8	100	55,0	-55,0
62	144	50	4 Hjerter	N 9	100	55,0	-55,0
17	9	161	4 Kløver	S 9	100	55,0	-55,0
25	94	230	3 Ruter	Ø 10	130	39,0	-39,0
30	196	39	3 Ruter	Ø 10	130	39,0	-39,0
106	205	165	3 Ruter	V 10	130	39,0	-39,0
56	49	147	2 Spar	Ø 10	170	-12,0	12,0
87	154	46	2 Spar	Ø 10	170	-12,0	12,0
37	197	146	2 Spar	Ø 10	170	-12,0	12,0
2	125	35	2 Spar	Ø 10	170	-12,0	12,0
41	85	209	2 Spar	Ø 10	170	-12,0	12,0
36	138	235	2 Spar	Ø 10	170	-12,0	12,0
40	216	150	2 Spar	Ø 10	170	-12,0	12,0
97	183	91	2 Spar	Ø 10	170	-12,0	12,0
92	188	21	2 Spar	Ø 10	170	-12,0	12,0
16	112	13	2 Spar	V 10	170	-12,0	12,0
114	104	136	2 Spar	V 10	170	-12,0	12,0
6	182	58	2 Spar	Ø 10	170	-12,0	12,0
96	18	102	2 Spar	Ø 10	170	-12,0	12,0
84	137	213	2 Spar	Ø 10	170	-12,0	12,0
73	160	121	2 Spar	Ø 10	170	-12,0	12,0
58	5	127	2 Spar	V 10	170	-12,0	12,0
23	17	101	2 Spar	Ø 10	170	-12,0	12,0
29	222	219	2 Spar	Ø 10	170	-12,0	12,0
115	53	7	2 Spar	V 10	170	-12,0	12,0
66	32	119	3 Hjerter	Ø 10	170	-12,0	12,0
74	168	118	3 Spar	V 10	170	-12,0	12,0
63	128	130	3 Spar	Ø 10	170	-12,0	12,0
67	96	60	3 Spar	V 10	170	-12,0	12,0
10	44	61	3 Spar	Ø 10	170	-12,0	12,0
1	133	73	3 Spar	Ø 10	170	-12,0	12,0
112	26	173	3 Spar	Ø 10	170	-12,0	12,0
54	80	100	3 Spar	V 10	170	-12,0	12,0
71	225	107	3 Spar	Ø 10	170	-12,0	12,0
5	54	103	3 Spar	V 10	170	-12,0	12,0
3	8	227	3 Spar	Ø 10	170	-12,0	12,0
24	176	105	3 Spar	Ø 10	170	-12,0	12,0
19	66	223	3 Spar	Ø 10	170	-12,0	12,0
59	152	164	3 Spar	V 10	170	-12,0	12,0
48	108	226	3 Spar	Ø 10	170	-12,0	12,0

43	200	179	3 Spar	Ø 10	170	-12,0	12,0
90	220	69	3 Spar	Ø 10	170	-12,0	12,0
82	76	198	3 Spar	Ø 10	170	-12,0	12,0
11	172	169	3 Spar	Ø 10	170	-12,0	12,0
93	116	93	3 Spar	Ø 10	170	-12,0	12,0
78	210	149	3 Spar	Ø 10	170	-12,0	12,0
20	142	114	3 Spar	Ø 10	170	-12,0	12,0
69	110	23	3 Spar	Ø 10	170	-12,0	12,0
44	192	117	3 Spar	Ø 10	170	-12,0	12,0
9	178	207	3 Spar	Ø 10	170	-12,0	12,0
64	148	140	3 Spar	Ø 10	170	-12,0	12,0
49	1	131	3 Spar	Ø 10	170	-12,0	12,0
109	62	171	3 Spar	Ø 10	170	-12,0	12,0
88	232	40	3 Spar	Ø 10	170	-12,0	12,0
72	186	234	1 NT	S 5	200	-71,0	71,0
55	129	139	1 NT	S 5	200	-71,0	71,0
104	201	27	1 NT	S 5	200	-71,0	71,0
113	181	57	3 Hjerter	N 7	200	-71,0	71,0
60	163	151	4 Hjerter	N 8	200	-71,0	71,0
33	48	63	4 Hjerter	D S 9	200	-71,0	71,0
38	75	83	4 Hjerter	N 8	200	-71,0	71,0
46	122	159	4 Hjerter	N 8	200	-71,0	71,0
101	203	71	4 Kløver	D N 9	200	-71,0	71,0
79	86	215	4 Kløver	D S 9	200	-71,0	71,0
76	180	199	4 Kløver	D S 9	200	-71,0	71,0
45	167	3	1 NT	S 4	300	-83,0	83,0
31	81	153	1 NT	S 2	500	-90,0	90,0
85	20	42	1 NT	S 2	500	-90,0	90,0
53	120	31	1 NT	S 2	500	-90,0	90,0
50	24	109	1 NT	N 2	500	-90,0	90,0
47	185	233	4 Hjerter	D N 8	500	-90,0	90,0
110	208	177	5 Hjerter	D N 9	500	-90,0	90,0
83	236	67	4 Spar	Ø 10	620	-105,0	105,0
52	59	95	4 Spar	Ø 10	620	-105,0	105,0
95	106	175	4 Spar	Ø 10	620	-105,0	105,0
89	82	195	4 Spar	Ø 10	620	-105,0	105,0
68	157	218	4 Spar	Ø 10	620	-105,0	105,0
81	84	145	4 Spar	Ø 10	620	-105,0	105,0
27	22	115	4 Spar	Ø 10	620	-105,0	105,0
116	228	77	4 Spar	Ø 10	620	-105,0	105,0
28	70	123	4 Spar	Ø 10	620	-105,0	105,0
42	212	12	4 Spar	D Ø 10	790	-115,0	115,0
75	4	191	2 Spar	D Ø 10	1070	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
41	85	209	2 Hjerter	D Ø 3	1100	117,0	-117,0
31	81	153	3 Hjerter	D Ø 5	800	114,0	-114,0
112	26	173	3 Hjerter	D Ø 5	800	114,0	-114,0
106	205	165	4 Kløver	D S 10	510	111,0	-111,0
2	125	35	2 Hjerter	D Ø 5	500	104,0	-104,0
93	116	93	2 Hjerter	D Ø 5	500	104,0	-104,0
42	212	12	2 Hjerter	D Ø 5	500	104,0	-104,0
67	96	60	2 Hjerter	D Ø 5	500	104,0	-104,0
80	16	33	2 NT	D V 5	500	104,0	-104,0
78	210	149	4 Ruter	D V 7	500	104,0	-104,0
12	52	88	2 Hjerter	D Ø 6	300	89,0	-89,0
95	106	175	3 NT	D V 7	300	89,0	-89,0
64	148	140	3 Ruter	D V 7	300	89,0	-89,0
105	97	111	3 Ruter	D V 7	300	89,0	-89,0
100	224	65	3 Ruter	D V 7	300	89,0	-89,0
109	62	171	3 Ruter	D Ø 7	300	89,0	-89,0
39	34	15	3 Ruter	D V 7	300	89,0	-89,0
55	129	139	3 Ruter	D V 7	300	89,0	-89,0
81	84	145	3 Ruter	D V 7	300	89,0	-89,0
25	94	230	3 Kløver	V 4	250	79,0	-79,0
40	216	150	3 Hjerter	Ø 5	200	76,0	-76,0
38	75	83	3 Hjerter	Ø 5	200	76,0	-76,0
83	236	67	2 Hjerter	Ø 5	150	65,0	-65,0
4	78	135	2 Hjerter	Ø 5	150	65,0	-65,0
17	9	161	2 Hjerter	Ø 5	150	65,0	-65,0
14	38	202	2 Hjerter	Ø 5	150	65,0	-65,0
44	192	117	2 NT	V 5	150	65,0	-65,0
87	154	46	3 Hjerter	Ø 6	150	65,0	-65,0
35	68	214	3 Kløver	S 11	150	65,0	-65,0
76	180	199	3 NT	V 6	150	65,0	-65,0
57	29	143	3 Ruter	V 6	150	65,0	-65,0
16	112	13	2 Kløver	S 10	130	52,0	-52,0
50	24	109	3 Kløver	N 10	130	52,0	-52,0
68	157	218	3 Kløver	N 10	130	52,0	-52,0
84	137	213	3 Kløver	S 10	130	52,0	-52,0
99	141	55	2 Hjerter	N 8	110	29,0	-29,0
56	49	147	2 Hjerter	S 8	110	29,0	-29,0
71	225	107	2 Hjerter	S 8	110	29,0	-29,0
62	144	50	2 Kløver	S 9	110	29,0	-29,0
32	45	231	2 Spar	N 8	110	29,0	-29,0
72	186	234	2 Spar	N 8	110	29,0	-29,0
29	222	219	3 Kløver	S 9	110	29,0	-29,0
102	162	10	3 Kløver	S 9	110	29,0	-29,0
97	183	91	3 Kløver	S 9	110	29,0	-29,0
52	59	95	3 Kløver	S 9	110	29,0	-29,0
8	189	155	3 Kløver	S 9	110	29,0	-29,0
37	197	146	3 Kløver	S 9	110	29,0	-29,0
13	206	166	3 Kløver	S 9	110	29,0	-29,0
18	72	204	3 Kløver	S 9	110	29,0	-29,0
36	138	235	3 Kløver	S 9	110	29,0	-29,0
75	4	191	3 Kløver	S 9	110	29,0	-29,0
21	56	89	3 Kløver	S 9	110	29,0	-29,0
5	54	103	3 Kløver	S 9	110	29,0	-29,0
45	167	3	3 Kløver	S 9	110	29,0	-29,0
104	201	27	2 NT	V 6	100	2,0	-2,0
69	110	23	2 NT	D V 7	100	2,0	-2,0
7	174	25	2 NT	D V 7	100	2,0	-2,0
74	168	118	2 Ruter	D V 7	100	2,0	-2,0
1	133	73	3 NT	Ø 7	100	2,0	-2,0
77	211	11	3 NT	V 7	100	2,0	-2,0
115	53	7	3 NT	V 7	100	2,0	-2,0
90	220	69	3 Ruter	V 7	100	2,0	-2,0
101	203	71	2 NT	V 7	50	-17,0	17,0
49	1	131	2 NT	V 7	50	-17,0	17,0
94	229	193	2 NT	V 7	50	-17,0	17,0
96	18	102	2 NT	V 7	50	-17,0	17,0
30	196	39	2 NT	V 7	50	-17,0	17,0
53	120	31	2 NT	V 7	50	-17,0	17,0
89	82	195	2 NT	V 7	50	-17,0	17,0
61	6	30	2 Ruter	V 7	50	-17,0	17,0
3	8	227	3 NT	V 8	50	-17,0	17,0
10	44	61	3 NT	V 8	50	-17,0	17,0
33	48	63	3 NT	V 8	50	-17,0	17,0
79	86	215	2 Hjerter	S 7	50	-48,0	48,0
6	182	58	2 Hjerter	S 7	50	-48,0	48,0

70	132	2	2 Hjerter	S 7	50	-48,0	48,0
63	128	130	2 Hjerter	S 7	50	-48,0	48,0
92	188	21	2 Hjerter	S 7	50	-48,0	48,0
47	185	233	2 Hjerter	S 7	50	-48,0	48,0
98	90	113	2 Hjerter	N 7	50	-48,0	48,0
107	87	51	2 Hjerter	S 7	50	-48,0	48,0
27	22	115	2 Hjerter	S 7	50	-48,0	48,0
34	41	19	2 Spar	N 7	50	-48,0	48,0
65	99	79	2 Spar	S 7	50	-48,0	48,0
113	181	57	2 Spar	N 7	50	-48,0	48,0
9	178	207	3 Kløver	N 8	50	-48,0	48,0
60	163	151	3 Kløver	S 8	50	-48,0	48,0
28	70	123	3 Kløver	S 8	50	-48,0	48,0
117	36	126	4 Kløver	N 9	50	-48,0	48,0
20	142	114	4 Kløver	S 9	50	-48,0	48,0
22	184	92	4 Kløver	S 9	50	-48,0	48,0
58	5	127	4 Kløver	S 9	50	-48,0	48,0
15	28	98	5 Kløver	S 10	50	-48,0	48,0
46	122	159	1 NT	V 7	90	-70,0	70,0
88	232	40	1 NT	V 7	90	-70,0	70,0
48	108	226	2 Hjerter	S 6	100	-85,0	85,0
86	64	47	2 Hjerter	S 6	100	-85,0	85,0
103	14	37	2 Spar	N 6	100	-85,0	85,0
66	32	119	2 Spar	N 6	100	-85,0	85,0
23	17	101	2 Spar	N 6	100	-85,0	85,0
108	170	43	2 Spar	N 6	100	-85,0	85,0
82	76	198	2 Spar	N 6	100	-85,0	85,0
24	176	105	2 Spar	N 6	100	-85,0	85,0
59	152	164	2 Spar	N 6	100	-85,0	85,0
19	66	223	2 Spar	N 6	100	-85,0	85,0
51	217	158	3 Hjerter	S 7	100	-85,0	85,0
91	124	221	3 Hjerter	S 7	100	-85,0	85,0
26	194	187	3 Spar	N 7	100	-85,0	85,0
54	80	100	2 NT	V 8	120	-101,0	101,0
118	74	134	2 NT	V 8	120	-101,0	101,0
110	208	177	2 NT	V 8	120	-101,0	101,0
116	228	77	2 Hjerter	S 5	150	-108,0	108,0
85	20	42	2 NT	S 5	150	-108,0	108,0
111	156	190	2 Spar	N 5	150	-108,0	108,0
43	200	179	2 Spar	N 5	150	-108,0	108,0
114	104	136	1 NT	D V 7	180	-113,0	113,0
73	160	121	2 Spar	D N 6	300	-116,0	116,0
11	172	169	2 Spar	D N 6	300	-116,0	116,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
51	217	158	2 Spar	Ø 6	200	113,0	-113,0
83	236	67	2 Spar	Ø 6	200	113,0	-113,0
67	96	60	3 Spar	Ø 7	200	113,0	-113,0
7	174	25	3 Spar	Ø 7	200	113,0	-113,0
81	84	145	3 Spar	Ø 7	200	113,0	-113,0
116	228	77	2 Spar	Ø 7	100	101,0	-101,0
89	82	195	3 Spar	Ø 8	100	101,0	-101,0
84	137	213	3 Spar	Ø 8	100	101,0	-101,0
13	206	166	3 Spar	Ø 8	100	101,0	-101,0
58	5	127	3 Spar	Ø 8	100	101,0	-101,0
115	53	7	4 Spar	Ø 9	100	101,0	-101,0
95	106	175	4 Spar	V 9	100	101,0	-101,0
105	97	111	2 NT	S 7	50	93,0	-93,0
94	229	193	1 NT	S 5	100	90,0	-90,0
35	68	214	3 Kløver	S 7	100	90,0	-90,0
62	144	50	2 Spar	Ø 8	110	67,0	-67,0
118	74	134	2 Spar	Ø 8	110	67,0	-67,0
42	212	12	2 Spar	Ø 8	110	67,0	-67,0
77	211	11	2 Spar	Ø 8	110	67,0	-67,0
109	62	171	2 Spar	Ø 8	110	67,0	-67,0
27	22	115	2 Spar	Ø 8	110	67,0	-67,0
30	196	39	2 Spar	Ø 8	110	67,0	-67,0
104	201	27	2 Spar	Ø 8	110	67,0	-67,0
106	205	165	2 Spar	Ø 8	110	67,0	-67,0
18	72	204	2 Spar	Ø 8	110	67,0	-67,0
82	76	198	2 Spar	Ø 8	110	67,0	-67,0
20	142	114	2 Spar	Ø 8	110	67,0	-67,0
80	16	33	2 Spar	Ø 8	110	67,0	-67,0
61	6	30	2 Spar	Ø 8	110	67,0	-67,0
16	112	13	2 Spar	Ø 8	110	67,0	-67,0
68	157	218	2 Spar	Ø 8	110	67,0	-67,0
98	90	113	2 Spar	Ø 8	110	67,0	-67,0
6	182	58	2 Spar	Ø 8	110	67,0	-67,0
23	17	101	2 Spar	Ø 8	110	67,0	-67,0
73	160	121	2 Spar	Ø 8	110	67,0	-67,0
63	128	130	2 Spar	Ø 8	110	67,0	-67,0
86	64	47	2 Spar	Ø 9	140	8,0	-8,0
43	200	179	2 Spar	Ø 9	140	8,0	-8,0
112	26	173	2 Spar	Ø 9	140	8,0	-8,0
26	194	187	2 Spar	Ø 9	140	8,0	-8,0
91	124	221	2 Spar	Ø 9	140	8,0	-8,0
3	8	227	2 Spar	Ø 9	140	8,0	-8,0
25	94	230	2 Spar	Ø 9	140	8,0	-8,0
46	122	159	2 Spar	Ø 9	140	8,0	-8,0
108	170	43	2 Spar	Ø 9	140	8,0	-8,0
56	49	147	2 Spar	Ø 9	140	8,0	-8,0
10	44	61	2 Spar	Ø 9	140	8,0	-8,0
2	125	35	2 Spar	Ø 9	140	8,0	-8,0
36	138	235	2 Spar	Ø 9	140	8,0	-8,0
76	180	199	2 Spar	Ø 9	140	8,0	-8,0
44	192	117	2 Spar	Ø 9	140	8,0	-8,0
79	86	215	2 Spar	Ø 9	140	8,0	-8,0
55	129	139	2 Spar	Ø 9	140	8,0	-8,0
53	120	31	2 Spar	Ø 9	140	8,0	-8,0
100	224	65	2 Spar	Ø 9	140	8,0	-8,0
11	172	169	2 Spar	Ø 9	140	8,0	-8,0
102	162	10	2 Spar	Ø 9	140	8,0	-8,0
41	85	209	2 Spar	Ø 9	140	8,0	-8,0
33	48	63	2 Spar	Ø 9	140	8,0	-8,0
21	56	89	2 Spar	Ø 9	140	8,0	-8,0
54	80	100	2 Spar	Ø 9	140	8,0	-8,0
29	222	219	2 Spar	Ø 9	140	8,0	-8,0
47	185	233	2 Spar	Ø 9	140	8,0	-8,0
101	203	71	2 Spar	V 9	140	8,0	-8,0
24	176	105	3 Spar	Ø 9	140	8,0	-8,0
34	41	19	3 Spar	Ø 9	140	8,0	-8,0
96	18	102	3 Spar	Ø 9	140	8,0	-8,0
88	232	40	3 Spar	Ø 9	140	8,0	-8,0
60	163	151	3 Spar	Ø 9	140	8,0	-8,0
48	108	226	3 Spar	Ø 9	140	8,0	-8,0
38	75	83	3 Spar	Ø 9	140	8,0	-8,0
72	186	234	3 Spar	Ø 9	140	8,0	-8,0
99	141	55	3 Spar	Ø 9	140	8,0	-8,0
113	181	57	3 Spar	Ø 9	140	8,0	-8,0
9	178	207	3 Hjerter	S 6	150	-34,0	34,0

57	29	143	3 Kløver	N 6	150	-34,0	34,0
17	9	161	3 Kløver	S 6	150	-34,0	34,0
70	132	2	3 Kløver	S 6	150	-34,0	34,0
117	36	126	2 Spar	Ø 10	170	-65,0	65,0
74	168	118	2 Spar	Ø 10	170	-65,0	65,0
1	133	73	2 Spar	Ø 10	170	-65,0	65,0
37	197	146	2 Spar	Ø 10	170	-65,0	65,0
5	54	103	2 Spar	Ø 10	170	-65,0	65,0
87	154	46	2 Spar	V 10	170	-65,0	65,0
4	78	135	2 Spar	Ø 10	170	-65,0	65,0
39	34	15	2 Spar	Ø 10	170	-65,0	65,0
28	70	123	2 Spar	Ø 10	170	-65,0	65,0
65	99	79	2 Spar	Ø 10	170	-65,0	65,0
75	4	191	2 Spar	Ø 10	170	-65,0	65,0
114	104	136	2 Spar	Ø 10	170	-65,0	65,0
14	38	202	2 Spar	Ø 10	170	-65,0	65,0
110	208	177	2 Spar	Ø 10	170	-65,0	65,0
107	87	51	2 Spar	Ø 10	170	-65,0	65,0
50	24	109	2 Spar	Ø 10	170	-65,0	65,0
40	216	150	2 Spar	Ø 10	170	-65,0	65,0
71	225	107	2 Spar	Ø 10	170	-65,0	65,0
97	183	91	2 Spar	Ø 10	170	-65,0	65,0
52	59	95	2 Spar	Ø 10	170	-65,0	65,0
92	188	21	2 Spar	Ø 10	170	-65,0	65,0
90	220	69	2 Spar	Ø 10	170	-65,0	65,0
12	52	88	2 Spar	Ø 10	170	-65,0	65,0
15	28	98	3 Spar	Ø 10	170	-65,0	65,0
19	66	223	3 Spar	Ø 10	170	-65,0	65,0
69	110	23	3 Spar	Ø 10	170	-65,0	65,0
31	81	153	3 Spar	Ø 10	170	-65,0	65,0
8	189	155	2 Ruter	S 4	200	-95,0	95,0
66	32	119	2 Spar	Ø 11	200	-95,0	95,0
64	148	140	3 Hjerter	N 5	200	-95,0	95,0
111	156	190	3 Ruter	N 4	250	-100,0	100,0
103	14	37	3 Ruter	N 4	250	-100,0	100,0
78	210	149	2 Spar	D Ø 8	670	-105,0	105,0
32	45	231	2 Spar	D Ø 8	670	-105,0	105,0
49	1	131	2 Spar	D Ø 8	670	-105,0	105,0
85	20	42	3 Ruter	D N 5	800	-109,0	109,0
22	184	92	2 Spar	D Ø 9	870	-112,0	112,0
93	116	93	2 Spar	D Ø 9	870	-112,0	112,0
45	167	3	2 Spar	D Ø 10	1070	-116,0	116,0
59	152	164	2 Spar	D Ø 10	1070	-116,0	116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ 9643 Mappen: 10(10)
 ♥ Q5432 Rundennr: 4
 ♦ Q3 A (Ø)
 ♣ Q8
 ♠ JT7 N
 ♥ AJ V
 ♦ 874 S
 ♣ K9543 ♠ A852
 ♥ T87
 ♦ T95
 ♣ 762
 ♠ KQ
 ♥ K96
 ♦ AKJ62
 ♣ AJT

Bord	NS	ØV	NS	ØV	NS	ØV
10	132	75	3NT	S 12	690	116,0 -116,0
88	221	101	3NT	S 12	690	116,0 -116,0
24	207	123	3NT	S 11	660	99,0 -99,0
3	184	189	3NT	S 11	660	99,0 -99,0
77	194	163	3NT	S 11	660	99,0 -99,0
73	212	49	3NT	S 11	660	99,0 -99,0
32	28	54	3NT	S 11	660	99,0 -99,0
101	71	151	3NT	S 11	660	99,0 -99,0
30	73	52	3NT	S 11	660	99,0 -99,0
104	80	91	3NT	S 11	660	99,0 -99,0
27	179	115	3NT	S 11	660	99,0 -99,0
12	204	169	3NT	N 11	660	99,0 -99,0
75	25	23	3NT	S 11	660	99,0 -99,0
67	40	152	3NT	S 11	660	99,0 -99,0
71	234	1	3NT	S 11	660	99,0 -99,0
96	4	203	3NT	S 11	660	99,0 -99,0
20	226	122	3NT	S 11	660	99,0 -99,0
41	12	81	4 Hjerter	S 11	650	67,0 -67,0
85	140	205	4 Hjerter	N 11	650	67,0 -67,0
1	78	103	4 Hjerter	S 11	650	67,0 -67,0
111	90	53	4 Hjerter	S 11	650	67,0 -67,0
29	100	3	4 Hjerter	N 11	650	67,0 -67,0
117	228	74	4 Hjerter	N 11	650	67,0 -67,0
25	13	17	4 Hjerter	N 11	650	67,0 -67,0
76	137	162	4 Hjerter	N 11	650	67,0 -67,0
31	68	159	4 Hjerter	S 11	650	67,0 -67,0
92	118	167	4 Hjerter	N 11	650	67,0 -67,0
21	233	220	4 Hjerter	S 11	650	67,0 -67,0
28	149	231	4 Hjerter	S 11	650	67,0 -67,0
79	55	183	4 Hjerter	N 11	650	67,0 -67,0
102	190	97	4 Hjerter	N 11	650	67,0 -67,0
65	148	107	4 Hjerter	S 11	650	67,0 -67,0
14	58	125	4 Hjerter	S 11	650	67,0 -67,0
13	8	94	4 Hjerter	S 11	650	67,0 -67,0
107	171	170	3NT	S 10	630	36,0 -36,0
100	180	191	3NT	S 10	630	36,0 -36,0
90	197	201	3NT	S 10	630	36,0 -36,0
63	37	209	3NT	S 10	630	36,0 -36,0
105	16	215	3NT	S 10	630	36,0 -36,0
2	88	135	3NT	S 10	630	36,0 -36,0
81	136	64	3NT	S 10	630	36,0 -36,0
106	65	193	3NT	S 10	630	36,0 -36,0
16	161	61	3NT	S 10	630	36,0 -36,0
64	158	70	3NT	S 10	630	36,0 -36,0
52	195	127	3NT	N 10	630	36,0 -36,0
87	30	20	3NT	S 10	630	36,0 -36,0
68	60	117	3NT	S 10	630	36,0 -36,0
89	198	218	3NT	S 10	630	36,0 -36,0
46	24	186	4 Hjerter	N 10	620	-4,0 4,0
40	187	15	4 Hjerter	S 10	620	-4,0 4,0
11	172	72	4 Hjerter	N 10	620	-4,0 4,0
91	82	217	4 Hjerter	N 10	620	-4,0 4,0
18	133	227	4 Hjerter	N 10	620	-4,0 4,0
55	31	67	4 Hjerter	N 10	620	-4,0 4,0
45	185	19	4 Hjerter	S 10	620	-4,0 4,0
8	48	56	4 Hjerter	N 10	620	-4,0 4,0
115	208	224	4 Hjerter	N 10	620	-4,0 4,0
50	50	210	4 Hjerter	S 10	620	-4,0 4,0
94	96	104	4 Hjerter	S 10	620	-4,0 4,0
110	46	111	4 Hjerter	N 10	620	-4,0 4,0
93	113	229	4 Hjerter	N 10	620	-4,0 4,0
57	121	11	4 Hjerter	S 10	620	-4,0 4,0
35	108	5	4 Hjerter	S 10	620	-4,0 4,0
70	93	69	4 Hjerter	N 10	620	-4,0 4,0
86	154	87	4 Hjerter	N 10	620	-4,0 4,0
82	145	157	4 Hjerter	S 10	620	-4,0 4,0
60	29	129	4 Hjerter	N 10	620	-4,0 4,0
56	147	211	4 Hjerter	N 10	620	-4,0 4,0
26	176	223	4 Hjerter	S 10	620	-4,0 4,0
6	178	222	4 Hjerter	S 10	620	-4,0 4,0
114	173	7	4 Hjerter	S 10	620	-4,0 4,0
74	116	235	4 Hjerter	S 10	620	-4,0 4,0
99	102	141	4 Hjerter	N 10	620	-4,0 4,0
51	165	45	4 Spar	S 10	620	-4,0 4,0
118	134	36	3NT	S 9	600	-50,0 50,0

113	126	43	3NT	S 9	600	-50,0 50,0
72	39	95	3NT	S 9	600	-50,0 50,0
23	199	59	3NT	S 9	600	-50,0 50,0
78	144	110	3NT	S 9	600	-50,0 50,0
62	175	139	3NT	S 9	600	-50,0 50,0
34	120	66	3NT	S 9	600	-50,0 50,0
38	213	146	3NT	S 9	600	-50,0 50,0
44	114	119	3NT	S 9	600	-50,0 50,0
19	230	142	3NT	S 9	600	-50,0 50,0
69	84	153	3NT	S 9	600	-50,0 50,0
109	177	181	3NT	N 9	600	-50,0 50,0
17	112	174	3NT	S 9	600	-50,0 50,0
36	214	83	3NT	S 9	600	-50,0 50,0
59	14	6	3NT	S 9	600	-50,0 50,0
9	196	166	3NT	S 9	600	-50,0 50,0
95	232	168	3NT	S 9	600	-50,0 50,0
5	155	34	3NT	S 9	600	-50,0 50,0
47	128	63	3NT	S 9	600	-50,0 50,0
39	200	2	3NT	S 9	600	-50,0 50,0
22	109	138	2NT	S 11	210	-71,0 71,0
97	33	10	3 Hjerter	N 11	200	-73,0 73,0
66	47	182	2 Ruter	S 10	130	-75,0 75,0
54	225	99	3NT	S 8	100	-95,0 95,0
84	51	27	4 Hjerter	N 9	100	-95,0 95,0
112	130	86	4 Hjerter	S 9	100	-95,0 95,0
7	92	206	4 Hjerter	N 9	100	-95,0 95,0
42	143	22	4 Hjerter	N 9	100	-95,0 95,0
4	44	35	4 Hjerter	S 9	100	-95,0 95,0
98	106	62	4 Hjerter	N 9	100	-95,0 95,0
15	89	41	4 Hjerter	N 9	100	-95,0 95,0
80	236	21	4 Hjerter	N 9	100	-95,0 95,0
61	160	79	4 Hjerter	N 9	100	-95,0 95,0
103	156	188	4 Hjerter	N 9	100	-95,0 95,0
83	164	18	4 Hjerter	S 9	100	-95,0 95,0
58	76	85	4 Hjerter	N 9	100	-95,0 95,0
53	192	202	4 Hjerter	N 9	100	-95,0 95,0
116	124	57	4 Hjerter	S 9	100	-95,0 95,0
108	77	42	4NT	S 9	100	-95,0 95,0
49	26	131	5 Hjerter	N 10	100	-95,0 95,0
43	32	9	5 Hjerter	N 10	100	-95,0 95,0
33	105	150	5 Hjerter	N 10	100	-95,0 95,0
37	38	219	4NT	S 8	200	-116,0 116,0
48	98	216	5 Hjerter	S 9	200	-116,0 116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
114	173	7	4 Kløver	R S 10	720	117,0	-117,0
24	207	123	3 Kløver	D S 11	670	115,0	-115,0
6	178	222	4 Kløver	D S 11	610	113,0	-113,0
15	89	41	3 Kløver	D S 10	570	109,9	-109,9
102	190	97	3 Kløver	D S 10	570	109,9	-109,9
10	132	75	5 Kløver	D S 11	550	106,9	-106,9
91	82	217	4 Kløver	D S 10	510	100,9	-100,9
100	180	191	4 Kløver	D S 10	510	100,9	-100,9
19	230	142	4 Kløver	D S 10	510	100,9	-100,9
63	37	209	4 Kløver	D S 10	510	100,9	-100,9
60	29	129	4 Kløver	D S 10	510	100,9	-100,9
13	8	94	3 Hjerter	D V 6	500	94,8	-94,8
50	50	210	3 Kløver	D S 9	470	92,8	-92,8
107	171	170	5 Kløver	S 11	400	89,8	-89,8
21	233	220	5 Kløver	S 11	400	89,8	-89,8
5	155	34	3 Hjerter	D V 7	300	85,7	-85,7
57	121	11	3 Ruter	D V 7	300	85,7	-85,7
99	102	141	3 Kløver	S 11	150	81,7	-81,7
48	98	216	4 Kløver	S 11	150	81,7	-81,7
55	31	67	3 Spar	N 9	140	78,7	-78,7
59	14	6	3 Kløver	N 10	130	56,5	-56,5
69	84	153	3 Kløver	S 10	130	56,5	-56,5
56	147	211	3 Kløver	S 10	130	56,5	-56,5
27	179	115	3 Kløver	S 10	130	56,5	-56,5
22	109	138	3 Kløver	S 10	130	56,5	-56,5
85	140	205	3 Kløver	S 10	130	56,5	-56,5
101	71	151	3 Kløver	S 10	130	56,5	-56,5
117	228	74	3 Kløver	S 10	130	56,5	-56,5
2	88	135	3 Kløver	S 10	130	56,5	-56,5
61	160	79	3 Kløver	S 10	130	56,5	-56,5
17	112	174	3 Kløver	S 10	130	56,5	-56,5
75	25	23	3 Kløver	S 10	130	56,5	-56,5
111	90	53	3 Kløver	S 10	130	56,5	-56,5
83	164	18	3 Kløver	S 10	130	56,5	-56,5
36	214	83	3 Kløver	S 10	130	56,5	-56,5
39	200	2	4 Kløver	S 10	130	56,5	-56,5
113	126	43	4 Kløver	S 10	130	56,5	-56,5
43	32	9	4 Kløver	S 10	130	56,5	-56,5
84	51	27	4 Kløver	S 10	130	56,5	-56,5
41	12	81	4 Kløver	S 10	130	56,5	-56,5
98	106	62	4 Kløver	S 10	130	56,5	-56,5
89	198	218	2 Kløver	S 9	110	29,2	-29,2
14	58	125	3 Kløver	S 9	110	29,2	-29,2
51	165	45	3 Kløver	S 9	110	29,2	-29,2
42	143	22	3 Kløver	S 9	110	29,2	-29,2
23	199	59	3 Kløver	S 9	110	29,2	-29,2
40	187	15	3 Kløver	S 9	110	29,2	-29,2
77	194	163	2 Spar	N 7	50	7,1	-7,1
7	92	206	3 Kløver	S 8	50	7,1	-7,1
25	13	17	3 Kløver	S 8	50	7,1	-7,1
78	144	110	3 Kløver	S 8	50	7,1	-7,1
4	44	35	3 NT	N 8	50	7,1	-7,1
118	134	36	3 NT	N 8	50	7,1	-7,1
30	73	52	3 NT	N 8	50	7,1	-7,1
31	68	159	3 NT	N 8	50	7,1	-7,1
106	65	193	3 NT	N 8	50	7,1	-7,1
86	154	87	4 Kløver	S 9	50	7,1	-7,1
72	39	95	4 Ruter	S 9	50	7,1	-7,1
46	24	186	5 Kløver	N 10	50	7,1	-7,1
1	78	103	5 Kløver	S 10	50	7,1	-7,1
18	133	227	5 Kløver	N 10	50	7,1	-7,1
108	77	42	5 Kløver	S 10	50	7,1	-7,1
110	46	111	6 Kløver	S 11	50	7,1	-7,1
58	76	85	40%-40%			-23,4	-23,4
32	28	54	3 Kløver	S 7	100	-34,3	34,3
8	48	56	3 Kløver	D S 8	100	-34,3	34,3
34	120	66	3 NT	D S 8	100	-34,3	34,3
90	197	201	3 NT	S 7	100	-34,3	34,3
44	114	119	3 NT	D S 8	100	-34,3	34,3
70	93	69	3 NT	D N 8	100	-34,3	34,3
35	108	5	3 NT	D N 8	100	-34,3	34,3
112	130	86	3 NT	D N 8	100	-34,3	34,3
116	124	57	4 Kløver	S 8	100	-34,3	34,3
49	26	131	4 Kløver	D S 9	100	-34,3	34,3
93	113	229	4 Kløver	S 8	100	-34,3	34,3

54	225	99	4 Kløver	D S 9	100	-34,3	34,3
82	145	157	4 Spar	D N 9	100	-34,3	34,3
97	33	10	4 Spar	D N 9	100	-34,3	34,3
11	172	72	5 Kløver	S 9	100	-34,3	34,3
103	156	188	5 Kløver	D S 10	100	-34,3	34,3
76	137	162	5 Kløver	D S 10	100	-34,3	34,3
65	148	107	5 Kløver	D S 10	100	-34,3	34,3
81	136	64	5 Kløver	S 9	100	-34,3	34,3
74	116	235	5 Kløver	D S 10	100	-34,3	34,3
95	232	168	5 Kløver	D S 10	100	-34,3	34,3
104	80	91	5 Kløver	D S 10	100	-34,3	34,3
45	185	19	5 Kløver	D S 10	100	-34,3	34,3
12	204	169	5 Kløver	D N 10	100	-34,3	34,3
29	100	3	5 Kløver	S 9	100	-34,3	34,3
105	16	215	5 Kløver	S 8	150	-63,5	63,5
20	226	122	5 Kløver	S 8	150	-63,5	63,5
88	221	101	5 Kløver	S 8	150	-63,5	63,5
28	149	231	5 Kløver	S 8	150	-63,5	63,5
80	236	21	3 NT	D S 7	300	-82,7	82,7
64	158	70	3 NT	D S 7	300	-82,7	82,7
62	175	139	4 Kløver	D S 8	300	-82,7	82,7
38	213	146	4 Kløver	D S 8	300	-82,7	82,7
52	195	127	4 Kløver	D N 8	300	-82,7	82,7
53	192	202	4 Spar	D N 8	300	-82,7	82,7
9	196	166	4 Spar	D N 8	300	-82,7	82,7
94	96	104	4 Spar	D N 8	300	-82,7	82,7
87	30	20	5 Kløver	D S 9	300	-82,7	82,7
92	118	167	5 Kløver	D S 9	300	-82,7	82,7
71	234	1	5 Kløver	D S 9	300	-82,7	82,7
67	40	152	5 Kløver	D S 9	300	-82,7	82,7
96	4	203	5 Kløver	D S 9	300	-82,7	82,7
68	60	117	6 Kløver	D S 10	300	-82,7	82,7
16	161	61	6 Kløver	D S 10	300	-82,7	82,7
109	177	181	3 Ruter	D N 6	500	-105,9	105,9
115	208	224	3 Spar	D N 6	500	-105,9	105,9
33	105	150	4 Spar	D N 7	500	-105,9	105,9
79	55	183	5 Kløver	D S 8	500	-105,9	105,9
3	184	189	5 Kløver	D S 8	500	-105,9	105,9
26	176	223	5 Kløver	D S 8	500	-105,9	105,9
47	128	63	5 Kløver	D S 8	500	-105,9	105,9
73	212	49	6 Kløver	D S 9	500	-105,9	105,9
37	38	219	4 Kløver	R S 8	600	-115,0	115,0
66	47	182	4 Spar	D N 6	800	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
9	196	166	4 Spar	D Ø 5	1100	117,0 -117,0
2	88	135	4 Ruter	D S 11	910	115,0 -115,0
80	236	21	4 Hjerter	D S 10	790	111,9 -111,9
29	100	3	4 Hjerter	D S 10	790	111,9 -111,9
83	164	18	5 Ruter	D S 11	750	108,9 -108,9
114	173	7	4 Ruter	D N 10	710	106,9 -106,9
117	228	74	4 Hjerter	S 10	620	103,9 -103,9
68	60	117	4 Hjerter	S 10	620	103,9 -103,9
107	171	170	3 Spar	D Ø 6	500	98,8 -98,8
20	226	122	4 Spar	D Ø 7	500	98,8 -98,8
74	116	235	5 Spar	D Ø 8	500	98,8 -98,8
41	12	81	2 Spar	D Ø 6	300	93,8 -93,8
31	68	159	5 Kløver	D V 9	300	93,8 -93,8
66	47	182	4 Spar	Ø 5	250	90,8 -90,8
55	31	67	2 Spar	Ø 4	200	85,7 -85,7
110	46	111	3 Spar	Ø 5	200	85,7 -85,7
85	140	205	3 Spar	Ø 5	200	85,7 -85,7
39	200	2	4 Spar	Ø 6	200	85,7 -85,7
40	187	15	3 Hjerter	S 10	170	79,7 -79,7
99	102	141	3 Hjerter	S 10	170	79,7 -79,7
78	144	110	2 Spar	Ø 5	150	72,6 -72,6
105	16	215	3 Ruter	S 11	150	72,6 -72,6
57	121	11	3 Spar	Ø 6	150	72,6 -72,6
50	50	210	3 Spar	Ø 6	150	72,6 -72,6
76	137	162	4 Ruter	S 11	150	72,6 -72,6
101	71	151	3 Ruter	S 10	130	54,5 -54,5
108	77	42	3 Ruter	S 10	130	54,5 -54,5
111	90	53	3 Ruter	S 10	130	54,5 -54,5
115	208	224	3 Ruter	N 10	130	54,5 -54,5
46	24	186	3 Ruter	N 10	130	54,5 -54,5
38	213	146	3 Ruter	N 10	130	54,5 -54,5
67	40	152	3 Ruter	S 10	130	54,5 -54,5
94	96	104	4 Ruter	S 10	130	54,5 -54,5
30	73	52	4 Ruter	S 10	130	54,5 -54,5
23	199	59	4 Ruter	S 10	130	54,5 -54,5
24	207	123	4 Ruter	S 10	130	54,5 -54,5
27	179	115	4 Ruter	S 10	130	54,5 -54,5
21	233	220	4 Ruter	N 10	130	54,5 -54,5
72	39	95	2 Spar	Ø 6	100	24,2 -24,2
90	197	201	2 Spar	Ø 6	100	24,2 -24,2
34	120	66	3 Spar	Ø 7	100	24,2 -24,2
48	98	216	3 Spar	Ø 7	100	24,2 -24,2
103	156	188	3 Spar	D Ø 8	100	24,2 -24,2
44	114	119	3 Spar	Ø 7	100	24,2 -24,2
35	108	5	3 Spar	Ø 7	100	24,2 -24,2
96	4	203	3 Spar	Ø 7	100	24,2 -24,2
13	8	94	4 Spar	V 8	100	24,2 -24,2
49	26	131	4 Spar	Ø 8	100	24,2 -24,2
104	80	91	4 Spar	Ø 8	100	24,2 -24,2
52	195	127	4 Spar	D Ø 9	100	24,2 -24,2
4	44	35	4 Spar	V 8	100	24,2 -24,2
45	185	19	5 Kløver	D V 10	100	24,2 -24,2
33	105	150	5 Kløver	D V 10	100	24,2 -24,2
81	136	64	5 Kløver	D V 10	100	24,2 -24,2
28	149	231	5 Kløver	D V 10	100	24,2 -24,2
60	29	129	2 NT	Ø 7	50	-12,1 12,1
26	176	223	2 Spar	Ø 7	50	-12,1 12,1
112	130	86	2 Spar	Ø 7	50	-12,1 12,1
84	51	27	2 Spar	Ø 7	50	-12,1 12,1
37	38	219	2 Spar	Ø 7	50	-12,1 12,1
91	82	217	2 Spar	Ø 7	50	-12,1 12,1
118	134	36	3 Spar	Ø 8	50	-12,1 12,1
12	204	169	3 Spar	V 8	50	-12,1 12,1
70	93	69	3 Spar	Ø 8	50	-12,1 12,1
17	112	174	4 Kløver	V 9	50	-12,1 12,1
62	175	139	4 Kløver	V 9	50	-12,1 12,1
14	58	125	5 Kløver	V 10	50	-12,1 12,1
106	65	193	5 Kløver	Ø 10	50	-12,1 12,1
56	147	211	5 Kløver	V 10	50	-12,1 12,1
63	37	209	5 Kløver	V 10	50	-12,1 12,1
102	190	97	5 Kløver	V 10	50	-12,1 12,1
18	133	227	5 Kløver	Ø 10	50	-12,1 12,1
89	198	218	5 Kløver	V 10	50	-12,1 12,1
11	172	72	5 Kløver	V 10	50	-12,1 12,1
73	212	49	1 NT	Ø 7	90	-32,3 32,3

98	106	62	3 Hjerter	S 8	100	-43,4	43,4
109	177	181	4 Hjerter	S 9	100	-43,4	43,4
1	78	103	5 Ruter	S 10	100	-43,4	43,4
92	118	167	5 Ruter	N 10	100	-43,4	43,4
10	132	75	5 Ruter	S 10	100	-43,4	43,4
75	25	23	5 Ruter	S 10	100	-43,4	43,4
43	32	9	5 Ruter	S 10	100	-43,4	43,4
61	160	79	5 Ruter	S 10	100	-43,4	43,4
113	126	43	5 Ruter	N 10	100	-43,4	43,4
79	55	183	5 Ruter	N 10	100	-43,4	43,4
5	155	34	2 Spar	Ø 8	110	-57,5	57,5
3	184	189	2 Spar	Ø 8	110	-57,5	57,5
36	214	83	2 Spar	Ø 8	110	-57,5	57,5
95	232	168	3 Kløver	V 9	110	-57,5	57,5
58	76	85	3 Kløver	V 10	130	-82,0	82,0
22	109	138	3 Kløver	V 10	130	-82,7	82,7
53	192	202	3 Kløver	Ø 10	130	-82,7	82,7
100	180	191	3 Kløver	V 10	130	-82,7	82,7
42	143	22	3 Kløver	V 10	130	-82,7	82,7
97	33	10	3 Kløver	V 10	130	-82,7	82,7
64	158	70	3 Kløver	V 10	130	-82,7	82,7
19	230	142	3 Kløver	V 10	130	-82,7	82,7
32	28	54	3 Kløver	V 10	130	-82,7	82,7
15	89	41	3 Kløver	V 10	130	-82,7	82,7
116	124	57	3 Kløver	V 10	130	-82,7	82,7
86	154	87	3 Kløver	Ø 10	130	-82,7	82,7
6	178	222	3 Kløver	V 10	130	-82,7	82,7
54	225	99	3 Kløver	V 10	130	-82,7	82,7
88	221	101	3 Kløver	V 10	130	-82,7	82,7
77	194	163	3 Kløver	V 10	130	-82,7	82,7
25	13	17	3 Kløver	V 10	130	-82,7	82,7
47	128	63	4 Kløver	V 10	130	-82,7	82,7
7	92	206	4 Kløver	V 10	130	-82,7	82,7
71	234	1	4 Kløver	V 10	130	-82,7	82,7
8	48	56	4 Kløver	V 10	130	-82,7	82,7
87	30	20	4 Kløver	V 10	130	-82,7	82,7
59	14	6	3 Hjerter	S 7	200	-107,9	107,9
16	161	61	3 Hjerter	S 7	200	-107,9	107,9
82	145	157	4 Hjerter	D S 9	200	-107,9	107,9
51	165	45	5 Ruter	D N 10	200	-107,9	107,9
65	148	107	3 NT	N 6	300	-114,0	114,0
69	84	153	4 Hjerter	S 7	300	-114,0	114,0
93	113	229	3 Kløver	D V 10	570	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
106	126	156	2 Spar	D N 11 1270	117,0	-117,0
48	21	79	5 Hjerter	D Ø 7 1100	114,0	-114,0
54	204	81	5 Kløver	D Ø 7 1100	114,0	-114,0
44	84	187	4 Spar	D N 11 990	111,0	-111,0
97	1	180	5 Hjerter	D Ø 8 800	105,0	-105,0
118	36	208	5 Hjerter	D Ø 8 800	105,0	-105,0
20	115	178	5 Hjerter	D Ø 8 800	105,0	-105,0
61	153	108	5 Kløver	D Ø 8 800	105,0	-105,0
28	149	199	5 Kløver	D Ø 8 800	105,0	-105,0
16	109	179	4 Spar	D N 10 790	95,0	-95,0
23	52	48	4 Spar	D N 10 790	95,0	-95,0
64	120	47	4 Spar	D N 10 790	95,0	-95,0
18	61	159	4 Spar	D N 10 790	95,0	-95,0
33	89	205	4 Spar	D N 10 790	95,0	-95,0
34	136	231	4 Spar	N 11 650	79,0	-79,0
12	233	112	4 Spar	N 11 650	79,0	-79,0
111	104	43	4 Spar	N 11 650	79,0	-79,0
38	95	162	4 Spar	N 11 650	79,0	-79,0
94	102	55	4 Spar	N 11 650	79,0	-79,0
15	119	226	4 Spar	N 11 650	79,0	-79,0
25	142	38	4 Spar	N 11 650	79,0	-79,0
58	12	13	4 Spar	N 11 650	79,0	-79,0
70	191	139	4 Spar	N 11 650	79,0	-79,0
105	113	46	4 Spar	N 11 650	79,0	-79,0
92	224	214	4 Spar	N 11 650	79,0	-79,0
116	173	228	4 Spar	N 10 620	20,0	-20,0
99	53	51	4 Spar	N 10 620	20,0	-20,0
60	212	59	4 Spar	N 10 620	20,0	-20,0
77	116	14	4 Spar	N 10 620	20,0	-20,0
95	91	197	4 Spar	N 10 620	20,0	-20,0
21	8	105	4 Spar	N 10 620	20,0	-20,0
1	206	78	4 Spar	N 10 620	20,0	-20,0
85	71	154	4 Spar	N 10 620	20,0	-20,0
13	184	75	4 Spar	N 10 620	20,0	-20,0
107	130	167	4 Spar	N 10 620	20,0	-20,0
84	215	87	4 Spar	N 10 620	20,0	-20,0
67	93	76	4 Spar	N 10 620	20,0	-20,0
114	20	86	4 Spar	N 10 620	20,0	-20,0
35	161	17	4 Spar	N 10 620	20,0	-20,0
32	172	85	4 Spar	N 10 620	20,0	-20,0
27	9	6	4 Spar	N 10 620	20,0	-20,0
115	193	7	4 Spar	N 10 620	20,0	-20,0
42	98	37	4 Spar	N 10 620	20,0	-20,0
52	40	229	4 Spar	N 10 620	20,0	-20,0
91	77	110	4 Spar	N 10 620	20,0	-20,0
112	181	171	4 Spar	N 10 620	20,0	-20,0
26	211	26	4 Spar	N 10 620	20,0	-20,0
49	54	45	4 Spar	N 10 620	20,0	-20,0
7	68	155	4 Spar	N 10 620	20,0	-20,0
88	11	32	4 Spar	N 10 620	20,0	-20,0
109	10	74	4 Spar	N 10 620	20,0	-20,0
9	125	44	4 Spar	N 10 620	20,0	-20,0
79	140	198	4 Spar	N 10 620	20,0	-20,0
73	202	118	4 Spar	N 10 620	20,0	-20,0
103	70	30	4 Spar	N 10 620	20,0	-20,0
51	230	176	4 Spar	N 10 620	20,0	-20,0
83	64	190	4 Spar	N 10 620	20,0	-20,0
40	220	121	4 Spar	N 10 620	20,0	-20,0
2	72	103	4 Spar	N 10 620	20,0	-20,0
76	66	143	4 Spar	N 10 620	20,0	-20,0
8	189	222	4 Spar	N 10 620	20,0	-20,0
47	42	195	4 Spar	N 10 620	20,0	-20,0
59	19	217	4 Spar	N 10 620	20,0	-20,0
102	168	203	4 Spar	N 10 620	20,0	-20,0
10	135	3	4 Spar	N 10 620	20,0	-20,0
82	117	27	4 Spar	N 10 620	20,0	-20,0
66	22	225	4 Spar	N 10 620	20,0	-20,0
29	5	29	4 Spar	N 10 620	20,0	-20,0
78	101	235	4 Spar	N 10 620	20,0	-20,0
63	177	15	4 Spar	N 10 620	20,0	-20,0
30	164	63	4 Spar	N 10 620	20,0	-20,0
55	107	210	4 Spar	N 10 620	20,0	-20,0
45	219	114	4 Spar	N 10 620	20,0	-20,0
72	24	194	5 Hjerter	D V 9 500	-34,0	34,0
46	96	128	5 Hjerter	D V 9 500	-34,0	34,0

31	146	31	5 Kløver	D Ø 9 500	-34,0	34,0
81	141	175	5 Kløver	D Ø 9 500	-34,0	34,0
14	41	132	5 Kløver	D Ø 9 500	-34,0	34,0
56	16	129	5 Kløver	D Ø 9 500	-34,0	34,0
41	2	83	4 Hjerter	Ø 7 300	-41,0	41,0
100	25	170	2 Spar	N 11 200	-52,0	52,0
53	69	122	2 Spar	N 11 200	-52,0	52,0
74	213	160	2 Spar	N 11 200	-52,0	52,0
90	218	39	3 Spar	N 11 200	-52,0	52,0
93	158	82	3 Spar	N 11 200	-52,0	52,0
87	221	50	3 Spar	N 11 200	-52,0	52,0
39	144	137	4 Hjerter	D V 9 200	-52,0	52,0
4	94	123	4 Hjerter	V 8 200	-52,0	52,0
24	138	131	4 Hjerter	Ø 8 200	-52,0	52,0
110	188	124	4 Kløver	D Ø 9 200	-52,0	52,0
69	62	200	1 Spar	N 10 170	-83,0	83,0
62	236	147	1 Spar	N 10 170	-83,0	83,0
17	35	207	2 Spar	N 10 170	-83,0	83,0
89	209	201	2 Spar	N 10 170	-83,0	83,0
43	166	28	2 Spar	N 10 170	-83,0	83,0
96	163	90	2 Spar	N 10 170	-83,0	83,0
5	92	174	2 Spar	N 10 170	-83,0	83,0
11	88	223	3 Spar	N 10 170	-83,0	83,0
80	151	106	3 Spar	N 10 170	-83,0	83,0
68	182	99	3 Spar	N 10 170	-83,0	83,0
36	150	133	3 Spar	N 10 170	-83,0	83,0
113	65	33	3 Spar	N 10 170	-83,0	83,0
71	148	67	3 Spar	N 10 170	-83,0	83,0
101	57	232	3 Spar	S 10 170	-83,0	83,0
19	100	58	3 Spar	N 10 170	-83,0	83,0
3	169	34	3 Spar	N 10 170	-83,0	83,0
117	111	134	3 Spar	N 10 170	-83,0	83,0
65	127	234	3 Spar	N 10 170	-83,0	83,0
37	49	192	3 Spar	N 10 170	-83,0	83,0
6	56	196	3 Spar	N 10 170	-83,0	83,0
50	216	97	3 Spar	N 10 170	-83,0	83,0
98	145	165	2 Spar	N 9 140	-106,0	106,0
57	186	23	3 Spar	N 9 140	-106,0	106,0
22	227	73	3 Hjerter	V 8 100	-110,0	110,0
86	18	183	4 Hjerter	Ø 9 100	-110,0	110,0
75	157	185	4 Spar	N 9 100	-114,0	114,0
108	80	4	4 Spar	N 9 100	-114,0	114,0
104	60	152	5 Spar	D N 10 200	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
50	216	97	4 Spar	Ø 8	100	117,0	-117,0
43	166	28	4 Spar	Ø 9	50	114,0	-114,0
54	204	81	4 Spar	Ø 9	50	114,0	-114,0
65	127	234	3 Ruter	S 7	100	105,0	-105,0
99	53	51	4 Ruter	S 8	100	105,0	-105,0
26	211	26	4 Ruter	S 8	100	105,0	-105,0
7	68	155	4 Ruter	S 8	100	105,0	-105,0
72	24	194	4 Ruter	N 8	100	105,0	-105,0
1	206	78	4 Ruter	S 8	100	105,0	-105,0
27	9	6	4 Ruter	S 8	100	105,0	-105,0
108	80	4	1 Hjerter	V 9	140	96,0	-96,0
66	22	225	3 Spar	Ø 9	140	96,0	-96,0
96	163	90	2 Hjerter	V 10	170	39,0	-39,0
78	101	235	2 Hjerter	V 10	170	39,0	-39,0
6	56	196	2 Hjerter	V 10	170	39,0	-39,0
5	92	174	2 Hjerter	V 10	170	39,0	-39,0
45	219	114	2 Spar	Ø 10	170	39,0	-39,0
14	41	132	2 Spar	Ø 10	170	39,0	-39,0
32	172	85	2 Spar	Ø 10	170	39,0	-39,0
67	93	76	2 Spar	Ø 10	170	39,0	-39,0
86	18	183	2 Spar	Ø 10	170	39,0	-39,0
117	111	134	2 Spar	Ø 10	170	39,0	-39,0
104	60	152	2 Spar	Ø 10	170	39,0	-39,0
63	177	15	2 Spar	Ø 10	170	39,0	-39,0
102	168	203	2 Spar	Ø 10	170	39,0	-39,0
116	173	228	2 Spar	Ø 10	170	39,0	-39,0
24	138	131	2 Spar	Ø 10	170	39,0	-39,0
94	102	55	2 Spar	Ø 10	170	39,0	-39,0
118	36	208	2 Spar	Ø 10	170	39,0	-39,0
61	153	108	3 Hjerter	V 10	170	39,0	-39,0
3	169	34	3 Hjerter	V 10	170	39,0	-39,0
28	149	199	3 Hjerter	V 10	170	39,0	-39,0
36	150	133	3 Hjerter	V 10	170	39,0	-39,0
47	42	195	3 Hjerter	V 10	170	39,0	-39,0
56	16	129	3 Hjerter	V 10	170	39,0	-39,0
84	215	87	3 Hjerter	V 10	170	39,0	-39,0
44	84	187	3 Hjerter	V 10	170	39,0	-39,0
11	88	223	3 Hjerter	V 10	170	39,0	-39,0
15	119	226	3 Hjerter	V 10	170	39,0	-39,0
2	72	103	3 Hjerter	V 10	170	39,0	-39,0
93	158	82	3 Hjerter	V 10	170	39,0	-39,0
12	233	112	3 Spar	Ø 10	170	39,0	-39,0
62	236	147	3 Spar	Ø 10	170	39,0	-39,0
113	65	33	3 Spar	Ø 10	170	39,0	-39,0
92	224	214	3 Spar	Ø 10	170	39,0	-39,0
53	69	122	3 Spar	Ø 10	170	39,0	-39,0
98	145	165	3 Spar	Ø 10	170	39,0	-39,0
114	20	86	3 Spar	Ø 10	170	39,0	-39,0
106	126	156	3 Spar	Ø 10	170	39,0	-39,0
75	157	185	3 Spar	V 10	170	39,0	-39,0
20	115	178	3 Spar	Ø 10	170	39,0	-39,0
87	221	50	3 Spar	Ø 10	170	39,0	-39,0
71	148	67	3 Spar	Ø 10	170	39,0	-39,0
40	220	121	3 Spar	Ø 10	170	39,0	-39,0
59	19	217	3 Spar	Ø 10	170	39,0	-39,0
70	191	139	3 Spar	Ø 10	170	39,0	-39,0
30	164	63	3 Spar	Ø 10	170	39,0	-39,0
41	2	83	3 Spar	V 10	170	39,0	-39,0
51	230	176	3 Spar	Ø 10	170	39,0	-39,0
103	70	30	3 Spar	Ø 10	170	39,0	-39,0
34	136	231	3 Spar	Ø 10	170	39,0	-39,0
60	212	59	3 Spar	Ø 10	170	39,0	-39,0
97	1	180	3 Spar	Ø 10	170	39,0	-39,0
100	25	170	3 Spar	V 10	170	39,0	-39,0
73	202	118	3 Spar	Ø 10	170	39,0	-39,0
91	77	110	3 Spar	V 10	170	39,0	-39,0
33	89	205	3 Spar	Ø 10	170	39,0	-39,0
37	49	192	2 Hjerter	V 11	200	-21,0	21,0
80	151	106	2 Hjerter	V 11	200	-21,0	21,0
69	62	200	2 Spar	Ø 11	200	-21,0	21,0
58	12	13	3 Hjerter	V 11	200	-21,0	21,0
39	144	137	3 Spar	Ø 11	200	-21,0	21,0
31	146	31	4 Hjerter	V 10	420	-66,0	66,0
115	193	7	4 Hjerter	V 10	420	-66,0	66,0
52	40	229	4 Spar	V 10	420	-66,0	66,0

21	8	105	4 Spar	Ø 10	420	-66,0	66,0
16	109	179	4 Spar	Ø 10	420	-66,0	66,0
4	94	123	4 Spar	Ø 10	420	-66,0	66,0
74	213	160	4 Spar	Ø 10	420	-66,0	66,0
90	218	39	4 Spar	Ø 10	420	-66,0	66,0
23	52	48	4 Spar	Ø 10	420	-66,0	66,0
79	140	198	4 Spar	Ø 10	420	-66,0	66,0
112	181	171	4 Spar	Ø 10	420	-66,0	66,0
77	116	14	4 Spar	Ø 10	420	-66,0	66,0
111	104	43	4 Spar	Ø 10	420	-66,0	66,0
107	130	167	4 Spar	Ø 10	420	-66,0	66,0
22	227	73	4 Spar	Ø 10	420	-66,0	66,0
25	142	38	4 Spar	Ø 10	420	-66,0	66,0
82	117	27	4 Spar	Ø 10	420	-66,0	66,0
48	21	79	4 Spar	Ø 10	420	-66,0	66,0
109	10	74	4 Spar	Ø 10	420	-66,0	66,0
81	141	175	4 Spar	Ø 10	420	-66,0	66,0
9	125	44	4 Spar	Ø 10	420	-66,0	66,0
76	66	143	4 Spar	Ø 10	420	-66,0	66,0
46	96	128	4 Spar	Ø 10	420	-66,0	66,0
10	135	3	4 Spar	Ø 10	420	-66,0	66,0
89	209	201	4 Spar	Ø 10	420	-66,0	66,0
29	5	29	4 Spar	Ø 10	420	-66,0	66,0
64	120	47	4 Spar	Ø 10	420	-66,0	66,0
35	161	17	4 Spar	V 10	420	-66,0	66,0
38	95	162	4 Spar	Ø 10	420	-66,0	66,0
105	113	46	4 Spar	V 10	420	-66,0	66,0
8	189	222	4 Spar	Ø 10	420	-66,0	66,0
18	61	159	4 Spar	V 10	420	-66,0	66,0
101	57	232	4 Spar	V 10	420	-66,0	66,0
49	54	45	4 Spar	Ø 10	420	-66,0	66,0
19	100	58	4 Spar	V 10	420	-66,0	66,0
55	107	210	4 Spar	Ø 10	420	-66,0	66,0
68	182	99	4 Spar	Ø 10	420	-66,0	66,0
17	35	207	4 Spar	Ø 10	420	-66,0	66,0
13	184	75	4 Spar	Ø 10	420	-66,0	66,0
57	186	23	4 Spar	Ø 10	420	-66,0	66,0
95	91	197	4 Hjerter	V 11	450	-107,0	107,0
110	188	124	4 Kløver	D N 7	500	-112,0	112,0
85	71	154	4 Kløver	D N 7	500	-112,0	112,0
83	64	190	5 Ruter	D S 8	500	-112,0	112,0
42	98	37	5 Ruter	D S 8	500	-112,0	112,0
88	11	32	3 Hjerter	D V 10	630	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ 542 Mappen: 15(15)
 ♥ Rundern: 5
 ♦ KQ3 NS(S)
 ♣ JT76532


♠ AT963 ♠ KJ8
 ♥ AK6 ♥ J9753
 ♦ J94 ♦ T652
 ♣ 98 ♣ 4

♠ Q7
 ♥ QT842
 ♦ A87
 ♣ AKQ

Bord	NS	ØV		NS	ØV	NS	ØV
106	126	156	5 Kløver	D N 11	750	114,0	-114,0
28	149	199	5 Kløver	D N 11	750	114,0	-114,0
75	157	185	5 Kløver	D N 11	750	114,0	-114,0
118	36	208	5 Kløver	D N 11	750	114,0	-114,0
53	69	122	3 NT	S 10	630	109,0	-109,0
1	206	78	5 Kløver	S 12	620	107,0	-107,0
38	95	162	5 Kløver	N 11	600	85,0	-85,0
41	2	83	5 Kløver	S 11	600	85,0	-85,0
20	115	178	5 Kløver	N 11	600	85,0	-85,0
39	144	137	5 Kløver	S 11	600	85,0	-85,0
84	215	87	5 Kløver	S 11	600	85,0	-85,0
44	84	187	5 Kløver	N 11	600	85,0	-85,0
40	220	121	5 Kløver	S 11	600	85,0	-85,0
57	186	23	5 Kløver	S 11	600	85,0	-85,0
105	113	46	5 Kløver	N 11	600	85,0	-85,0
56	16	129	5 Kløver	S 11	600	85,0	-85,0
88	11	32	5 Kløver	N 11	600	85,0	-85,0
91	77	110	5 Kløver	S 11	600	85,0	-85,0
74	213	160	5 Kløver	N 11	600	85,0	-85,0
58	12	13	5 Kløver	N 11	600	85,0	-85,0
95	91	197	5 Kløver	N 11	600	85,0	-85,0
98	145	165	5 Kløver	N 11	600	85,0	-85,0
8	189	222	5 Kløver	N 11	600	85,0	-85,0
85	71	154	5 Kløver	N 11	600	85,0	-85,0
4	94	123	5 Kløver	N 11	600	85,0	-85,0
7	68	155	5 Kløver	N 11	600	85,0	-85,0
50	216	97	5 Kløver	N 11	600	85,0	-85,0
52	40	229	3 Hjerter	D Ø 6	500	63,0	-63,0
34	136	231	3 Kløver	S 12	170	60,0	-60,0
19	100	58	3 Kløver	N 12	170	60,0	-60,0
116	173	228	3 Kløver	N 11	150	13,0	-13,0
93	158	82	3 Kløver	S 11	150	13,0	-13,0
12	233	112	3 Kløver	N 11	150	13,0	-13,0
31	146	31	3 Kløver	N 11	150	13,0	-13,0
107	130	167	3 Kløver	N 11	150	13,0	-13,0
81	141	175	3 Kløver	N 11	150	13,0	-13,0
36	150	133	3 Kløver	S 11	150	13,0	-13,0
21	8	105	3 Kløver	S 11	150	13,0	-13,0
35	161	17	3 Kløver	N 11	150	13,0	-13,0
9	125	44	3 Kløver	N 11	150	13,0	-13,0
37	49	192	3 Kløver	N 11	150	13,0	-13,0
22	227	73	3 Kløver	N 11	150	13,0	-13,0
23	52	48	3 Kløver	N 11	150	13,0	-13,0
110	188	124	3 Kløver	S 11	150	13,0	-13,0
45	219	114	3 Kløver	N 11	150	13,0	-13,0
99	53	51	3 Kløver	S 11	150	13,0	-13,0
64	120	47	3 Kløver	N 11	150	13,0	-13,0
63	177	15	3 Kløver	S 11	150	13,0	-13,0
92	224	214	3 Kløver	N 11	150	13,0	-13,0
26	211	26	3 Kløver	S 11	150	13,0	-13,0
83	64	190	3 Kløver	N 11	150	13,0	-13,0
79	140	198	3 Kløver	S 11	150	13,0	-13,0
55	107	210	3 Kløver	N 11	150	13,0	-13,0
2	72	103	3 Kløver	N 11	150	13,0	-13,0
62	236	147	3 Kløver	N 11	150	13,0	-13,0
60	212	59	4 Kløver	N 11	150	13,0	-13,0
90	218	39	4 Kløver	N 11	150	13,0	-13,0
29	5	29	4 Kløver	N 11	150	13,0	-13,0
33	89	205	4 Kløver	N 11	150	13,0	-13,0
114	20	86	4 Kløver	S 11	150	13,0	-13,0
54	204	81	4 Kløver	N 11	150	13,0	-13,0
17	35	207	4 Kløver	S 11	150	13,0	-13,0
71	148	67	4 Kløver	S 11	150	13,0	-13,0
112	181	171	4 Kløver	N 11	150	13,0	-13,0
117	111	134	4 Kløver	N 11	150	13,0	-13,0
77	116	14	4 Kløver	N 11	150	13,0	-13,0
47	42	195	4 Kløver	N 11	150	13,0	-13,0
48	21	79	4 Kløver	N 11	150	13,0	-13,0
73	202	118	4 Kløver	N 11	150	13,0	-13,0
102	168	203	4 Kløver	N 11	150	13,0	-13,0
15	119	226	4 Kløver	N 11	150	13,0	-13,0
66	22	225	4 Kløver	N 11	150	13,0	-13,0
10	135	3	4 Kløver	N 11	150	13,0	-13,0
32	172	85	4 Kløver	S 11	150	13,0	-13,0
61	153	108	4 Kløver	N 11	150	13,0	-13,0

42	98	37	3 Kløver	S 10	130	-34,0	34,0
6	56	196	3 Kløver	N 10	130	-34,0	34,0
111	104	43	1 NT	S 8	120	-37,0	37,0
13	184	75	2 Spar	V 6	100	-50,0	50,0
49	54	45	3 Ruter	Ø 7	100	-50,0	50,0
16	109	179	3 Spar	V 7	100	-50,0	50,0
25	142	38	3 Spar	V 7	100	-50,0	50,0
78	101	235	3 Spar	V 7	100	-50,0	50,0
94	102	55	3 Spar	V 7	100	-50,0	50,0
67	93	76	3 Spar	V 7	100	-50,0	50,0
72	24	194	3 Spar	V 7	100	-50,0	50,0
89	209	201	3 Spar	V 7	100	-50,0	50,0
14	41	132	3 Spar	Ø 7	100	-50,0	50,0
108	80	4	3 Spar	V 7	100	-50,0	50,0
27	9	6	4 Spar	V 8	100	-50,0	50,0
51	230	176	1 NT	S 7	90	-63,0	63,0
113	65	33	2 Spar	V 7	50	-75,0	75,0
115	193	7	2 Spar	V 7	50	-75,0	75,0
80	151	106	2 Spar	V 7	50	-75,0	75,0
59	19	217	2 Spar	Ø 7	50	-75,0	75,0
86	18	183	2 Spar	V 7	50	-75,0	75,0
11	88	223	2 Spar	Ø 7	50	-75,0	75,0
97	1	180	3 Spar	V 8	50	-75,0	75,0
43	166	28	3 Spar	V 8	50	-75,0	75,0
76	66	143	3 Spar	V 8	50	-75,0	75,0
3	169	34	3 Spar	V 8	50	-75,0	75,0
24	138	131	3 Spar	V 8	50	-75,0	75,0
30	164	63	1 Spar	V 7	80	-87,0	87,0
18	61	159	1 NT	S 6	100	-90,0	90,0
101	57	232	1 NT	S 6	100	-90,0	90,0
82	117	27	2 Spar	V 8	110	-94,0	94,0
65	127	234	2 Spar	V 8	110	-94,0	94,0
68	182	99	3 Spar	V 9	140	-97,0	97,0
103	70	30	2 Hjerter	S 6	200	-100,0	100,0
5	92	174	3 Hjerter	S 7	200	-100,0	100,0
46	96	128	3 NT	S 6	300	-109,0	109,0
100	25	170	3 NT	S 6	300	-109,0	109,0
109	10	74	3 NT	S 6	300	-109,0	109,0
69	62	200	3 NT	S 6	300	-109,0	109,0
87	221	50	3 NT	S 6	300	-109,0	109,0
104	60	152	3 NT	S 6	300	-109,0	109,0
96	163	90	3 NT	N 6	300	-109,0	109,0
70	191	139	3 NT	S 5	400	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
82	10	220	2NT	V 3	500	117,0	-117,0
102	228	51	4 Hjerter	N 11	450	112,0	-112,0
19	44	6	4 Hjerter	N 11	450	112,0	-112,0
12	41	155	4 Hjerter	N 11	450	112,0	-112,0
83	210	213	4 Hjerter	N 11	450	112,0	-112,0
41	42	133	3NT	N 10	430	106,0	-106,0
23	146	184	3NT	N 10	430	106,0	-106,0
87	117	215	4 Hjerter	N 10	420	53,0	-53,0
17	131	85	4 Hjerter	N 10	420	53,0	-53,0
11	73	196	4 Hjerter	N 10	420	53,0	-53,0
71	120	93	4 Hjerter	N 10	420	53,0	-53,0
9	61	100	4 Hjerter	N 10	420	53,0	-53,0
97	67	143	4 Hjerter	N 10	420	53,0	-53,0
8	226	8	4 Hjerter	N 10	420	53,0	-53,0
104	165	86	4 Hjerter	N 10	420	53,0	-53,0
7	189	223	4 Hjerter	N 10	420	53,0	-53,0
75	205	23	4 Hjerter	N 10	420	53,0	-53,0
106	20	203	4 Hjerter	N 10	420	53,0	-53,0
25	164	227	4 Hjerter	N 10	420	53,0	-53,0
67	186	161	4 Hjerter	N 10	420	53,0	-53,0
74	224	185	4 Hjerter	N 10	420	53,0	-53,0
115	124	74	4 Hjerter	N 10	420	53,0	-53,0
96	32	177	4 Hjerter	N 10	420	53,0	-53,0
112	156	65	4 Hjerter	N 10	420	53,0	-53,0
116	134	33	4 Hjerter	N 10	420	53,0	-53,0
114	36	130	4 Hjerter	N 10	420	53,0	-53,0
45	182	157	4 Hjerter	N 10	420	53,0	-53,0
110	30	145	4 Hjerter	N 10	420	53,0	-53,0
100	175	55	4 Hjerter	N 10	420	53,0	-53,0
20	121	178	4 Hjerter	N 10	420	53,0	-53,0
117	171	111	4 Hjerter	N 10	420	53,0	-53,0
65	87	59	4 Hjerter	N 10	420	53,0	-53,0
53	64	195	4 Hjerter	N 10	420	53,0	-53,0
56	13	230	4 Hjerter	N 10	420	53,0	-53,0
95	173	163	4 Hjerter	N 10	420	53,0	-53,0
5	103	179	4 Hjerter	N 10	420	53,0	-53,0
70	236	82	4 Hjerter	N 10	420	53,0	-53,0
22	9	29	4 Hjerter	N 10	420	53,0	-53,0
37	40	17	4 Hjerter	N 10	420	53,0	-53,0
84	235	197	4 Hjerter	N 10	420	53,0	-53,0
34	45	83	4 Hjerter	N 10	420	53,0	-53,0
10	63	174	4 Hjerter	N 10	420	53,0	-53,0
21	12	125	4 Hjerter	N 10	420	53,0	-53,0
33	140	22	4 Hjerter	N 10	420	53,0	-53,0
18	150	138	4 Hjerter	N 10	420	53,0	-53,0
72	234	38	4 Hjerter	N 10	420	53,0	-53,0
99	188	225	4 Hjerter	N 10	420	53,0	-53,0
27	229	99	4 Hjerter	N 10	420	53,0	-53,0
108	152	43	4 Hjerter	N 10	420	53,0	-53,0
77	122	47	4 Hjerter	N 10	420	53,0	-53,0
90	110	14	4 Hjerter	N 10	420	53,0	-53,0
86	201	39	4 Hjerter	N 10	420	53,0	-53,0
63	57	2	4 Hjerter	N 10	420	53,0	-53,0
59	115	90	4 Hjerter	N 10	420	53,0	-53,0
15	58	31	4 Hjerter	N 10	420	53,0	-53,0
61	116	66	4 Hjerter	N 10	420	53,0	-53,0
51	28	62	4 Hjerter	N 10	420	53,0	-53,0
58	24	102	4 Hjerter	S 10	420	53,0	-53,0
69	129	84	1NT	V 3	400	1,0	-1,0
26	37	137	2 Hjerter	N 11	200	-2,0	2,0
55	19	127	3 Ruter	V 7	200	-2,0	2,0
88	192	106	1 Hjerter	N 10	170	-39,0	39,0
85	160	221	2 Hjerter	N 10	170	-39,0	39,0
46	16	54	2 Hjerter	N 10	170	-39,0	39,0
78	70	25	2 Hjerter	N 10	170	-39,0	39,0
81	180	148	2 Hjerter	N 10	170	-39,0	39,0
92	60	18	2 Hjerter	N 10	170	-39,0	39,0
64	198	194	2 Hjerter	N 10	170	-39,0	39,0
118	208	7	2 Hjerter	N 10	170	-39,0	39,0
16	222	112	2 Hjerter	N 10	170	-39,0	39,0
80	97	1	2 Hjerter	N 10	170	-39,0	39,0
62	136	162	3 Hjerter	N 10	170	-39,0	39,0
38	139	107	3 Hjerter	N 10	170	-39,0	39,0
3	233	207	3 Hjerter	N 10	170	-39,0	39,0
68	27	101	3 Hjerter	N 10	170	-39,0	39,0

52	50	147	3 Hjerter	N 10	170	-39,0	39,0
44	166	172	3 Hjerter	N 10	170	-39,0	39,0
35	144	211	3 Hjerter	N 10	170	-39,0	39,0
47	159	98	3 Hjerter	N 10	170	-39,0	39,0
14	219	35	3 Hjerter	N 10	170	-39,0	39,0
1	88	206	3 Hjerter	N 10	170	-39,0	39,0
98	76	80	3 Hjerter	N 10	170	-39,0	39,0
24	202	142	3 Hjerter	N 10	170	-39,0	39,0
30	149	109	3 Hjerter	N 10	170	-39,0	39,0
49	48	89	3 Hjerter	N 10	170	-39,0	39,0
101	141	167	3 Hjerter	N 10	170	-39,0	39,0
31	3	5	3 Hjerter	N 10	170	-39,0	39,0
2	72	78	3 Hjerter	N 10	170	-39,0	39,0
13	169	119	3 Hjerter	N 10	170	-39,0	39,0
36	21	95	3 Hjerter	N 10	170	-39,0	39,0
29	187	94	3 Hjerter	N 10	170	-39,0	39,0
60	114	108	3 Hjerter	N 10	170	-39,0	39,0
28	92	199	3 Hjerter	N 10	170	-39,0	39,0
94	214	154	3 Hjerter	N 10	170	-39,0	39,0
66	183	212	3 Hjerter	N 10	170	-39,0	39,0
111	232	53	3 Hjerter	N 10	170	-39,0	39,0
105	4	11	2 Hjerter	N 9	140	-92,0	92,0
50	216	26	2 Hjerter	N 9	140	-92,0	92,0
93	218	81	2 Hjerter	N 9	140	-92,0	92,0
79	15	118	3 Hjerter	N 9	140	-92,0	92,0
57	105	170	3 Hjerter	N 9	140	-92,0	92,0
91	128	181	3 Hjerter	N 9	140	-92,0	92,0
6	132	34	3 Hjerter	N 9	140	-92,0	92,0
39	153	71	3 Hjerter	N 9	140	-92,0	92,0
103	209	91	3 Hjerter	N 9	140	-92,0	92,0
43	204	69	3 Hjerter	N 9	140	-92,0	92,0
48	200	190	3 Hjerter	N 9	140	-92,0	92,0
107	158	151	3 Hjerter	N 9	140	-92,0	92,0
40	123	135	3 Hjerter	N 9	140	-92,0	92,0
54	52	96	3 Hjerter	N 9	140	-92,0	92,0
4	56	68	3 Hjerter	N 9	140	-92,0	92,0
113	193	113	3 Hjerter	N 9	140	-92,0	92,0
76	168	191	3 Hjerter	N 9	140	-92,0	92,0
109	104	126	3 Hjerter	N 9	140	-92,0	92,0
42	231	75	4 Hjerter	N 9	50	-114,0	114,0
73	176	217	4 Hjerter	N 9	50	-114,0	114,0
89	46	77	4 Hjerter	N 9	50	-114,0	114,0
32	79	49	4 Hjerter	N 9	50	-114,0	114,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
57	105	170	3NT	V 6 150	114,0	-114,0
2	72	78	3NT	V 6 150	114,0	-114,0
6	132	34	3NT	V 6 150	114,0	-114,0
4	56	68	3NT	V 6 150	114,0	-114,0
86	201	39	3Kløver	N 9 110	109,0	-109,0
91	128	181	3NT	V 7 100	101,0	-101,0
42	231	75	4Spar	V 8 100	101,0	-101,0
17	131	85	4Spar	V 8 100	101,0	-101,0
99	188	225	4Spar	Ø 8 100	101,0	-101,0
104	165	86	4Spar	Ø 8 100	101,0	-101,0
19	44	6	4Spar	V 8 100	101,0	-101,0
15	58	31	4Spar	V 8 100	101,0	-101,0
77	122	47	3NT	V 8 50	50,0	-50,0
82	10	220	4Hjerter	V 9 50	50,0	-50,0
1	88	206	4Spar	V 9 50	50,0	-50,0
107	158	151	4Spar	Ø 9 50	50,0	-50,0
113	193	113	4Spar	V 9 50	50,0	-50,0
111	232	53	4Spar	V 9 50	50,0	-50,0
21	12	125	4Spar	Ø 9 50	50,0	-50,0
115	124	74	4Spar	Ø 9 50	50,0	-50,0
109	104	126	4Spar	V 9 50	50,0	-50,0
75	205	23	4Spar	Ø 9 50	50,0	-50,0
73	176	217	4Spar	V 9 50	50,0	-50,0
23	146	184	4Spar	V 9 50	50,0	-50,0
10	63	174	4Spar	V 9 50	50,0	-50,0
110	30	145	4Spar	V 9 50	50,0	-50,0
20	121	178	4Spar	V 9 50	50,0	-50,0
53	64	195	4Spar	Ø 9 50	50,0	-50,0
41	42	133	4Spar	V 9 50	50,0	-50,0
84	235	197	4Spar	V 9 50	50,0	-50,0
22	9	29	4Spar	Ø 9 50	50,0	-50,0
34	45	83	4Spar	V 9 50	50,0	-50,0
5	103	179	4Spar	V 9 50	50,0	-50,0
95	173	163	4Spar	V 9 50	50,0	-50,0
43	204	69	4Spar	V 9 50	50,0	-50,0
60	114	108	4Spar	V 9 50	50,0	-50,0
56	13	230	4Spar	V 9 50	50,0	-50,0
65	87	59	4Spar	V 9 50	50,0	-50,0
64	198	194	4Spar	V 9 50	50,0	-50,0
3	233	207	4Spar	V 9 50	50,0	-50,0
18	150	138	4Spar	V 9 50	50,0	-50,0
102	228	51	4Spar	Ø 9 50	50,0	-50,0
94	214	154	4Spar	V 9 50	50,0	-50,0
30	149	109	4Spar	Ø 9 50	50,0	-50,0
13	169	119	4Spar	V 9 50	50,0	-50,0
63	57	2	4Spar	V 9 50	50,0	-50,0
46	16	54	4Spar	V 9 50	50,0	-50,0
101	141	167	4Spar	V 9 50	50,0	-50,0
85	160	221	4Spar	V 9 50	50,0	-50,0
62	136	162	4Spar	V 9 50	50,0	-50,0
69	129	84	4Spar	V 9 50	50,0	-50,0
88	192	106	4Spar	V 9 50	50,0	-50,0
28	92	199	4Spar	V 9 50	50,0	-50,0
97	67	143	4Spar	V 9 50	50,0	-50,0
39	153	71	4Spar	Ø 9 50	50,0	-50,0
38	139	107	4Spar	V 9 50	50,0	-50,0
47	159	98	2Spar	V 8 110	5,0	-5,0
58	24	102	2Spar	V 9 140	-2,0	2,0
93	218	81	2Spar	V 9 140	-2,0	2,0
49	48	89	2Spar	V 9 140	-2,0	2,0
61	116	66	3Spar	V 9 140	-2,0	2,0
108	152	43	3Spar	Ø 9 140	-2,0	2,0
79	15	118	3Spar	V 9 140	-2,0	2,0
98	76	80	3Spar	V 10 170	-12,0	12,0
80	97	1	3Spar	Ø 10 170	-12,0	12,0
72	234	38	3Spar	V 10 170	-12,0	12,0
44	166	172	3Spar	V 10 170	-12,0	12,0
35	144	211	4Kløver	D N 8 300	-18,0	18,0
12	41	155	5Kløver	D N 9 300	-18,0	18,0
9	61	100	3NT	V 9 400	-21,0	21,0
8	226	8	4Spar	Ø 10 420	-67,0	67,0
29	187	94	4Spar	V 10 420	-67,0	67,0
48	200	190	4Spar	V 10 420	-67,0	67,0
83	210	213	4Spar	V 10 420	-67,0	67,0
103	209	91	4Spar	V 10 420	-67,0	67,0

52	50	147	4Spar	V 10	420	-67,0	67,0
92	60	18	4Spar	V 10	420	-67,0	67,0
36	21	95	4Spar	V 10	420	-67,0	67,0
45	182	157	4Spar	V 10	420	-67,0	67,0
81	180	148	4Spar	V 10	420	-67,0	67,0
78	70	25	4Spar	V 10	420	-67,0	67,0
90	110	14	4Spar	Ø 10	420	-67,0	67,0
116	134	33	4Spar	Ø 10	420	-67,0	67,0
7	189	223	4Spar	V 10	420	-67,0	67,0
105	4	11	4Spar	V 10	420	-67,0	67,0
117	171	111	4Spar	V 10	420	-67,0	67,0
26	37	137	4Spar	V 10	420	-67,0	67,0
27	229	99	4Spar	V 10	420	-67,0	67,0
87	117	215	4Spar	V 10	420	-67,0	67,0
40	123	135	4Spar	V 10	420	-67,0	67,0
55	19	127	4Spar	V 10	420	-67,0	67,0
76	168	191	4Spar	V 10	420	-67,0	67,0
66	183	212	4Spar	V 10	420	-67,0	67,0
33	140	22	4Spar	V 10	420	-67,0	67,0
14	219	35	4Spar	V 10	420	-67,0	67,0
106	20	203	4Spar	Ø 10	420	-67,0	67,0
25	164	227	4Spar	V 10	420	-67,0	67,0
67	186	161	4Spar	V 10	420	-67,0	67,0
32	79	49	4Spar	V 10	420	-67,0	67,0
70	236	82	4Spar	V 10	420	-67,0	67,0
96	32	177	4Spar	V 10	420	-67,0	67,0
112	156	65	4Spar	Ø 10	420	-67,0	67,0
71	120	93	4Spar	V 10	420	-67,0	67,0
100	175	55	4Spar	V 10	420	-67,0	67,0
74	224	185	4Spar	V 10	420	-67,0	67,0
37	40	17	4Spar	V 10	420	-67,0	67,0
114	36	130	4Spar	V 10	420	-67,0	67,0
24	202	142	4Spar	V 10	420	-67,0	67,0
54	52	96	4Spar	V 10	420	-67,0	67,0
89	46	77	4Spar	V 10	420	-67,0	67,0
59	115	90	4Spar	V 10	420	-67,0	67,0
51	28	62	4Spar	V 10	420	-67,0	67,0
68	27	101	4Spar	Ø 10	420	-67,0	67,0
50	216	26	4Spar	Ø 10	420	-67,0	67,0
16	222	112	4Spar	V 10	420	-67,0	67,0
11	73	196	4Spar	V 11	450	-114,0	114,0
31	3	5	4Spar	V 11	450	-114,0	114,0
118	208	7	4Spar	D Ø 10	590	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
58	24	102	2NT	D V 2	1400	117,0	-117,0
20	121	178	5 Kløver	D Ø 7	800	115,0	-115,0
44	166	172	4 Hjerter	N 11	650	113,0	-113,0
95	173	163	4 Spar	S 10	620	100,0	-100,0
101	141	167	4 Spar	S 10	620	100,0	-100,0
86	201	39	4 Spar	S 10	620	100,0	-100,0
21	12	125	4 Spar	S 10	620	100,0	-100,0
2	72	78	4 Spar	S 10	620	100,0	-100,0
81	180	148	4 Spar	S 10	620	100,0	-100,0
110	30	145	4 Spar	S 10	620	100,0	-100,0
47	159	98	4 Spar	S 10	620	100,0	-100,0
79	15	118	4 Spar	S 10	620	100,0	-100,0
6	132	34	4 Spar	S 10	620	100,0	-100,0
34	45	83	4 Spar	S 10	620	100,0	-100,0
102	228	51	4 Spar	S 10	620	100,0	-100,0
97	67	143	2 Ruter	D Ø 5	500	85,0	-85,0
30	149	109	5 Kløver	D Ø 8	500	85,0	-85,0
17	131	85	5 Kløver	D Ø 8	500	85,0	-85,0
103	209	91	5 Kløver	D Ø 9	300	81,0	-81,0
70	236	82	2 Hjerter	N 11	200	78,0	-78,0
5	103	179	2 Hjerter	S 11	200	78,0	-78,0
60	114	108	2 Hjerter	N 10	170	69,0	-69,0
51	28	62	2 Spar	N 10	170	69,0	-69,0
62	136	162	2 Spar	S 10	170	69,0	-69,0
25	164	227	2 Spar	S 10	170	69,0	-69,0
10	63	174	3 Hjerter	N 10	170	69,0	-69,0
99	188	225	3 Spar	N 10	170	69,0	-69,0
15	58	31	3 Spar	S 10	170	69,0	-69,0
74	224	185	3 Ruter	Ø 6	150	61,0	-61,0
87	117	215	1 Spar	S 9	140	36,0	-36,0
48	200	190	1 Spar	S 9	140	36,0	-36,0
115	124	74	2 Spar	S 9	140	36,0	-36,0
37	40	17	2 Spar	S 9	140	36,0	-36,0
46	16	54	2 Spar	S 9	140	36,0	-36,0
111	232	53	2 Spar	S 9	140	36,0	-36,0
16	222	112	2 Spar	S 9	140	36,0	-36,0
113	193	113	2 Spar	S 9	140	36,0	-36,0
24	202	142	2 Spar	S 9	140	36,0	-36,0
107	158	151	3 Spar	S 9	140	36,0	-36,0
93	218	81	3 Spar	S 9	140	36,0	-36,0
71	120	93	3 Spar	S 9	140	36,0	-36,0
94	214	154	3 Spar	S 9	140	36,0	-36,0
19	44	6	3 Spar	S 9	140	36,0	-36,0
75	205	23	3 Spar	S 9	140	36,0	-36,0
114	36	130	3 Spar	S 9	140	36,0	-36,0
100	175	55	3 Spar	S 9	140	36,0	-36,0
9	61	100	3 Spar	S 9	140	36,0	-36,0
33	140	22	3 Spar	S 9	140	36,0	-36,0
65	87	59	3 Spar	S 9	140	36,0	-36,0
63	57	2	3 Spar	S 9	140	36,0	-36,0
88	192	106	3 Spar	S 9	140	36,0	-36,0
28	92	199	3 Spar	S 9	140	36,0	-36,0
52	50	147	3 Spar	S 9	140	36,0	-36,0
54	52	96	1 NT	Ø 6	50	8,0	-8,0
105	4	11	1 NT	Ø 6	50	8,0	-8,0
35	144	211	3 Kløver	Ø 8	50	8,0	-8,0
73	176	217	3 Kløver	Ø 8	50	8,0	-8,0
42	231	75	2 Kløver	Ø 8	90	3,0	-3,0
92	60	18	4 Spar	S 9	100	-55,0	55,0
85	160	221	4 Spar	S 9	100	-55,0	55,0
43	204	69	4 Spar	S 9	100	-55,0	55,0
11	73	196	4 Spar	S 9	100	-55,0	55,0
53	64	195	4 Spar	S 9	100	-55,0	55,0
109	104	126	4 Spar	S 9	100	-55,0	55,0
29	187	94	4 Spar	S 9	100	-55,0	55,0
23	146	184	4 Spar	S 9	100	-55,0	55,0
22	9	29	4 Spar	S 9	100	-55,0	55,0
4	56	68	4 Spar	S 9	100	-55,0	55,0
50	216	26	4 Spar	S 9	100	-55,0	55,0
117	171	111	4 Spar	S 9	100	-55,0	55,0
104	165	86	4 Spar	S 9	100	-55,0	55,0
45	182	157	4 Spar	S 9	100	-55,0	55,0
61	116	66	4 Spar	S 9	100	-55,0	55,0
41	42	133	4 Spar	S 9	100	-55,0	55,0
31	3	5	4 Spar	S 9	100	-55,0	55,0

78	70	25	4 Spar	S 9	100	-55,0	55,0
26	37	137	4 Spar	S 9	100	-55,0	55,0
82	10	220	4 Spar	S 9	100	-55,0	55,0
32	79	49	4 Spar	S 9	100	-55,0	55,0
83	210	213	4 Spar	S 9	100	-55,0	55,0
7	189	223	4 Spar	S 9	100	-55,0	55,0
84	235	197	4 Spar	S 9	100	-55,0	55,0
8	226	8	4 Spar	S 9	100	-55,0	55,0
3	233	207	4 Spar	S 9	100	-55,0	55,0
90	110	14	4 Spar	S 9	100	-55,0	55,0
72	234	38	4 Spar	S 9	100	-55,0	55,0
64	198	194	4 Spar	S 9	100	-55,0	55,0
40	123	135	4 Spar	S 9	100	-55,0	55,0
13	169	119	4 Spar	S 9	100	-55,0	55,0
38	139	107	4 Spar	S 9	100	-55,0	55,0
108	152	43	4 Spar	S 9	100	-55,0	55,0
77	122	47	4 Spar	S 9	100	-55,0	55,0
112	156	65	4 Spar	S 9	100	-55,0	55,0
49	48	89	4 Spar	S 9	100	-55,0	55,0
14	219	35	4 Spar	S 9	100	-55,0	55,0
57	105	170	4 Spar	S 9	100	-55,0	55,0
76	168	191	4 Spar	S 9	100	-55,0	55,0
67	186	161	4 Spar	S 9	100	-55,0	55,0
80	97	1	4 Spar	S 9	100	-55,0	55,0
55	19	127	4 Spar	S 9	100	-55,0	55,0
106	20	203	4 Spar	S 9	100	-55,0	55,0
56	13	230	4 Spar	S 9	100	-55,0	55,0
1	88	206	4 Spar	S 9	100	-55,0	55,0
27	229	99	4 Spar	S 9	100	-55,0	55,0
68	27	101	4 Spar	S 9	100	-55,0	55,0
69	129	84	4 Spar	S 9	100	-55,0	55,0
118	208	7	4 Spar	S 9	100	-55,0	55,0
91	128	181	4 Spar	S 9	100	-55,0	55,0
18	150	138	4 Spar	S 9	100	-55,0	55,0
12	41	155	4 Spar	S 9	100	-55,0	55,0
89	46	77	4 Spar	S 9	100	-55,0	55,0
39	153	71	4 Spar	S 9	100	-55,0	55,0
36	21	95	4 Spar	S 9	100	-55,0	55,0
96	32	177	4 Spar	S 9	100	-55,0	55,0
59	115	90	4 Spar	S 9	100	-55,0	55,0
116	134	33	3 Kløver	Ø 9	110	-113,0	113,0
98	76	80	4 Spar	D S 9	200	-116,0	116,0
66	183	212	4 Spar	S 8	200	-116,0	116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
10	56	58	4 Spar	S 10	420	103,0 -103,0
18	202	200	4 Spar	N 10	420	103,0 -103,0
49	2	52	4 Spar	S 10	420	103,0 -103,0
1	206	68	4 Spar	S 10	420	103,0 -103,0
87	67	87	4 Spar	N 10	420	103,0 -103,0
114	33	151	4 Spar	N 10	420	103,0 -103,0
48	102	135	4 Spar	S 10	420	103,0 -103,0
23	45	115	4 Spar	S 10	420	103,0 -103,0
118	156	208	4 Spar	N 10	420	103,0 -103,0
92	181	4	4 Spar	S 10	420	103,0 -103,0
60	215	168	4 Spar	S 10	420	103,0 -103,0
28	3	137	4 Spar	N 10	420	103,0 -103,0
68	187	82	4 Spar	S 10	420	103,0 -103,0
71	176	199	4 Spar	S 10	420	103,0 -103,0
108	86	104	4 Spar	S 10	420	103,0 -103,0
35	112	172	2 Spar	V 4	400	83,0 -83,0
6	179	119	3 NT	S 9	400	83,0 -83,0
19	100	153	3 NT	N 9	400	83,0 -83,0
25	89	125	3 NT	S 9	400	83,0 -83,0
82	235	70	3 NT	S 9	400	83,0 -83,0
59	23	234	3 NT	Ø 6	300	77,0 -77,0
24	85	95	3 Kløver	D V 8	200	75,0 -75,0
95	25	205	2 Spar	S 10	170	73,0 -73,0
34	42	90	2 NT	S 9	150	71,0 -71,0
105	170	214	1 Spar	S 9	140	58,0 -58,0
33	35	16	2 Spar	S 9	140	58,0 -58,0
78	152	13	2 Spar	S 9	140	58,0 -58,0
36	17	190	2 Spar	N 9	140	58,0 -58,0
15	136	61	2 Spar	S 9	140	58,0 -58,0
9	63	88	2 Spar	S 9	140	58,0 -58,0
61	77	120	3 Spar	N 9	140	58,0 -58,0
54	92	24	3 Spar	S 9	140	58,0 -58,0
50	201	224	3 Spar	N 9	140	58,0 -58,0
11	12	31	3 Spar	S 9	140	58,0 -58,0
93	20	36	3 Spar	N 9	140	58,0 -58,0
99	43	10	3 Spar	N 9	140	58,0 -58,0
76	160	186	2 NT	S 8	120	45,0 -45,0
90	180	32	3 Kløver	V 8	100	43,0 -43,0
106	228	30	2 NT	S 7	50	-18,0 18,0
14	204	37	3 NT	S 8	50	-18,0 18,0
73	231	143	3 NT	N 8	50	-18,0 18,0
16	78	9	3 NT	N 8	50	-18,0 18,0
64	1	116	3 NT	S 8	50	-18,0 18,0
45	28	71	3 NT	S 8	50	-18,0 18,0
88	15	154	3 Spar	S 8	50	-18,0 18,0
17	44	41	3 Spar	S 8	50	-18,0 18,0
65	126	194	3 Spar	S 8	50	-18,0 18,0
70	192	161	3 Spar	N 8	50	-18,0 18,0
84	148	175	4 Spar	N 9	50	-18,0 18,0
56	220	106	4 Spar	N 9	50	-18,0 18,0
51	49	105	4 Spar	S 9	50	-18,0 18,0
86	108	213	4 Spar	S 9	50	-18,0 18,0
100	165	11	4 Spar	S 9	50	-18,0 18,0
115	130	65	4 Spar	S 9	50	-18,0 18,0
29	69	21	4 Spar	S 9	50	-18,0 18,0
107	18	141	4 Spar	N 9	50	-18,0 18,0
2	207	72	4 Spar	S 9	50	-18,0 18,0
53	166	227	4 Spar	S 9	50	-18,0 18,0
102	218	117	4 Spar	N 9	50	-18,0 18,0
52	83	212	4 Spar	N 9	50	-18,0 18,0
113	81	209	4 Spar	N 9	50	-18,0 18,0
89	118	96	4 Spar	S 9	50	-18,0 18,0
31	164	142	4 Spar	N 9	50	-18,0 18,0
47	107	147	4 Spar	S 9	50	-18,0 18,0
20	22	211	4 Spar	S 9	50	-18,0 18,0
8	196	149	4 Spar	S 9	50	-18,0 18,0
104	55	110	4 Spar	N 9	50	-18,0 18,0
62	54	38	4 Spar	S 9	50	-18,0 18,0
67	217	93	4 Spar	S 9	50	-18,0 18,0
42	5	183	4 Spar	S 9	50	-18,0 18,0
91	122	64	4 Spar	S 9	50	-18,0 18,0
3	34	233	4 Spar	S 9	50	-18,0 18,0
85	62	182	4 Spar	S 9	50	-18,0 18,0
109	203	163	4 Spar	S 9	50	-18,0 18,0
43	155	139	4 Spar	N 9	50	-18,0 18,0

5	174	132	4 Spar	S 9	50	-18,0 18,0
80	232	171	4 Spar	S 9	50	-18,0 18,0
26	169	138	4 Spar	S 9	50	-18,0 18,0
117	193	111	4 Spar	S 9	50	-18,0 18,0
97	57	91	4 Spar	N 9	50	-18,0 18,0
27	84	75	4 Spar	S 9	50	-18,0 18,0
75	162	210	4 Spar	N 9	50	-18,0 18,0
81	197	14	4 Spar	N 9	50	-18,0 18,0
101	80	158	4 Spar	N 9	50	-18,0 18,0
94	167	76	4 Spar	N 9	50	-18,0 18,0
66	39	127	4 Spar	N 9	50	-18,0 18,0
37	94	109	4 Spar	N 9	50	-18,0 18,0
74	236	59	4 Spar	N 9	50	-18,0 18,0
112	124	51	4 Spar	N 9	50	-18,0 18,0
111	74	188	4 Spar	S 9	50	-18,0 18,0
40	123	146	4 Spar	N 9	50	-18,0 18,0
7	189	99	4 Spar	N 9	50	-18,0 18,0
69	98	114	4 Spar	S 9	50	-18,0 18,0
32	6	50	4 Spar	N 9	50	-18,0 18,0
98	221	46	4 Spar	N 9	50	-18,0 18,0
30	229	216	4 Spar	S 9	50	-18,0 18,0
103	113	145	4 Spar	S 9	50	-18,0 18,0
83	47	129	4 Spar	S 9	50	-18,0 18,0
13	131	8	2 NT	S 6	100	-93,0 93,0
63	101	195	2 NT	S 6	100	-93,0 93,0
55	128	48	3 NT	S 7	100	-93,0 93,0
57	178	198	4 Spar	N 8	100	-93,0 93,0
21	226	29	4 Spar	N 8	100	-93,0 93,0
110	225	60	4 Spar	S 8	100	-93,0 93,0
96	53	97	4 Spar	N 8	100	-93,0 93,0
79	177	66	4 Spar	N 8	100	-93,0 93,0
77	185	173	4 Spar	N 8	100	-93,0 93,0
4	223	73	4 Spar	S 8	100	-93,0 93,0
12	103	219	4 Spar	S 8	100	-93,0 93,0
44	140	27	4 Spar	N 8	100	-93,0 93,0
38	40	144	4 Spar	S 8	100	-93,0 93,0
58	230	19	4 Spar	N 8	100	-93,0 93,0
41	184	157	5 Spar	S 9	100	-93,0 93,0
72	26	191	2 NT	S 5	150	-110,0 110,0
116	7	134	3 NT	S 6	150	-110,0 110,0
39	159	133	2 Kløver	D V 8	180	-114,0 114,0
46	121	79	2 Kløver	D V 8	180	-114,0 114,0
22	222	150	4 Spar	D S 8	300	-117,0 117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
109	203	163	2 Ruter	V 5	300	116,0	-116,0
67	217	93	3 Spar	Ø 6	300	116,0	-116,0
61	77	120	3 Hjerter	D V 8	200	113,0	-113,0
59	23	234	3 Hjerter	N 9	140	111,0	-111,0
4	223	73	3 Kløver	N 10	130	108,0	-108,0
30	229	216	4 Kløver	N 10	130	108,0	-108,0
26	169	138	2 Kløver	N 9	110	95,0	-95,0
66	39	127	2 Ruter	N 9	110	95,0	-95,0
71	176	199	2 Ruter	S 9	110	95,0	-95,0
33	35	16	3 Kløver	N 9	110	95,0	-95,0
80	232	171	3 Kløver	N 9	110	95,0	-95,0
78	152	13	3 Kløver	S 9	110	95,0	-95,0
13	131	8	3 Ruter	N 9	110	95,0	-95,0
114	33	151	3 Ruter	S 9	110	95,0	-95,0
46	121	79	3 Ruter	S 9	110	95,0	-95,0
85	62	182	3 Ruter	S 9	110	95,0	-95,0
44	140	27	3 Ruter	S 9	110	95,0	-95,0
27	84	75	3 Hjerter	V 8	100	75,0	-75,0
17	44	41	4 Hjerter	Ø 9	100	75,0	-75,0
38	40	144	4 Hjerter	Ø 9	100	75,0	-75,0
8	196	149	4 Hjerter	Ø 9	100	75,0	-75,0
77	185	173	4 Hjerter	Ø 9	100	75,0	-75,0
62	54	38	4 Hjerter	Ø 9	100	75,0	-75,0
14	204	37	4 Hjerter	V 9	100	75,0	-75,0
76	160	186	4 Hjerter	V 9	100	75,0	-75,0
24	85	95	4 Hjerter	Ø 9	100	75,0	-75,0
52	83	212	1 NT	N 7	90	65,0	-65,0
32	6	50	Pass			51,0	-51,0
107	18	141	Pass			51,0	-51,0
43	155	139	Pass			51,0	-51,0
82	235	70	Pass			51,0	-51,0
20	22	211	Pass			51,0	-51,0
74	236	59	Pass			51,0	-51,0
60	215	168	Pass			51,0	-51,0
104	55	110	Pass			51,0	-51,0
25	89	125	Pass			51,0	-51,0
15	136	61	Pass			51,0	-51,0
35	112	172	Pass			51,0	-51,0
72	26	191	Pass			51,0	-51,0
117	193	111	Pass			51,0	-51,0
21	226	29	3 Kløver	N 8	100	29,0	-29,0
9	63	88	4 Kløver	N 9	100	29,0	-29,0
86	108	213	4 Kløver	N 9	100	29,0	-29,0
102	218	117	4 Kløver	N 9	100	29,0	-29,0
16	78	9	4 Ruter	N 9	100	29,0	-29,0
12	103	219	4 Ruter	S 9	100	29,0	-29,0
36	17	190	4 Ruter	S 9	100	29,0	-29,0
112	124	51	4 Ruter	S 9	100	29,0	-29,0
31	164	142	4 Ruter	S 9	100	29,0	-29,0
118	156	208	2 Hjerter	V 8	110	18,0	-18,0
29	69	21	2 Hjerter	V 8	110	18,0	-18,0
41	184	157	1 Hjerter	V 9	140	-37,0	37,0
70	192	161	1 Hjerter	Ø 9	140	-37,0	37,0
99	43	10	1 Hjerter	V 9	140	-37,0	37,0
105	170	214	1 Hjerter	V 9	140	-37,0	37,0
37	94	109	1 Hjerter	V 9	140	-37,0	37,0
81	197	14	1 Hjerter	V 9	140	-37,0	37,0
83	47	129	2 Hjerter	V 9	140	-37,0	37,0
111	74	188	2 Hjerter	V 9	140	-37,0	37,0
96	53	97	2 Hjerter	Ø 9	140	-37,0	37,0
63	101	195	2 Hjerter	V 9	140	-37,0	37,0
3	34	233	2 Hjerter	Ø 9	140	-37,0	37,0
2	207	72	2 Hjerter	Ø 9	140	-37,0	37,0
49	2	52	2 Hjerter	V 9	140	-37,0	37,0
103	113	145	2 Hjerter	V 9	140	-37,0	37,0
75	162	210	2 Hjerter	Ø 9	140	-37,0	37,0
58	230	19	2 Hjerter	V 9	140	-37,0	37,0
39	159	133	2 Hjerter	V 9	140	-37,0	37,0
10	56	58	2 Hjerter	Ø 9	140	-37,0	37,0
84	148	175	2 Hjerter	V 9	140	-37,0	37,0
6	179	119	2 Hjerter	Ø 9	140	-37,0	37,0
50	201	224	2 Hjerter	V 9	140	-37,0	37,0
101	80	158	2 Hjerter	V 9	140	-37,0	37,0
87	67	87	2 Hjerter	Ø 9	140	-37,0	37,0
108	86	104	3 Hjerter	Ø 9	140	-37,0	37,0

28	3	137	3 Hjerter	Ø 9	140	-37,0	37,0
95	25	205	3 Hjerter	V 9	140	-37,0	37,0
53	166	227	3 Hjerter	Ø 9	140	-37,0	37,0
106	228	30	3 Hjerter	V 9	140	-37,0	37,0
98	221	46	3 Hjerter	V 9	140	-37,0	37,0
89	118	96	3 Hjerter	V 9	140	-37,0	37,0
23	45	115	3 Hjerter	Ø 9	140	-37,0	37,0
90	180	32	3 Hjerter	Ø 9	140	-37,0	37,0
113	81	209	3 Hjerter	Ø 9	140	-37,0	37,0
97	57	91	3 Hjerter	V 9	140	-37,0	37,0
5	174	132	3 Hjerter	V 9	140	-37,0	37,0
110	225	60	3 Hjerter	V 9	140	-37,0	37,0
56	220	106	3 Hjerter	V 9	140	-37,0	37,0
69	98	114	3 Hjerter	V 9	140	-37,0	37,0
18	202	200	3 Hjerter	V 9	140	-37,0	37,0
7	189	99	3 Hjerter	V 9	140	-37,0	37,0
34	42	90	3 Hjerter	Ø 9	140	-37,0	37,0
79	177	66	3 Hjerter	V 9	140	-37,0	37,0
73	231	143	3 Hjerter	Ø 9	140	-37,0	37,0
22	222	150	3 Hjerter	V 9	140	-37,0	37,0
91	122	64	3 Hjerter	V 9	140	-37,0	37,0
55	128	48	3 Hjerter	V 9	140	-37,0	37,0
94	167	76	3 Hjerter	V 9	140	-37,0	37,0
42	5	183	3 Hjerter	V 9	140	-37,0	37,0
51	49	105	3 Hjerter	Ø 9	140	-37,0	37,0
115	130	65	3 Hjerter	V 9	140	-37,0	37,0
1	206	68	3 Hjerter	Ø 9	140	-37,0	37,0
19	100	153	3 Hjerter	V 9	140	-37,0	37,0
48	102	135	3 Hjerter	V 9	140	-37,0	37,0
64	1	116	2 Hjerter	V 10	170	-91,0	91,0
54	92	24	1 NT	N 5	200	-96,0	96,0
88	15	154	1 NT	N 5	200	-96,0	96,0
93	20	36	4 Kløver	D S 9	200	-96,0	96,0
116	7	134	5 Ruter	S 9	200	-96,0	96,0
40	123	146	2 NT	N 5	300	-101,0	101,0
57	178	198	5 Kløver	D N 9	500	-103,0	103,0
92	181	4	3 Hjerter	D V 9	730	-108,0	108,0
68	187	82	3 Hjerter	D V 9	730	-108,0	108,0
45	28	71	3 Hjerter	D V 9	730	-108,0	108,0
11	12	31	3 Hjerter	D Ø 9	730	-108,0	108,0
65	126	194	3 Spar	D S 6	800	-114,0	114,0
100	165	11	5 Ruter	D S 8	800	-114,0	114,0
47	107	147	5 Ruter	D S 7	1100	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
42	5	183	3 Spar	D N 10	930	117,0	-117,0
59	23	234	4 Hjerter	D N 10	790	115,0	-115,0
78	152	13	3 Spar	D N 9	730	113,0	-113,0
67	217	93	4 Spar	N 10	620	111,0	-111,0
5	174	132	5 Hjerter	D V 9	300	109,0	-109,0
60	215	168	2 Spar	S 11	200	107,0	-107,0
49	2	52	3 Spar	N 9	140	102,0	-102,0
108	86	104	3 Spar	N 9	140	102,0	-102,0
15	136	61	3 Spar	N 9	140	102,0	-102,0
91	122	64	3 Spar	N 9	140	102,0	-102,0
63	101	195	2 Spar	N 8	110	97,0	-97,0
20	22	211	5 Hjerter	D V 10	100	84,0	-84,0
96	53	97	5 Hjerter	D V 10	100	84,0	-84,0
6	179	119	5 Hjerter	D Ø 10	100	84,0	-84,0
25	89	125	5 Hjerter	D V 10	100	84,0	-84,0
87	67	87	5 Hjerter	D V 10	100	84,0	-84,0
55	128	48	5 Hjerter	D V 10	100	84,0	-84,0
100	165	11	5 Hjerter	D V 10	100	84,0	-84,0
46	121	79	5 Hjerter	D V 10	100	84,0	-84,0
52	83	212	5 Hjerter	D V 10	100	84,0	-84,0
7	189	99	5 Hjerter	D V 10	100	84,0	-84,0
116	7	134	5 Ruter	D V 10	100	84,0	-84,0
66	39	127	6 Ruter	V 10	100	84,0	-84,0
94	167	76	4 Hjerter	V 9	50	65,0	-65,0
84	148	175	4 Hjerter	V 9	50	65,0	-65,0
61	77	120	4 Hjerter	V 9	50	65,0	-65,0
79	177	66	5 Hjerter	V 10	50	65,0	-65,0
44	140	27	5 Hjerter	V 10	50	65,0	-65,0
1	206	68	5 Hjerter	V 10	50	65,0	-65,0
73	231	143	5 Hjerter	V 10	50	65,0	-65,0
47	107	147	3 Spar	N 8	100	46,0	-46,0
106	228	30	3 Spar	N 8	100	46,0	-46,0
76	160	186	3 Spar	N 8	100	46,0	-46,0
30	229	216	3 Spar	N 8	100	46,0	-46,0
107	18	141	3 Spar	N 8	100	46,0	-46,0
16	78	9	4 Hjerter	S 9	100	46,0	-46,0
72	26	191	4 Spar	N 9	100	46,0	-46,0
104	55	110	4 Spar	N 9	100	46,0	-46,0
69	98	114	4 Spar	N 9	100	46,0	-46,0
48	102	135	4 Spar	N 9	100	46,0	-46,0
74	236	59	4 Spar	N 9	100	46,0	-46,0
14	204	37	4 Spar	S 9	100	46,0	-46,0
3	34	233	4 Ruter	Ø 11	150	33,0	-33,0
27	84	75	3 Hjerter	V 10	170	29,0	-29,0
32	6	50	3 Hjerter	V 10	170	29,0	-29,0
33	35	16	3 Hjerter	V 10	170	29,0	-29,0
31	164	142	4 Spar	S 8	200	10,0	-10,0
38	40	144	4 Spar	N 8	200	10,0	-10,0
40	123	146	4 Spar	N 8	200	10,0	-10,0
23	45	115	4 Spar	N 8	200	10,0	-10,0
86	108	213	4 Spar	N 8	200	10,0	-10,0
10	56	58	4 Spar	N 8	200	10,0	-10,0
113	81	209	4 Spar	D N 9	200	10,0	-10,0
97	57	91	4 Spar	N 8	200	10,0	-10,0
51	49	105	4 Spar	D N 9	200	10,0	-10,0
105	170	214	4 Spar	N 8	200	10,0	-10,0
29	69	21	4 Spar	D N 9	200	10,0	-10,0
102	218	117	4 Spar	N 8	200	10,0	-10,0
77	185	173	4 Spar	N 8	200	10,0	-10,0
71	176	199	4 Spar	N 8	200	10,0	-10,0
111	74	188	4 Spar	N 8	200	10,0	-10,0
56	220	106	4 Spar	N 8	200	10,0	-10,0
90	180	32	5 Spar	N 8	300	-7,0	7,0
98	221	46	5 Ruter	Ø 11	400	-9,0	9,0
95	25	205	4 Hjerter	V 10	420	-48,0	48,0
2	207	72	4 Hjerter	V 10	420	-48,0	48,0
85	62	182	4 Hjerter	V 10	420	-48,0	48,0
57	178	198	4 Hjerter	V 10	420	-48,0	48,0
114	33	151	4 Hjerter	V 10	420	-48,0	48,0
80	232	171	4 Hjerter	V 10	420	-48,0	48,0
35	112	172	4 Hjerter	V 10	420	-48,0	48,0
4	223	73	4 Hjerter	V 10	420	-48,0	48,0
28	3	137	4 Hjerter	V 10	420	-48,0	48,0
112	124	51	4 Hjerter	V 10	420	-48,0	48,0
93	20	36	4 Hjerter	V 10	420	-48,0	48,0

18	202	200	4 Hjerter	V 10	420	-48,0	48,0
34	42	90	4 Hjerter	V 10	420	-48,0	48,0
9	63	88	4 Hjerter	V 10	420	-48,0	48,0
68	187	82	4 Hjerter	V 10	420	-48,0	48,0
70	192	161	4 Hjerter	V 10	420	-48,0	48,0
82	235	70	4 Hjerter	V 10	420	-48,0	48,0
118	156	208	4 Hjerter	V 10	420	-48,0	48,0
36	17	190	4 Hjerter	V 10	420	-48,0	48,0
65	126	194	4 Hjerter	V 10	420	-48,0	48,0
50	201	224	4 Hjerter	V 10	420	-48,0	48,0
45	28	71	4 Hjerter	V 10	420	-48,0	48,0
12	103	219	4 Hjerter	V 10	420	-48,0	48,0
54	92	24	4 Hjerter	V 10	420	-48,0	48,0
41	184	157	4 Hjerter	V 10	420	-48,0	48,0
115	130	65	4 Hjerter	V 10	420	-48,0	48,0
24	85	95	4 Hjerter	V 10	420	-48,0	48,0
11	12	31	4 Hjerter	V 10	420	-48,0	48,0
17	44	41	4 Hjerter	V 10	420	-48,0	48,0
58	230	19	4 Hjerter	V 10	420	-48,0	48,0
89	118	96	4 Hjerter	V 10	420	-48,0	48,0
88	15	154	4 Hjerter	V 10	420	-48,0	48,0
103	113	145	4 Hjerter	V 10	420	-48,0	48,0
117	193	111	4 Hjerter	V 10	420	-48,0	48,0
21	226	29	4 Hjerter	V 10	420	-48,0	48,0
43	155	139	4 Hjerter	V 10	420	-48,0	48,0
53	166	227	4 Hjerter	V 10	420	-48,0	48,0
64	1	116	5 Ruter	Ø 12	420	-48,0	48,0
22	222	150	4 Spar	D N 8	500	-91,0	91,0
75	162	210	4 Spar	D N 8	500	-91,0	91,0
109	203	163	4 Spar	D N 8	500	-91,0	91,0
37	94	109	4 Spar	D N 8	500	-91,0	91,0
99	43	10	4 Spar	D N 8	500	-91,0	91,0
39	159	133	4 Hjerter	D V 10	590	-107,0	107,0
62	54	38	4 Hjerter	D V 10	590	-107,0	107,0
101	80	158	4 Hjerter	D V 10	590	-107,0	107,0
81	197	14	4 Hjerter	D V 10	590	-107,0	107,0
92	181	4	4 Hjerter	D V 10	590	-107,0	107,0
19	100	153	4 Hjerter	D V 10	590	-107,0	107,0
8	196	149	4 Hjerter	D V 10	590	-107,0	107,0
83	47	129	4 Hjerter	D V 10	590	-107,0	107,0
26	169	138	4 Hjerter	D V 10	590	-107,0	107,0
110	225	60	4 Hjerter	D V 10	590	-107,0	107,0
13	131	8	4 Hjerter	D V 10	590	-107,0	107,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
62	216	230	6 Ruter	V 11	100	113,0	-113,0
33	84	226	7 Kløver	Ø 12	100	113,0	-113,0
47	127	155	7 Kløver	Ø 12	100	113,0	-113,0
84	213	181	7 Kløver	Ø 12	100	113,0	-113,0
78	176	98	7 NT	V 12	100	113,0	-113,0
75	30	19	3 Ruter	V 11	150	107,0	-107,0
40	101	26	4 Kløver	Ø 12	170	105,0	-105,0
22	69	42	4 Hjerter	D S 7	500	102,0	-102,0
58	3	192	4 Hjerter	D S 7	500	102,0	-102,0
117	51	156	5 Kløver	Ø 12	620	99,0	-99,0
103	7	158	3 NT	V 12	690	90,0	-90,0
105	39	167	3 NT	V 12	690	90,0	-90,0
106	97	55	3 NT	V 12	690	90,0	-90,0
8	196	99	3 NT	V 12	690	90,0	-90,0
102	53	170	3 NT	V 12	690	90,0	-90,0
76	80	175	3 NT	V 12	690	90,0	-90,0
23	190	212	5 NT	V 12	690	90,0	-90,0
16	35	5	5 NT	V 12	690	90,0	-90,0
97	59	124	3 NT	V 13	720	81,0	-81,0
53	146	120	5 Hjerter	D S 7	800	79,0	-79,0
39	138	78	6 Kløver	Ø 12	1370	59,0	-59,0
29	29	77	6 Kløver	Ø 12	1370	59,0	-59,0
44	50	224	6 Kløver	Ø 12	1370	59,0	-59,0
11	73	136	6 Kløver	Ø 12	1370	59,0	-59,0
51	105	67	6 Kløver	Ø 12	1370	59,0	-59,0
57	227	38	6 Kløver	Ø 12	1370	59,0	-59,0
21	135	49	6 Kløver	Ø 12	1370	59,0	-59,0
6	63	103	6 Kløver	Ø 12	1370	59,0	-59,0
48	139	1	6 Kløver	Ø 12	1370	59,0	-59,0
46	144	173	6 Kløver	Ø 12	1370	59,0	-59,0
68	6	232	6 Kløver	Ø 12	1370	59,0	-59,0
90	36	118	6 Kløver	Ø 12	1370	59,0	-59,0
72	220	102	6 Kløver	Ø 12	1370	59,0	-59,0
93	178	62	6 Kløver	Ø 12	1370	59,0	-59,0
116	193	225	6 Kløver	Ø 12	1370	59,0	-59,0
98	108	32	6 Kløver	Ø 12	1370	59,0	-59,0
13	189	56	6 Kløver	Ø 12	1370	59,0	-59,0
26	90	164	6 Kløver	Ø 12	1370	59,0	-59,0
19	89	94	6 Kløver	Ø 12	1370	59,0	-59,0
82	160	148	6 Kløver	Ø 13	1390	38,0	-38,0
54	125	194	6 Kløver	Ø 13	1390	38,0	-38,0
83	64	79	6 Hjerter	D S 6	1400	35,0	-35,0
63	116	177	6 Spar	Ø 12	1430	32,0	-32,0
37	31	40	6 Spar	Ø 12	1430	32,0	-32,0
60	96	215	6 NT	V 12	1440	-34,0	34,0
101	143	203	6 NT	V 12	1440	-34,0	34,0
91	162	180	6 NT	V 12	1440	-34,0	34,0
7	44	149	6 NT	V 12	1440	-34,0	34,0
77	66	152	6 NT	V 12	1440	-34,0	34,0
89	186	197	6 NT	V 12	1440	-34,0	34,0
24	142	184	6 NT	V 12	1440	-34,0	34,0
104	113	70	6 NT	V 12	1440	-34,0	34,0
118	134	208	6 NT	V 12	1440	-34,0	34,0
56	234	128	6 NT	V 12	1440	-34,0	34,0
31	24	159	6 NT	V 12	1440	-34,0	34,0
69	93	52	6 NT	V 12	1440	-34,0	34,0
1	72	206	6 NT	V 12	1440	-34,0	34,0
65	14	25	6 NT	V 12	1440	-34,0	34,0
113	145	60	6 NT	V 12	1440	-34,0	34,0
18	137	211	6 NT	V 12	1440	-34,0	34,0
108	81	4	6 NT	V 12	1440	-34,0	34,0
107	33	218	6 NT	V 12	1440	-34,0	34,0
115	111	163	6 NT	V 12	1440	-34,0	34,0
85	83	236	6 NT	V 12	1440	-34,0	34,0
99	43	117	6 NT	V 12	1440	-34,0	34,0
2	68	207	6 NT	V 12	1440	-34,0	34,0
55	217	161	6 NT	Ø 12	1440	-34,0	34,0
88	91	165	6 NT	V 12	1440	-34,0	34,0
49	109	126	6 NT	V 12	1440	-34,0	34,0
3	58	131	6 NT	V 12	1440	-34,0	34,0
70	195	123	6 NT	Ø 12	1440	-34,0	34,0
64	27	228	6 NT	V 12	1440	-34,0	34,0
73	231	183	6 NT	Ø 12	1440	-34,0	34,0
94	141	187	6 NT	V 12	1440	-34,0	34,0
92	171	47	6 NT	V 12	1440	-34,0	34,0

71	205	235	6 NT	V 12	1440	-34,0	34,0
38	147	169	6 NT	V 12	1440	-34,0	34,0
4	132	223	6 NT	V 12	1440	-34,0	34,0
5	233	12	6 NT	V 12	1440	-34,0	34,0
95	168	221	6 NT	V 12	1440	-34,0	34,0
114	209	74	6 NT	V 12	1440	-34,0	34,0
59	198	87	6 NT	V 12	1440	-34,0	34,0
41	191	140	6 NT	V 12	1440	-34,0	34,0
42	17	107	6 NT	V 12	1440	-34,0	34,0
74	210	57	6 NT	V 12	1440	-34,0	34,0
79	199	11	6 NT	V 12	1440	-34,0	34,0
52	114	82	6 NT	V 12	1440	-34,0	34,0
87	185	15	6 NT	V 12	1440	-34,0	34,0
109	110	76	6 NT	V 12	1440	-34,0	34,0
30	100	37	6 NT	V 12	1440	-34,0	34,0
14	88	9	6 NT	V 12	1440	-34,0	34,0
100	214	20	6 NT	V 12	1440	-34,0	34,0
9	119	45	6 NT	V 12	1440	-34,0	34,0
96	154	182	6 NT	V 12	1440	-34,0	34,0
34	157	222	6 NT	V 12	1440	-34,0	34,0
15	174	41	6 NT	V 12	1440	-34,0	34,0
80	23	122	6 NT	V 12	1440	-34,0	34,0
20	150	179	6 NT	V 12	1440	-34,0	34,0
45	172	92	6 NT	V 12	1440	-34,0	34,0
66	2	48	6 NT	V 12	1440	-34,0	34,0
27	112	219	6 NT	V 12	1440	-34,0	34,0
81	188	129	6 NT	V 12	1440	-34,0	34,0
25	22	204	6 NT	V 12	1440	-34,0	34,0
67	13	54	6 NT	V 12	1440	-34,0	34,0
12	61	95	6 NT	V 12	1440	-34,0	34,0
43	229	166	6 NT	V 12	1440	-34,0	34,0
10	34	8	6 NT	V 12	1440	-34,0	34,0
28	202	16	6 NT	V 12	1440	-34,0	34,0
61	85	106	6 NT	V 13	1470	-108,0	108,0
111	86	151	6 NT	V 13	1470	-108,0	108,0
35	153	115	6 NT	V 13	1470	-108,0	108,0
112	46	130	6 NT	Ø 13	1470	-108,0	108,0
32	75	71	6 NT	V 13	1470	-108,0	108,0
36	200	28	6 NT	V 13	1470	-108,0	108,0
110	104	65	6 NT	V 13	1470	-108,0	108,0
17	121	201	6 NT	V 13	1470	-108,0	108,0
86	10	18	6 NT	V 13	1470	-108,0	108,0
50	21	133	6 NT	Ø 13	1470	-108,0	108,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
102	53	170	2NT	D V 6	500	117,0	-117,0
41	191	140	4 Kløver	V 7	300	115,0	-115,0
61	85	106	4 Spar	Ø 8	200	113,0	-113,0
106	97	55	2 Hjerter	N 10	170	107,0	-107,0
48	139	1	3 Hjerter	N 10	170	107,0	-107,0
89	186	197	3 Hjerter	N 10	170	107,0	-107,0
72	220	102	3 Hjerter	N 10	170	107,0	-107,0
110	104	65	3 Hjerter	N 10	170	107,0	-107,0
30	100	37	2 Hjerter	N 9	140	95,0	-95,0
63	116	177	2 Spar	N 9	140	95,0	-95,0
99	43	117	3 Hjerter	N 9	140	95,0	-95,0
87	185	15	3 Hjerter	N 9	140	95,0	-95,0
111	86	151	3 Hjerter	N 9	140	95,0	-95,0
53	146	120	3 Hjerter	N 9	140	95,0	-95,0
62	216	230	3 Hjerter	N 9	140	95,0	-95,0
83	64	79	2 Hjerter	N 8	110	80,0	-80,0
100	214	20	2 Hjerter	S 8	110	80,0	-80,0
55	217	161	2 Hjerter	S 8	110	80,0	-80,0
19	89	94	2 Hjerter	N 8	110	80,0	-80,0
54	125	194	2 Hjerter	N 8	110	80,0	-80,0
4	132	223	2 Hjerter	N 8	110	80,0	-80,0
64	27	228	2 Hjerter	S 8	110	80,0	-80,0
118	134	208	2 Hjerter	S 8	110	80,0	-80,0
98	108	32	2 Kløver	V 7	100	69,0	-69,0
52	114	82	3 Spar	Ø 8	100	69,0	-69,0
37	31	40	4 Spar	Ø 9	100	69,0	-69,0
77	66	152	2 Hjerter	S 7	100	60,0	-60,0
35	153	115	2 Hjerter	N 7	100	60,0	-60,0
65	14	25	3 Hjerter	N 8	100	60,0	-60,0
103	7	158	3 Hjerter	N 8	100	60,0	-60,0
58	3	192	3 Hjerter	N 8	100	60,0	-60,0
60	96	215	3 Hjerter	N 8	100	60,0	-60,0
18	137	211	2 Spar	V 8	110	49,0	-49,0
116	193	225	2 Spar	Ø 8	110	49,0	-49,0
108	81	4	2 Spar	Ø 8	110	49,0	-49,0
86	10	18	2 Spar	Ø 8	110	49,0	-49,0
40	101	26	2 Spar	Ø 8	110	49,0	-49,0
8	196	99	2 Spar	Ø 9	140	-24,0	24,0
14	88	9	2 Spar	Ø 9	140	-24,0	24,0
13	189	56	2 Spar	Ø 9	140	-24,0	24,0
17	121	201	2 Spar	Ø 9	140	-24,0	24,0
50	21	133	2 Spar	Ø 9	140	-24,0	24,0
101	143	203	2 Spar	V 9	140	-24,0	24,0
23	190	212	2 Spar	Ø 9	140	-24,0	24,0
20	150	179	2 Spar	Ø 9	140	-24,0	24,0
95	168	221	2 Spar	Ø 9	140	-24,0	24,0
22	69	42	2 Spar	Ø 9	140	-24,0	24,0
10	34	8	2 Spar	Ø 9	140	-24,0	24,0
11	73	136	2 Spar	Ø 9	140	-24,0	24,0
21	135	49	2 Spar	Ø 9	140	-24,0	24,0
97	59	124	2 Spar	Ø 9	140	-24,0	24,0
71	205	235	2 Spar	Ø 9	140	-24,0	24,0
114	209	74	2 Spar	Ø 9	140	-24,0	24,0
42	17	107	2 Spar	Ø 9	140	-24,0	24,0
1	72	206	2 Spar	Ø 9	140	-24,0	24,0
82	160	148	2 Spar	Ø 9	140	-24,0	24,0
107	33	218	2 Spar	Ø 9	140	-24,0	24,0
96	154	182	2 Spar	Ø 9	140	-24,0	24,0
6	63	103	2 Spar	Ø 9	140	-24,0	24,0
117	51	156	2 Spar	Ø 9	140	-24,0	24,0
113	145	60	2 Spar	Ø 9	140	-24,0	24,0
29	29	77	2 Spar	V 9	140	-24,0	24,0
47	127	155	2 Spar	Ø 9	140	-24,0	24,0
94	141	187	2 Spar	V 9	140	-24,0	24,0
78	176	98	2 Spar	Ø 9	140	-24,0	24,0
59	198	87	2 Spar	V 9	140	-24,0	24,0
3	58	131	2 Spar	Ø 9	140	-24,0	24,0
56	234	128	2 Spar	Ø 9	140	-24,0	24,0
76	80	175	2 Spar	Ø 9	140	-24,0	24,0
36	200	28	2 Spar	Ø 9	140	-24,0	24,0
70	195	123	3 Spar	Ø 9	140	-24,0	24,0
46	144	173	3 Spar	Ø 9	140	-24,0	24,0
2	68	207	3 Spar	Ø 9	140	-24,0	24,0
85	83	236	3 Spar	Ø 9	140	-24,0	24,0
7	44	149	3 Spar	Ø 9	140	-24,0	24,0

15	174	41	3 Spar	Ø 9	140	-24,0	24,0
69	93	52	3 Spar	Ø 9	140	-24,0	24,0
49	109	126	3 Spar	Ø 9	140	-24,0	24,0
75	30	19	3 Spar	Ø 9	140	-24,0	24,0
31	24	159	3 Spar	Ø 9	140	-24,0	24,0
34	157	222	3 Spar	Ø 9	140	-24,0	24,0
104	113	70	3 Spar	Ø 9	140	-24,0	24,0
25	22	204	3 Spar	Ø 9	140	-24,0	24,0
81	188	129	3 Spar	Ø 9	140	-24,0	24,0
5	233	12	3 Spar	Ø 9	140	-24,0	24,0
38	147	169	3 Spar	Ø 9	140	-24,0	24,0
28	202	16	3 Spar	V 9	140	-24,0	24,0
43	229	166	3 Spar	Ø 9	140	-24,0	24,0
80	23	122	3 Spar	Ø 9	140	-24,0	24,0
26	90	164	3 Spar	Ø 9	140	-24,0	24,0
27	112	219	3 Spar	Ø 9	140	-24,0	24,0
84	213	181	3 Spar	Ø 9	140	-24,0	24,0
57	227	38	3 Spar	Ø 9	140	-24,0	24,0
16	35	5	3 Spar	Ø 9	140	-24,0	24,0
39	138	78	3 Spar	Ø 9	140	-24,0	24,0
51	105	67	3 Spar	Ø 9	140	-24,0	24,0
67	13	54	3 Spar	Ø 9	140	-24,0	24,0
9	119	45	3 Spar	Ø 9	140	-24,0	24,0
68	6	232	3 Spar	Ø 9	140	-24,0	24,0
115	111	163	3 Spar	Ø 9	140	-24,0	24,0
44	50	224	3 Spar	Ø 9	140	-24,0	24,0
24	142	184	3 Spar	Ø 9	140	-24,0	24,0
91	162	180	3 Spar	Ø 9	140	-24,0	24,0
12	61	95	3 Spar	Ø 9	140	-24,0	24,0
33	84	226	3 Spar	Ø 9	140	-24,0	24,0
74	210	57	2 Spar	Ø 10	170	-93,0	93,0
66	2	48	2 Hjerter	N 6	200	-100,0	100,0
109	110	76	3 Hjerter	N 7	200	-100,0	100,0
32	75	71	3 Hjerter	D N 8	200	-100,0	100,0
73	231	183	3 Hjerter	N 7	200	-100,0	100,0
90	36	118	3 Hjerter	N 7	200	-100,0	100,0
45	172	92	4 Hjerter	N 8	200	-100,0	100,0
105	39	167	4 Hjerter	D N 8	500	-109,0	109,0
79	199	11	4 Hjerter	D N 8	500	-109,0	109,0
93	178	62	4 Hjerter	D N 8	500	-109,0	109,0
88	91	165	3 Spar	D Ø 9	730	-114,0	114,0
92	171	47	3 Spar	D Ø 9	730	-114,0	114,0
112	46	130	2 Spar	D Ø 9	870	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
76	80	175	1NT	D V 4 500	117,0	-117,0
51	105	67	1NT	D V 5 300	106,0	-106,0
107	33	218	1NT	D V 5 300	106,0	-106,0
5	233	12	1NT	D V 5 300	106,0	-106,0
111	86	151	1NT	D V 5 300	106,0	-106,0
17	121	201	1NT	D V 5 300	106,0	-106,0
33	84	226	1NT	D V 5 300	106,0	-106,0
75	30	19	1NT	D V 5 300	106,0	-106,0
24	142	184	3 Hjerter	D V 7 300	106,0	-106,0
80	23	122	3 Hjerter	D V 7 300	106,0	-106,0
105	39	167	3 Hjerter	D V 7 300	106,0	-106,0
113	145	60	2 Ruter	Ø 3 250	95,0	-95,0
15	174	41	2 Ruter	Ø 4 200	90,0	-90,0
10	34	8	2 Ruter	Ø 4 200	90,0	-90,0
43	229	166	2 Ruter	Ø 4 200	90,0	-90,0
108	81	4	2 Spar	S 11 200	90,0	-90,0
86	10	18	2 NT	N 10 180	85,0	-85,0
59	198	87	2 Spar	S 10 170	81,0	-81,0
78	176	98	2 Spar	S 10 170	81,0	-81,0
30	100	37	3 Spar	N 10 170	81,0	-81,0
62	216	230	2 NT	N 9 150	73,0	-73,0
38	147	169	2 Ruter	Ø 5 150	73,0	-73,0
69	93	52	2 Ruter	Ø 5 150	73,0	-73,0
23	190	212	3 Spar	V 6 150	73,0	-73,0
115	111	163	4 Hjerter	Ø 7 150	73,0	-73,0
20	150	179	2 Spar	S 9 140	62,0	-62,0
110	104	65	2 Spar	S 9 140	62,0	-62,0
4	132	223	2 Spar	S 9 140	62,0	-62,0
16	35	5	2 Spar	S 9 140	62,0	-62,0
102	53	170	2 Spar	S 9 140	62,0	-62,0
12	61	95	2 Spar	S 9 140	62,0	-62,0
42	17	107	2 Ruter	S 10 130	52,0	-52,0
6	63	103	3 Ruter	N 10 130	52,0	-52,0
34	157	222	3 Ruter	N 10 130	52,0	-52,0
28	202	16	3 Ruter	N 10 130	52,0	-52,0
57	227	38	2 NT	N 8 120	42,0	-42,0
7	44	149	2 NT	N 8 120	42,0	-42,0
27	112	219	2 NT	N 8 120	42,0	-42,0
109	110	76	2 NT	N 8 120	42,0	-42,0
9	119	45	2 NT	N 8 120	42,0	-42,0
88	91	165	2 NT	N 8 120	42,0	-42,0
36	200	28	2 Ruter	N 9 110	24,0	-24,0
1	72	206	2 Ruter	N 9 110	24,0	-24,0
93	178	62	2 Ruter	N 9 110	24,0	-24,0
40	101	26	2 Ruter	N 9 110	24,0	-24,0
2	68	207	2 Ruter	N 9 110	24,0	-24,0
21	135	49	2 Ruter	N 9 110	24,0	-24,0
22	69	42	2 Spar	S 8 110	24,0	-24,0
53	146	120	2 Spar	S 8 110	24,0	-24,0
18	137	211	2 Spar	S 8 110	24,0	-24,0
97	59	124	3 Ruter	N 9 110	24,0	-24,0
60	96	215	3 Ruter	N 9 110	24,0	-24,0
61	85	106	3 Ruter	N 9 110	24,0	-24,0
98	108	32	1 NT	D V 6 100	-8,0	8,0
58	3	192	1 NT	V 5 100	-8,0	8,0
48	139	1	2 Hjerter	V 6 100	-8,0	8,0
66	2	48	2 Hjerter	V 6 100	-8,0	8,0
94	141	187	2 Hjerter	V 6 100	-8,0	8,0
68	6	232	2 Spar	V 6 100	-8,0	8,0
55	217	161	3 Hjerter	D Ø 8 100	-8,0	8,0
52	114	82	3 Hjerter	Ø 7 100	-8,0	8,0
101	143	203	3 Hjerter	V 7 100	-8,0	8,0
73	231	183	3 Hjerter	V 7 100	-8,0	8,0
95	168	221	3 Hjerter	D V 8 100	-8,0	8,0
85	83	236	3 Hjerter	D V 8 100	-8,0	8,0
81	188	129	3 Hjerter	D V 8 100	-8,0	8,0
56	234	128	3 Hjerter	Ø 7 100	-8,0	8,0
116	193	225	3 Hjerter	V 7 100	-8,0	8,0
87	185	15	3 Hjerter	V 7 100	-8,0	8,0
99	43	117	3 Hjerter	V 7 100	-8,0	8,0
65	14	25	3 Hjerter	Ø 7 100	-8,0	8,0
74	210	57	3 Hjerter	V 7 100	-8,0	8,0
45	172	92	3 Spar	D V 8 100	-8,0	8,0
19	89	94	2 Hjerter	Ø 7 50	-41,0	41,0
67	13	54	2 Hjerter	Ø 7 50	-41,0	41,0

79	199	11	2 Hjerter	Ø 7 50	-41,0	41,0
35	153	115	2 Hjerter	Ø 7 50	-41,0	41,0
8	196	99	2 Hjerter	V 7 50	-41,0	41,0
100	214	20	2 Hjerter	Ø 7 50	-41,0	41,0
3	58	131	2 Hjerter	V 7 50	-41,0	41,0
14	88	9	2 Hjerter	V 7 50	-41,0	41,0
64	27	228	2 Spar	V 7 50	-41,0	41,0
70	195	123	3 Hjerter	Ø 8 50	-41,0	41,0
37	31	40	3 Hjerter	Ø 8 50	-41,0	41,0
49	109	126	3 Hjerter	V 8 50	-41,0	41,0
118	134	208	3 Hjerter	V 8 50	-41,0	41,0
63	116	177	1 NT	S 6 50	-66,0	66,0
103	7	158	2 NT	N 7 50	-66,0	66,0
83	64	79	3 NT	N 8 50	-66,0	66,0
117	51	156	3 Ruter	N 8 50	-66,0	66,0
112	46	130	3 Ruter	N 8 50	-66,0	66,0
29	29	77	3 Ruter	N 8 50	-66,0	66,0
106	97	55	3 Ruter	N 8 50	-66,0	66,0
26	90	164	3 Ruter	N 8 50	-66,0	66,0
13	189	56	3 Ruter	N 8 50	-66,0	66,0
104	113	70	3 Spar	S 8 50	-66,0	66,0
89	186	197	4 Ruter	N 9 50	-66,0	66,0
82	160	148	4 Spar	S 9 50	-66,0	66,0
90	36	118	3 NT	N 7 100	-84,0	84,0
77	66	152	3 Spar	S 7 100	-84,0	84,0
31	24	159	3 Spar	N 7 100	-84,0	84,0
41	191	140	4 Ruter	N 8 100	-84,0	84,0
84	213	181	4 Ruter	N 8 100	-84,0	84,0
54	125	194	4 Ruter	D N 9 100	-84,0	84,0
11	73	136	2 Hjerter	V 8 110	-100,0	100,0
50	21	133	2 Hjerter	Ø 8 110	-100,0	100,0
44	50	224	2 Hjerter	V 8 110	-100,0	100,0
25	22	204	2 Hjerter	Ø 8 110	-100,0	100,0
72	220	102	2 Hjerter	V 8 110	-100,0	100,0
96	154	182	2 Hjerter	V 8 110	-100,0	100,0
91	162	180	2 Hjerter	V 8 110	-100,0	100,0
114	209	74	2 Hjerter	V 8 110	-100,0	100,0
39	138	78	2 Hjerter	V 8 110	-100,0	100,0
47	127	155	2 Hjerter	V 8 110	-100,0	100,0
32	75	71	2 Hjerter	D V 8 470	-114,0	114,0
46	144	173	2 Hjerter	D V 8 470	-114,0	114,0
71	205	235	2 Hjerter	D Ø 8 470	-114,0	114,0
92	171	47	2 Hjerter	D V 8 470	-114,0	114,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
118	156	225	2 Ruter	D Ø 4	1100	116,0	-116,0
66	228	66	3 Spar	D Ø 5	1100	116,0	-116,0
12	77	56	2 Spar	D Ø 5	800	113,0	-113,0
103	65	162	3 NT	S 12	490	66,6	-66,6
2	72	63	3 NT	S 12	490	66,6	-66,6
98	93	97	3 NT	N 12	490	66,6	-66,6
25	95	24	3 NT	S 12	490	66,6	-66,6
88	79	171	3 NT	S 12	490	66,6	-66,6
80	57	184	3 NT	N 12	490	66,6	-66,6
93	182	124	3 NT	S 12	490	66,6	-66,6
115	130	193	3 NT	S 12	490	66,6	-66,6
105	197	47	3 NT	S 12	490	66,6	-66,6
54	107	50	3 NT	N 12	490	66,6	-66,6
41	212	200	3 NT	S 12	490	66,6	-66,6
48	226	176	3 NT	S 12	490	66,6	-66,6
99	214	141	3 NT	S 12	490	66,6	-66,6
3	68	233	3 NT	S 12	490	66,6	-66,6
85	123	64	3 NT	S 12	490	66,6	-66,6
7	8	89	3 NT	S 12	490	66,6	-66,6
20	219	29	3 NT	S 12	490	66,6	-66,6
37	138	135	3 NT	S 12	490	66,6	-66,6
94	181	187	3 NT	S 12	490	66,6	-66,6
50	85	139	3 NT	S 12	490	66,6	-66,6
44	75	2	3 NT	N 12	490	66,6	-66,6
116	151	104	3 NT	S 12	490	66,6	-66,6
69	205	231	3 NT	S 12	490	66,6	-66,6
22	69	9	3 NT	S 12	490	66,6	-66,6
64	195	222	3 NT	N 12	490	66,6	-66,6
24	133	84	3 NT	N 12	490	66,6	-66,6
15	174	189	3 NT	S 12	490	66,6	-66,6
10	196	88	3 NT	S 12	490	66,6	-66,6
78	91	220	3 NT	N 12	490	66,6	-66,6
58	129	166	3 NT	S 12	490	66,6	-66,6
40	152	191	3 NT	S 12	490	66,6	-66,6
100	167	218	3 NT	N 12	490	66,6	-66,6
33	198	78	3 NT	N 12	490	66,6	-66,6
42	169	26	3 NT	S 12	490	66,6	-66,6
6	58	150	3 NT	S 12	490	66,6	-66,6
38	61	94	3 NT	S 12	490	66,6	-66,6
70	11	1	3 NT	S 12	490	66,6	-66,6
13	179	73	3 NT	S 12	490	66,6	-66,6
91	52	86	3 NT	S 12	490	66,6	-66,6
110	7	46	3 NT	S 12	490	66,6	-66,6
97	117	143	3 NT	N 12	490	66,6	-66,6
28	49	234	3 NT	N 12	490	66,6	-66,6
84	180	33	3 NT	N 12	490	66,6	-66,6
51	96	155	3 NT	S 12	490	66,6	-66,6
108	81	113	3 NT	S 12	490	66,6	-66,6
23	201	137	3 NT	S 12	490	66,0	-66,0
96	118	60	3 NT	N 11	460	-21,2	21,2
1	206	136	3 NT	N 11	460	-21,2	21,2
117	208	51	3 NT	N 11	460	-21,2	21,2
34	140	211	3 NT	S 11	460	-21,2	21,2
101	59	53	3 NT	N 11	460	-21,2	21,2
29	215	90	3 NT	N 11	460	-21,2	21,2
79	175	39	3 NT	N 11	460	-21,2	21,2
82	62	216	3 NT	S 11	460	-21,2	21,2
60	235	3	3 NT	N 11	460	-21,2	21,2
62	28	83	3 NT	N 11	460	-21,2	21,2
57	106	114	3 NT	N 11	460	-21,2	21,2
109	76	145	3 NT	N 11	460	-21,2	21,2
9	45	12	3 NT	N 11	460	-21,2	21,2
102	43	15	3 NT	S 11	460	-21,2	21,2
83	87	213	3 NT	S 11	460	-21,2	21,2
113	74	111	3 NT	N 11	460	-21,2	21,2
21	112	41	3 NT	S 11	460	-21,2	21,2
4	207	149	3 NT	S 11	460	-21,2	21,2
53	105	210	3 NT	N 11	460	-21,2	21,2
36	17	67	3 NT	S 11	460	-21,2	21,2
35	194	109	3 NT	N 11	460	-21,2	21,2
18	119	22	3 NT	N 11	460	-21,2	21,2
8	131	35	3 NT	N 11	460	-21,2	21,2
72	10	36	3 NT	N 11	460	-21,2	21,2
112	209	168	3 NT	N 11	460	-21,2	21,2
59	21	92	3 NT	N 11	460	-21,2	21,2

52	19	236	3 NT	N 11	460	-21,2	21,2
14	223	34	3 NT	S 11	460	-21,2	21,2
19	204	146	3 NT	N 11	460	-21,2	21,2
104	199	13	3 NT	N 11	460	-21,2	21,2
43	224	116	3 NT	N 11	460	-21,2	21,2
73	188	30	3 NT	N 11	460	-21,2	21,2
111	110	178	3 NT	S 11	460	-21,2	21,2
30	147	202	3 NT	N 11	460	-21,2	21,2
75	54	126	3 NT	N 11	460	-21,2	21,2
11	99	103	3 NT	N 11	460	-21,2	21,2
106	20	186	3 NT	N 11	460	-21,2	21,2
32	142	217	3 NT	N 11	460	-21,2	21,2
63	48	232	3 NT	N 11	460	-21,2	21,2
5	132	44	3 NT	N 11	460	-21,2	21,2
47	115	144	3 NT	S 11	460	-21,2	21,2
81	183	185	3 NT	N 11	460	-21,2	21,2
26	164	42	3 NT	N 10	430	-78,7	78,7
27	31	229	3 NT	N 10	430	-78,7	78,7
92	32	203	3 NT	N 10	430	-78,7	78,7
31	190	153	3 NT	N 10	430	-78,7	78,7
39	40	100	3 NT	N 10	430	-78,7	78,7
49	227	173	3 NT	N 10	430	-78,7	78,7
107	23	70	3 NT	N 10	430	-78,7	78,7
67	154	82	3 NT	N 10	430	-78,7	78,7
77	27	148	3 NT	N 10	430	-78,7	78,7
56	102	160	3 NT	S 10	430	-78,7	78,7
16	5	121	3 NT	N 10	430	-78,7	78,7
68	25	18	3 NT	S 10	430	-78,7	78,7
71	122	127	3 NT	N 10	430	-78,7	78,7
17	71	157	3 NT	N 10	430	-78,7	78,7
46	161	14	3 NT	N 10	430	-78,7	78,7
90	55	170	3 NT	N 9	400	-96,8	96,8
65	128	159	5 Kløver	S 11	400	-96,8	96,8
95	221	80	5 Kløver	S 11	400	-96,8	96,8
87	165	125	1 NT	N 12	240	-100,9	100,9
74	177	192	1 NT	N 11	210	-103,9	103,9
89	120	4	1 NT	N 11	210	-103,9	103,9
55	38	16	1 NT	N 10	180	-107,9	107,9
76	158	98	1 NT	S 10	180	-107,9	107,9
61	172	6	2 Kløver	S 12	170	-110,9	110,9
45	37	101	2 Kløver	S 11	150	-115,0	115,0
86	230	108	3 Kløver	S 11	150	-115,0	115,0
114	134	163	3 Kløver	N 11	150	-115,0	115,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



80	57	184	3 Spar	N 7	200	-54,0	54,0
27	31	229	3 Spar	S 7	200	-54,0	54,0
49	227	173	3 Spar	N 7	200	-54,0	54,0
67	154	82	3 Spar	N 7	200	-54,0	54,0
40	152	191	3 Spar	S 7	200	-54,0	54,0
86	230	108	3 Spar	N 7	200	-54,0	54,0
21	112	41	3 Spar	N 7	200	-54,0	54,0
25	95	24	3 Spar	S 7	200	-54,0	54,0
56	102	160	3 Spar	N 7	200	-54,0	54,0
68	25	18	3 Spar	S 7	200	-54,0	54,0
13	179	73	4 Spar	N 8	200	-54,0	54,0
55	38	16	4 Spar	N 8	200	-54,0	54,0
88	79	171	4 Spar	N 8	200	-54,0	54,0
62	28	83	4 Spar	S 8	200	-54,0	54,0
11	99	103	4 Spar	N 8	200	-54,0	54,0
59	21	92	4 Spar	N 8	200	-54,0	54,0
7	8	89	4 Spar	N 8	200	-54,0	54,0
96	118	60	4 Spar	N 8	200	-54,0	54,0
41	212	200	4 Spar	N 8	200	-54,0	54,0
53	105	210	4 Spar	N 8	200	-54,0	54,0
79	175	39	4 Spar	N 8	200	-54,0	54,0
95	221	80	4 Spar	N 8	200	-54,0	54,0
72	10	36	4 Spar	N 8	200	-54,0	54,0
47	115	144	4 Spar	N 8	200	-54,0	54,0
73	188	30	2 NT	N 5	300	-95,0	95,0
70	11	1	3 Spar	N 6	300	-95,0	95,0
19	204	146	3 Spar	S 6	300	-95,0	95,0
91	52	86	4 Spar	S 7	300	-95,0	95,0
107	23	70	4 Spar	N 7	300	-95,0	95,0
44	75	2	4 Spar	N 7	300	-95,0	95,0
117	208	51	4 Spar	N 7	300	-95,0	95,0
29	215	90	4 Spar	S 7	300	-95,0	95,0
64	195	222	4 Spar	N 7	300	-95,0	95,0
57	106	114	4 Spar	N 7	300	-95,0	95,0
36	17	67	4 Spar	N 7	300	-95,0	95,0
18	119	22	4 Spar	N 7	300	-95,0	95,0
118	156	225	4 Spar	S 7	300	-95,0	95,0
58	129	166	4 Spar	N 7	300	-95,0	95,0
3	68	233	4 Spar	N 7	300	-95,0	95,0
6	58	150	4 Spar	N 6	400	-111,0	111,0
35	194	109	4 Ruter	D V 10	710	-113,0	113,0
32	142	217	3 Spar	D N 6	800	-116,0	116,0
43	224	116	4 Spar	D S 7	800	-116,0	116,0

Bord	NS	ØV		NS	ØV	NS	ØV
28	49	234	4 Ruter	D V 8	500	116,0	-116,0
83	87	213	6 Ruter	D V 10	500	116,0	-116,0
75	54	126	4 Ruter	D V 9	200	112,0	-112,0
30	147	202	5 Ruter	V 9	200	112,0	-112,0
60	235	3	2 Spar	S 9	140	104,0	-104,0
106	20	186	2 Spar	S 9	140	104,0	-104,0
54	107	50	2 Spar	N 9	140	104,0	-104,0
110	7	46	3 Spar	N 9	140	104,0	-104,0
34	140	211	3 Spar	S 9	140	104,0	-104,0
78	91	220	3 Spar	N 9	140	104,0	-104,0
65	128	159	1 Spar	S 8	110	88,0	-88,0
112	209	168	2 Spar	N 8	110	88,0	-88,0
90	55	170	2 Spar	N 8	110	88,0	-88,0
38	61	94	2 Spar	N 8	110	88,0	-88,0
17	71	157	2 Spar	S 8	110	88,0	-88,0
50	85	139	2 Spar	N 8	110	88,0	-88,0
22	69	9	2 Spar	N 8	110	88,0	-88,0
111	110	178	2 Spar	N 8	110	88,0	-88,0
8	131	35	2 Spar	N 8	110	88,0	-88,0
85	123	64	3 Kløver	S 9	110	88,0	-88,0
76	158	98	2 Hjertes	V 7	100	70,0	-70,0
63	48	232	2 NT	V 7	100	70,0	-70,0
51	96	155	4 Ruter	V 9	100	70,0	-70,0
24	133	84	4 Ruter	Ø 9	100	70,0	-70,0
109	76	145	4 Ruter	V 9	100	70,0	-70,0
37	138	135	4 Ruter	V 9	100	70,0	-70,0
99	214	141	4 Ruter	V 9	100	70,0	-70,0
23	201	137	4 Ruter	V 9	100	70,0	-70,0
102	43	15	2 Spar	S 7	100	28,0	-28,0
1	206	136	2 Spar	S 7	100	28,0	-28,0
4	207	149	2 Spar	S 7	100	28,0	-28,0
113	74	111	2 Spar	S 7	100	28,0	-28,0
5	132	44	2 Spar	N 7	100	28,0	-28,0
20	219	29	2 Spar	N 7	100	28,0	-28,0
116	151	104	2 Spar	N 7	100	28,0	-28,0
48	226	176	2 Spar	S 7	100	28,0	-28,0
61	172	6	2 Spar	N 7	100	28,0	-28,0
115	130	193	2 Spar	N 7	100	28,0	-28,0
69	205	231	2 Spar	S 7	100	28,0	-28,0
14	223	34	2 Spar	S 7	100	28,0	-28,0
82	62	216	2 Spar	N 7	100	28,0	-28,0
108	81	113	2 Spar	N 7	100	28,0	-28,0
10	196	88	2 Spar	N 7	100	28,0	-28,0
92	32	203	2 Spar	N 7	100	28,0	-28,0
33	198	78	2 Spar	N 7	100	28,0	-28,0
31	190	153	2 Spar	S 7	100	28,0	-28,0
104	199	13	3 Spar	N 8	100	28,0	-28,0
39	40	100	3 Spar	N 8	100	28,0	-28,0
26	164	42	3 Spar	S 8	100	28,0	-28,0
114	134	163	3 Spar	S 8	100	28,0	-28,0
97	117	143	3 Spar	S 8	100	28,0	-28,0
16	5	121	3 Spar	N 8	100	28,0	-28,0
105	197	47	3 Spar	N 8	100	28,0	-28,0
9	45	12	3 Spar	N 8	100	28,0	-28,0
12	77	56	3 Spar	N 8	100	28,0	-28,0
93	182	124	3 Spar	N 8	100	28,0	-28,0
66	228	66	3 Spar	N 8	100	28,0	-28,0
98	93	97	3 Spar	N 8	100	28,0	-28,0
52	19	236	3 Spar	N 8	100	28,0	-28,0
89	120	4	3 Spar	N 8	100	28,0	-28,0
94	181	187	3 Spar	N 8	100	28,0	-28,0
103	65	162	4 Spar	N 9	100	28,0	-28,0
45	37	101	2 Ruter	V 9	110	-14,0	14,0
100	167	218	3 Ruter	V 9	110	-14,0	14,0
81	183	185	3 Ruter	V 9	110	-14,0	14,0
15	174	189	3 Ruter	V 9	110	-14,0	14,0
74	177	192	3 Ruter	V 9	110	-14,0	14,0
84	180	33	3 Ruter	V 9	110	-14,0	14,0
87	165	125	3 Ruter	V 9	110	-14,0	14,0
42	169	26	3 Ruter	V 9	110	-14,0	14,0
101	59	53	1 NT	V 8	120	-23,0	23,0
71	122	127	4 Ruter	V 10	130	-26,0	26,0
77	27	148	4 Ruter	V 10	130	-26,0	26,0
46	161	14	3 Kløver	S 7	200	-54,0	54,0
2	72	63	3 Spar	N 7	200	-54,0	54,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
105	197	47	4 Hjerter	D N 10	590	117,0	-117,0
96	118	60	3 Hjerter	D N 9	530	115,0	-115,0
35	194	109	4 Spar	D Ø 7	500	113,0	-113,0
87	165	125	4 Hjerter	N 10	420	110,9	-110,9
45	37	101	4 Spar	D Ø 8	300	108,9	-108,9
66	228	66	4 Spar	Ø 6	200	106,9	-106,9
26	164	42	3 Hjerter	N 10	170	102,9	-102,9
73	188	30	3 Hjerter	N 10	170	102,9	-102,9
76	158	98	3 Hjerter	N 10	170	102,9	-102,9
64	195	222	3 Spar	Ø 6	150	96,8	-96,8
61	172	6	3 Spar	Ø 6	150	96,8	-96,8
84	180	33	4 Spar	Ø 7	150	96,8	-96,8
52	19	236	3 Hjerter	N 9	140	75,6	-75,6
82	62	216	3 Hjerter	N 9	140	75,6	-75,6
32	142	217	3 Hjerter	S 9	140	75,6	-75,6
89	120	4	3 Hjerter	N 9	140	75,6	-75,6
2	72	63	3 Hjerter	N 9	140	75,6	-75,6
6	58	150	3 Hjerter	N 9	140	75,6	-75,6
37	138	135	3 Hjerter	N 9	140	75,6	-75,6
74	177	192	3 Hjerter	N 9	140	75,6	-75,6
109	76	145	3 Hjerter	N 9	140	75,6	-75,6
25	95	24	3 Hjerter	S 9	140	75,6	-75,6
59	21	92	3 Hjerter	N 9	140	75,6	-75,6
90	55	170	3 Hjerter	N 9	140	75,6	-75,6
68	25	18	3 Hjerter	N 9	140	75,6	-75,6
44	75	2	3 Hjerter	N 9	140	75,6	-75,6
16	5	121	3 Hjerter	N 9	140	75,6	-75,6
118	156	225	3 Hjerter	S 9	140	75,6	-75,6
93	182	124	3 Hjerter	N 9	140	75,6	-75,6
88	79	171	3 Hjerter	N 9	140	75,6	-75,6
5	132	44	2 Hjerter	N 8	110	54,5	-54,5
39	40	100	2 Hjerter	N 8	110	54,5	-54,5
58	129	166	2 Hjerter	N 8	110	54,5	-54,5
56	102	160	2 Spar	Ø 6	100	46,4	-46,4
47	115	144	3 Spar	Ø 7	100	46,4	-46,4
10	196	88	4 Spar	Ø 8	100	46,4	-46,4
22	69	9	4 Spar	D Ø 9	100	46,4	-46,4
83	87	213	4 Spar	D Ø 9	100	46,4	-46,4
30	147	202	2 Spar	Ø 7	50	26,2	-26,2
17	71	157	3 Spar	Ø 8	50	26,2	-26,2
115	130	193	3 Spar	V 8	50	26,2	-26,2
46	161	14	3 Spar	Ø 8	50	26,2	-26,2
67	154	82	3 Spar	V 8	50	26,2	-26,2
55	38	16	3 Spar	Ø 8	50	26,2	-26,2
57	106	114	3 Spar	Ø 8	50	26,2	-26,2
102	43	15	3 Spar	V 8	50	26,2	-26,2
63	48	232	3 Spar	Ø 8	50	26,2	-26,2
36	17	67	3 Spar	Ø 8	50	26,2	-26,2
42	169	26	3 Spar	V 8	50	26,2	-26,2
100	167	218	3 Spar	Ø 8	50	26,2	-26,2
21	112	41	4 Spar	Ø 9	50	26,2	-26,2
110	7	46	4 Spar	Ø 9	50	26,2	-26,2
27	31	229	4 Spar	Ø 9	50	26,2	-26,2
80	57	184	50%-50%			0,0	0,0
97	117	143	2 Hjerter	N 7	50	-23,2	23,2
101	59	53	3 Hjerter	S 8	50	-23,2	23,2
77	27	148	3 Hjerter	N 8	50	-23,2	23,2
86	230	108	3 Hjerter	N 8	50	-23,2	23,2
65	128	159	3 Hjerter	N 8	50	-23,2	23,2
69	205	231	3 Hjerter	N 8	50	-23,2	23,2
95	221	80	3 Hjerter	N 8	50	-23,2	23,2
7	8	89	3NT	N 8	50	-23,2	23,2
23	201	137	3NT	N 8	50	-23,2	23,2
72	10	36	3NT	N 8	50	-23,2	23,2
81	183	185	3NT	N 8	50	-23,2	23,2
53	105	210	3NT	N 8	50	-23,2	23,2
70	11	1	3NT	N 8	50	-23,2	23,2
107	23	70	3NT	N 8	50	-23,2	23,2
108	81	113	3NT	N 8	50	-23,2	23,2
13	179	73	3NT	N 8	50	-23,2	23,2
103	65	162	3NT	N 8	50	-23,2	23,2
50	85	139	4 Hjerter	N 9	50	-23,2	23,2
51	96	155	4 Hjerter	N 9	50	-23,2	23,2
41	212	200	4 Hjerter	N 9	50	-23,2	23,2
60	235	3	4 Hjerter	N 9	50	-23,2	23,2

71	122	127	4 Hjerter	N 9	50	-23,2	23,2
85	123	64	4 Hjerter	N 9	50	-23,2	23,2
12	77	56	4 Hjerter	N 9	50	-23,2	23,2
79	175	39	4 Hjerter	N 9	50	-23,2	23,2
113	74	111	4 Hjerter	N 9	50	-23,2	23,2
9	45	12	4 Hjerter	N 9	50	-23,2	23,2
48	226	176	4 Hjerter	N 9	50	-23,2	23,2
54	107	50	4 Hjerter	N 9	50	-23,2	23,2
3	68	233	4 Hjerter	N 9	50	-23,2	23,2
106	20	186	4 Hjerter	N 9	50	-23,2	23,2
117	208	51	4 Hjerter	N 9	50	-23,2	23,2
40	152	191	4 Hjerter	N 9	50	-23,2	23,2
14	223	34	4 Hjerter	N 9	50	-23,2	23,2
24	133	84	3 Hjerter	D N 8	100	-72,6	72,6
20	219	29	4 Hjerter	D N 9	100	-72,6	72,6
114	134	163	4 Hjerter	N 8	100	-72,6	72,6
78	91	220	4 Hjerter	N 8	100	-72,6	72,6
8	131	35	4 Hjerter	N 8	100	-72,6	72,6
34	140	211	4 Hjerter	D N 9	100	-72,6	72,6
104	199	13	4 Hjerter	D N 9	100	-72,6	72,6
91	52	86	4 Hjerter	N 8	100	-72,6	72,6
92	32	203	4 Hjerter	D N 9	100	-72,6	72,6
28	49	234	4 Hjerter	D N 9	100	-72,6	72,6
33	198	78	4 Hjerter	S 8	100	-72,6	72,6
116	151	104	4 Hjerter	N 8	100	-72,6	72,6
112	209	168	4 Hjerter	D N 9	100	-72,6	72,6
38	61	94	4 Hjerter	N 8	100	-72,6	72,6
99	214	141	4 Hjerter	N 8	100	-72,6	72,6
11	99	103	3 Spar	Ø 9	140	-99,8	99,8
75	54	126	3 Spar	Ø 9	140	-99,8	99,8
111	110	178	3 Spar	Ø 9	140	-99,8	99,8
29	215	90	3 Spar	Ø 9	140	-99,8	99,8
49	227	173	3 Spar	Ø 9	140	-99,8	99,8
31	190	153	3 Spar	Ø 9	140	-99,8	99,8
43	224	116	3 Spar	Ø 9	140	-99,8	99,8
19	204	146	3 Spar	Ø 9	140	-99,8	99,8
15	174	189	3 Spar	Ø 9	140	-99,8	99,8
98	93	97	3 Spar	V 9	140	-99,8	99,8
62	28	83	3 Spar	Ø 9	140	-99,8	99,8
18	119	22	3 Spar	Ø 9	140	-99,8	99,8
1	206	136	3NT	N 6	150	-114,0	114,0
4	207	149	3 Ruter	S 6	150	-114,0	114,0
94	181	187	3NT	N 5	200	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
86	187	221	3 Hjerter	Ø 5	200	117,0	-117,0
115	163	51	3 NT	Ø 6	150	114,0	-114,0
65	37	53	3 NT	Ø 6	150	114,0	-114,0
82	97	86	2 Hjerter	N 8	110	104,0	-104,0
64	222	102	2 Hjerter	N 8	110	104,0	-104,0
7	68	44	2 Hjerter	S 8	110	104,0	-104,0
103	218	145	2 Hjerter	S 8	110	104,0	-104,0
29	176	147	2 Hjerter	S 8	110	104,0	-104,0
87	75	158	2 Hjerter	N 8	110	104,0	-104,0
54	14	67	2 Hjerter	S 8	110	104,0	-104,0
8	150	45	2 Hjerter	S 8	110	104,0	-104,0
30	217	139	1 NT	Ø 5	100	85,0	-85,0
81	64	118	1 NT	Ø 5	100	85,0	-85,0
42	153	194	1 NT	Ø 5	100	85,0	-85,0
10	196	204	1 NT	Ø 5	100	85,0	-85,0
44	236	96	2 NT	Ø 6	100	85,0	-85,0
79	33	172	2 NT	Ø 6	100	85,0	-85,0
105	32	65	2 NT	Ø 6	100	85,0	-85,0
118	225	208	2 NT	Ø 6	100	85,0	-85,0
110	81	230	2 Spar	V 6	100	85,0	-85,0
62	50	180	3 NT	Ø 7	100	85,0	-85,0
80	62	195	3 Ruter	Ø 7	100	85,0	-85,0
45	85	28	1 NT	Ø 6	50	32,0	-32,0
41	211	92	1 NT	Ø 6	50	32,0	-32,0
69	148	83	1 NT	Ø 6	50	32,0	-32,0
17	9	103	1 NT	Ø 6	50	32,0	-32,0
91	1	205	1 NT	Ø 6	50	32,0	-32,0
18	88	190	1 NT	Ø 6	50	32,0	-32,0
36	49	115	1 NT	Ø 6	50	32,0	-32,0
92	52	43	1 NT	Ø 6	50	32,0	-32,0
104	15	55	1 NT	Ø 6	50	32,0	-32,0
46	48	138	1 NT	Ø 6	50	32,0	-32,0
77	27	19	1 NT	Ø 6	50	32,0	-32,0
111	170	113	1 NT	Ø 6	50	32,0	-32,0
112	111	199	1 NT	Ø 6	50	32,0	-32,0
49	109	159	1 NT	Ø 6	50	32,0	-32,0
56	6	144	1 NT	Ø 6	50	32,0	-32,0
52	94	161	1 NT	Ø 6	50	32,0	-32,0
60	126	183	1 NT	Ø 6	50	32,0	-32,0
59	106	54	1 NT	Ø 6	50	32,0	-32,0
100	117	197	1 NT	Ø 6	50	32,0	-32,0
107	13	120	1 NT	Ø 6	50	32,0	-32,0
76	66	165	1 NT	Ø 6	50	32,0	-32,0
22	201	31	1 NT	Ø 6	50	32,0	-32,0
38	235	17	1 NT	Ø 6	50	32,0	-32,0
73	210	127	1 NT	Ø 6	50	32,0	-32,0
12	99	77	1 NT	Ø 6	50	32,0	-32,0
23	223	112	1 NT	Ø 6	50	32,0	-32,0
108	178	193	1 NT	Ø 6	50	32,0	-32,0
1	206	63	1 NT	Ø 6	50	32,0	-32,0
50	155	116	1 NT	Ø 6	50	32,0	-32,0
2	136	72	1 NT	Ø 6	50	32,0	-32,0
25	229	164	1 NT	Ø 6	50	32,0	-32,0
89	36	21	2 NT	Ø 7	50	32,0	-32,0
116	209	156	2 NT	Ø 7	50	32,0	-32,0
24	100	29	2 NT	Ø 7	50	32,0	-32,0
114	168	110	2 NT	Ø 7	50	32,0	-32,0
61	166	160	2 NT	Ø 7	50	32,0	-32,0
83	213	188	2 NT	Ø 7	50	32,0	-32,0
35	224	215	2 Ruter	V 7	50	32,0	-32,0
95	93	214	3 Ruter	Ø 8	50	32,0	-32,0
11	8	84	3 Ruter	Ø 8	50	32,0	-32,0
55	16	200	3 Ruter	Ø 8	50	32,0	-32,0
66	26	39	3 Ruter	Ø 8	50	32,0	-32,0
63	2	38	1 NT	Ø 7	90	-35,0	35,0
85	184	87	1 NT	Ø 7	90	-35,0	35,0
57	212	128	1 NT	Ø 7	90	-35,0	35,0
106	74	167	1 NT	Ø 7	90	-35,0	35,0
88	231	154	1 NT	Ø 7	90	-35,0	35,0
75	226	185	1 NT	Ø 7	90	-35,0	35,0
58	57	25	1 NT	Ø 7	90	-35,0	35,0
102	20	141	1 NT	Ø 7	90	-35,0	35,0
20	73	119	1 NT	Ø 7	90	-35,0	35,0
96	98	130	1 NT	Ø 7	90	-35,0	35,0
53	114	107	1 NT	Ø 7	90	-35,0	35,0

39	227	3	1 NT	Ø 7	90	-35,0	35,0
28	78	5	1 NT	Ø 7	90	-35,0	35,0
34	140	105	1 NT	Ø 7	90	-35,0	35,0
109	162	171	1 NT	Ø 7	90	-35,0	35,0
101	143	186	1 NT	Ø 7	90	-35,0	35,0
51	30	129	1 NT	Ø 7	90	-35,0	35,0
74	18	182	1 NT	Ø 7	90	-35,0	35,0
43	191	24	1 NT	Ø 7	90	-35,0	35,0
99	124	23	1 NT	Ø 7	90	-35,0	35,0
14	12	58	1 NT	Ø 7	90	-35,0	35,0
97	76	175	1 NT	Ø 7	90	-35,0	35,0
117	151	46	1 NT	Ø 7	90	-35,0	35,0
78	4	122	1 NT	Ø 7	90	-35,0	35,0
3	71	132	1 NT	Ø 7	90	-35,0	35,0
84	125	203	2 Hjerter	S 7	100	-68,0	68,0
68	10	232	2 Hjerter	S 7	100	-68,0	68,0
5	207	89	2 Hjerter	S 7	100	-68,0	68,0
21	137	219	2 Hjerter	N 7	100	-68,0	68,0
31	135	198	2 Hjerter	S 7	100	-68,0	68,0
94	79	192	2 Hjerter	S 7	100	-68,0	68,0
9	146	133	2 Spar	N 7	100	-68,0	68,0
32	90	202	3 Hjerter	N 8	100	-68,0	68,0
70	47	177	3 Ruter	Ø 9	110	-78,0	78,0
40	173	42	3 Ruter	V 9	110	-78,0	78,0
113	104	134	1 NT	Ø 8	120	-89,0	89,0
27	95	142	1 NT	Ø 8	120	-89,0	89,0
16	69	189	1 NT	Ø 8	120	-89,0	89,0
19	157	121	1 NT	Ø 8	120	-89,0	89,0
98	60	7	1 NT	Ø 8	120	-89,0	89,0
47	216	11	1 NT	Ø 8	120	-89,0	89,0
48	169	40	1 NT	Ø 8	120	-89,0	89,0
71	108	80	1 NT	Ø 8	120	-89,0	89,0
26	101	41	2 NT	Ø 8	120	-89,0	89,0
72	82	123	1 NT	Ø 9	150	-104,0	104,0
13	56	34	1 NT	Ø 9	150	-104,0	104,0
33	152	22	1 NT	Ø 9	150	-104,0	104,0
90	59	91	1 NT	Ø 9	150	-104,0	104,0
37	234	61	1 NT	V 9	150	-104,0	104,0
67	220	228	2 NT	Ø 9	150	-104,0	104,0
93	70	181	2 Spar	S 6	200	-112,0	112,0
4	233	35	3 Hjerter	S 7	200	-112,0	112,0
15	179	174	2 Ruter	D Ø 9	280	-115,0	115,0
6	149	131	3 Hjerter	D S 7	500	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ AJT83 Mappen: 29(29)
 ♥ QJT6 Rundenr: 10
 ♦ T76 A (N)
 ♣ 8

Bord	NS	ØV	NS	ØV	NS	ØV
98	60	7	2 Spar	D S 9 870	117,0	-117,0
57	212	128	3 Spar	D S 9 730	115,0	-115,0
38	235	17	2 Spar	D N 8 670	110,0	-110,0
49	109	159	2 Spar	D S 8 670	110,0	-110,0
44	236	96	2 Spar	D S 8 670	110,0	-110,0
89	36	21	2 Spar	D N 8 670	110,0	-110,0
97	76	175	6 Ruter	V 9 300	105,0	-105,0
114	168	110	3 NT	V 7 200	88,0	-88,0
31	135	198	3 NT	V 7 200	88,0	-88,0
78	4	122	3 NT	V 7 200	88,0	-88,0
53	114	107	3 NT	V 7 200	88,0	-88,0
35	224	215	3 NT	V 7 200	88,0	-88,0
109	162	171	3 NT	V 7 200	88,0	-88,0
99	124	23	3 NT	V 7 200	88,0	-88,0
82	97	86	3 NT	V 7 200	88,0	-88,0
25	229	164	3 NT	Ø 7 200	88,0	-88,0
30	217	139	3 NT	V 7 200	88,0	-88,0
54	14	67	3 NT	V 7 200	88,0	-88,0
116	209	156	3 NT	V 7 200	88,0	-88,0
64	222	102	5 Kløver	Ø 9 200	88,0	-88,0
55	16	200	5 Kløver	Ø 9 200	88,0	-88,0
113	104	134	5 Ruter	V 9 200	88,0	-88,0
36	49	115	6 Ruter	V 10 200	88,0	-88,0
92	52	43	3 Spar	N 9 140	70,0	-70,0
110	81	230	3 Spar	S 9 140	70,0	-70,0
63	2	38	2 Spar	N 8 110	67,0	-67,0
69	148	83	3 NT	Ø 8 100	47,0	-47,0
73	210	127	3 NT	Ø 8 100	47,0	-47,0
4	233	35	3 NT	V 8 100	47,0	-47,0
1	206	63	3 NT	Ø 8 100	47,0	-47,0
46	48	138	3 NT	V 8 100	47,0	-47,0
65	37	53	3 NT	V 8 100	47,0	-47,0
115	163	51	3 NT	V 8 100	47,0	-47,0
75	226	185	3 NT	Ø 8 100	47,0	-47,0
34	140	105	3 NT	V 8 100	47,0	-47,0
6	149	131	3 NT	V 8 100	47,0	-47,0
12	99	77	3 NT	V 8 100	47,0	-47,0
48	169	40	3 Ruter	V 8 100	47,0	-47,0
104	15	55	5 Kløver	Ø 10 100	47,0	-47,0
17	9	103	5 Kløver	Ø 10 100	47,0	-47,0
66	26	39	5 Kløver	Ø 10 100	47,0	-47,0
83	213	188	5 Ruter	V 10 100	47,0	-47,0
107	13	120	5 Ruter	V 10 100	47,0	-47,0
26	101	41	5 Ruter	V 10 100	47,0	-47,0
71	108	80	5 Ruter	Ø 10 100	47,0	-47,0
106	74	167	3 Spar	N 8 100	27,0	-27,0
51	30	129	2 NT	V 8 120	25,0	-25,0
112	111	199	2 Kløver	Ø 10 130	9,0	-9,0
67	220	228	2 Ruter	V 10 130	9,0	-9,0
62	50	180	2 Ruter	V 10 130	9,0	-9,0
5	207	89	3 Kløver	Ø 10 130	9,0	-9,0
21	137	219	3 Kløver	Ø 10 130	9,0	-9,0
93	70	181	3 Kløver	Ø 10 130	9,0	-9,0
28	78	5	3 Kløver	Ø 10 130	9,0	-9,0
15	179	174	3 Kløver	Ø 10 130	9,0	-9,0
18	88	190	3 Ruter	Ø 10 130	9,0	-9,0
86	187	221	3 Ruter	V 10 130	9,0	-9,0
9	146	133	3 Ruter	V 10 130	9,0	-9,0
39	227	3	4 Kløver	V 10 130	9,0	-9,0
7	68	44	4 Ruter	V 10 130	9,0	-9,0
8	150	45	4 Ruter	V 10 130	9,0	-9,0
10	196	204	4 Ruter	V 10 130	9,0	-9,0
81	64	118	2 NT	V 9 150	-12,0	12,0
105	32	65	3 Ruter	V 11 150	-12,0	12,0
52	94	161	3 Ruter	V 11 150	-12,0	12,0
2	136	72	3 Ruter	V 11 150	-12,0	12,0
94	79	192	3 Ruter	V 11 150	-12,0	12,0
111	170	113	4 Ruter	V 11 150	-12,0	12,0
101	143	186	2 Kløver	Ø 12 170	-22,0	22,0
68	10	232	3 Kløver	Ø 12 170	-22,0	22,0
43	191	24	3 Kløver	Ø 12 170	-22,0	22,0
79	33	172	3 Ruter	Ø 12 170	-22,0	22,0
23	223	112	2 NT	V 10 180	-31,0	31,0
11	8	84	2 NT	V 10 180	-31,0	31,0
13	56	34	2 NT	V 10 180	-31,0	31,0

76	66	165	2 NT	V 10	180	-31,0	31,0
102	20	141	2 NT	V 10	180	-31,0	31,0
22	201	31	2 Spar	D S 7	200	-37,0	37,0
14	12	58	2 NT	Ø 11	210	-40,0	40,0
45	85	28	2 NT	V 11	210	-40,0	40,0
77	27	19	4 Spar	N 7	300	-43,0	43,0
72	82	123	3 Spar	D N 7	500	-46,0	46,0
58	57	25	3 Spar	D N 7	500	-46,0	46,0
42	153	194	3 NT	V 9	600	-60,0	60,0
108	178	193	3 NT	V 9	600	-60,0	60,0
41	211	92	3 NT	V 9	600	-60,0	60,0
88	231	154	3 NT	V 9	600	-60,0	60,0
103	218	145	3 NT	V 9	600	-60,0	60,0
56	6	144	3 NT	V 9	600	-60,0	60,0
90	59	91	5 Kløver	Ø 11	600	-60,0	60,0
61	166	160	5 Ruter	V 11	600	-60,0	60,0
96	98	130	5 Ruter	V 11	600	-60,0	60,0
85	184	87	5 Ruter	V 11	600	-60,0	60,0
60	126	183	5 Ruter	V 11	600	-60,0	60,0
84	125	203	5 Ruter	V 11	600	-60,0	60,0
50	155	116	5 Kløver	Ø 12	620	-73,0	73,0
59	106	54	3 NT	V 10	630	-88,0	88,0
117	151	46	3 NT	Ø 10	630	-88,0	88,0
32	90	202	3 NT	Ø 10	630	-88,0	88,0
16	69	189	3 NT	Ø 10	630	-88,0	88,0
47	216	11	3 NT	V 10	630	-88,0	88,0
20	73	119	3 NT	V 10	630	-88,0	88,0
40	173	42	3 NT	V 10	630	-88,0	88,0
87	75	158	3 NT	V 10	630	-88,0	88,0
118	225	208	3 NT	Ø 10	630	-88,0	88,0
80	62	195	3 NT	V 10	630	-88,0	88,0
37	234	61	3 NT	V 10	630	-88,0	88,0
74	18	182	3 NT	V 10	630	-88,0	88,0
95	93	214	3 NT	V 10	630	-88,0	88,0
24	100	29	3 NT	V 10	630	-88,0	88,0
3	71	132	3 NT	V 11	660	-107,0	107,0
70	47	177	3 NT	Ø 11	660	-107,0	107,0
33	152	22	3 NT	V 11	660	-107,0	107,0
19	157	121	3 NT	V 11	660	-107,0	107,0
100	117	197	3 NT	V 11	660	-107,0	107,0
91	1	205	4 Spar	D N 7	800	-113,0	113,0
29	176	147	4 Ruter	D V 11	910	-115,0	115,0
27	95	142	6 Kløver	Ø 12	1370	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
95	93	214	4 Spar	N 10	420	100,0	-100,0
84	125	203	4 Spar	N 10	420	100,0	-100,0
35	224	215	4 Spar	N 10	420	100,0	-100,0
4	233	35	4 Spar	N 10	420	100,0	-100,0
72	82	123	4 Spar	N 10	420	100,0	-100,0
51	30	129	4 Spar	N 10	420	100,0	-100,0
23	223	112	4 Spar	N 10	420	100,0	-100,0
13	56	34	4 Spar	N 10	420	100,0	-100,0
47	216	11	4 Spar	N 10	420	100,0	-100,0
75	226	185	4 Spar	N 10	420	100,0	-100,0
62	50	180	4 Spar	N 10	420	100,0	-100,0
115	163	51	4 Spar	N 10	420	100,0	-100,0
80	62	195	4 Spar	N 10	420	100,0	-100,0
82	97	86	4 Spar	N 10	420	100,0	-100,0
5	207	89	4 Spar	N 10	420	100,0	-100,0
3	71	132	4 Spar	N 10	420	100,0	-100,0
69	148	83	4 Spar	S 10	420	100,0	-100,0
64	222	102	4 Spar	N 10	420	100,0	-100,0
15	179	174	3 NT	D Ø 7	300	81,0	-81,0
55	16	200	2 Spar	S 10	170	76,0	-76,0
38	235	17	3 Spar	N 10	170	76,0	-76,0
102	20	141	3 Spar	N 10	170	76,0	-76,0
46	48	138	3 Spar	S 10	170	76,0	-76,0
63	2	38	3 NT	Ø 6	150	69,0	-69,0
70	47	177	3 NT	Ø 6	150	69,0	-69,0
87	75	158	4 Ruter	N 11	150	69,0	-69,0
103	218	145	4 Ruter	S 10	130	63,0	-63,0
97	76	175	4 Ruter	S 10	130	63,0	-63,0
91	1	205	4 Ruter	S 10	130	63,0	-63,0
85	184	87	3 NT	V 7	100	45,0	-45,0
74	18	182	3 NT	V 7	100	45,0	-45,0
59	106	54	3 NT	V 7	100	45,0	-45,0
65	37	53	3 NT	V 7	100	45,0	-45,0
49	109	159	3 NT	V 7	100	45,0	-45,0
21	137	219	3 NT	V 7	100	45,0	-45,0
32	90	202	3 NT	Ø 7	100	45,0	-45,0
93	70	181	3 NT	V 7	100	45,0	-45,0
10	196	204	5 Hjerter	D Ø 10	100	45,0	-45,0
6	149	131	5 Hjerter	D Ø 10	100	45,0	-45,0
50	155	116	5 Hjerter	D Ø 10	100	45,0	-45,0
118	225	208	5 Hjerter	D Ø 10	100	45,0	-45,0
39	227	3	5 Hjerter	D Ø 10	100	45,0	-45,0
105	32	65	5 Hjerter	D Ø 10	100	45,0	-45,0
12	99	77	5 Hjerter	D Ø 10	100	45,0	-45,0
73	210	127	5 Hjerter	Ø 10	50	29,0	-29,0
28	78	5	4 Spar	N 9	50	4,0	-4,0
29	176	147	4 Spar	N 9	50	4,0	-4,0
22	201	31	4 Spar	N 9	50	4,0	-4,0
45	85	28	4 Spar	N 9	50	4,0	-4,0
18	88	190	4 Spar	N 9	50	4,0	-4,0
11	8	84	4 Spar	N 9	50	4,0	-4,0
24	100	29	4 Spar	N 9	50	4,0	-4,0
78	4	122	4 Spar	N 9	50	4,0	-4,0
76	66	165	4 Spar	N 9	50	4,0	-4,0
40	173	42	4 Spar	N 9	50	4,0	-4,0
83	213	188	4 Spar	N 9	50	4,0	-4,0
98	60	7	5 Ruter	N 10	50	4,0	-4,0
117	151	46	5 Ruter	N 10	50	4,0	-4,0
53	114	107	5 Ruter	N 10	50	4,0	-4,0
68	10	232	5 Ruter	N 10	50	4,0	-4,0
25	229	164	5 Ruter	S 10	50	4,0	-4,0
89	36	21	5 Ruter	N 10	50	4,0	-4,0
110	81	230	5 Ruter	S 10	50	4,0	-4,0
99	124	23	5 Ruter	S 10	50	4,0	-4,0
30	217	139	5 Ruter	S 10	50	4,0	-4,0
60	126	183	5 Spar	N 10	50	4,0	-4,0
56	6	144	5 Spar	N 10	50	4,0	-4,0
41	211	92	5 Spar	N 10	50	4,0	-4,0
94	79	192	5 Spar	N 10	50	4,0	-4,0
54	14	67	5 Ruter	D N 10	100	-21,0	21,0
37	234	61	3 Hjerter	V 10	170	-29,0	29,0
92	52	43	3 Hjerter	Ø 10	170	-29,0	29,0
31	135	198	3 Hjerter	Ø 10	170	-29,0	29,0
57	212	128	3 Hjerter	Ø 10	170	-29,0	29,0
86	187	221	3 Hjerter	Ø 10	170	-29,0	29,0

2	136	72	3 Hjerter	Ø 10	170	-29,0	29,0
27	95	142	3 Hjerter	Ø 10	170	-29,0	29,0
109	162	171	3 Hjerter	Ø 11	200	-37,0	37,0
104	15	55	4 Hjerter	Ø 10	420	-64,0	64,0
101	143	186	4 Hjerter	Ø 10	420	-64,0	64,0
48	169	40	4 Hjerter	Ø 10	420	-64,0	64,0
1	206	63	4 Hjerter	Ø 10	420	-64,0	64,0
43	191	24	4 Hjerter	Ø 10	420	-64,0	64,0
111	170	113	4 Hjerter	Ø 10	420	-64,0	64,0
52	94	161	4 Hjerter	Ø 10	420	-64,0	64,0
17	9	103	4 Hjerter	Ø 10	420	-64,0	64,0
19	157	121	4 Hjerter	Ø 10	420	-64,0	64,0
44	236	96	4 Hjerter	Ø 10	420	-64,0	64,0
106	74	167	4 Hjerter	Ø 10	420	-64,0	64,0
71	108	80	4 Hjerter	Ø 10	420	-64,0	64,0
26	101	41	4 Hjerter	Ø 10	420	-64,0	64,0
33	152	22	4 Hjerter	Ø 10	420	-64,0	64,0
58	57	25	4 Hjerter	Ø 10	420	-64,0	64,0
113	104	134	4 Hjerter	Ø 10	420	-64,0	64,0
96	98	130	4 Hjerter	Ø 10	420	-64,0	64,0
107	13	120	4 Hjerter	Ø 10	420	-64,0	64,0
42	153	194	4 Hjerter	Ø 10	420	-64,0	64,0
108	178	193	4 Hjerter	Ø 10	420	-64,0	64,0
9	146	133	4 Hjerter	Ø 10	420	-64,0	64,0
36	49	115	4 Hjerter	Ø 10	420	-64,0	64,0
67	220	228	4 Hjerter	Ø 10	420	-64,0	64,0
100	117	197	4 Hjerter	Ø 10	420	-64,0	64,0
116	209	156	4 Hjerter	V 10	420	-64,0	64,0
79	33	172	4 Hjerter	Ø 10	420	-64,0	64,0
34	140	105	3 NT	V 10	430	-91,0	91,0
90	59	91	4 Hjerter	Ø 11	450	-95,0	95,0
112	111	199	4 Hjerter	Ø 11	450	-95,0	95,0
66	26	39	4 Hjerter	Ø 11	450	-95,0	95,0
81	64	118	4 Hjerter	D Ø 10	590	-105,0	105,0
88	231	154	4 Hjerter	D Ø 10	590	-105,0	105,0
114	168	110	4 Hjerter	D Ø 10	590	-105,0	105,0
8	150	45	4 Hjerter	D Ø 10	590	-105,0	105,0
77	27	19	4 Hjerter	D Ø 10	590	-105,0	105,0
14	12	58	4 Hjerter	D Ø 10	590	-105,0	105,0
20	73	119	4 Hjerter	D Ø 10	590	-105,0	105,0
16	69	189	3 Hjerter	D Ø 10	630	-114,0	114,0
61	166	160	3 Hjerter	D Ø 10	630	-114,0	114,0
7	68	44	4 Hjerter	D Ø 11	690	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
62	126	94	5 Klever	D V 5 1400	117,0	-117,0
54	39	144	4 Spar	D N 11 990	115,0	-115,0
2	72	132	4 Spar	N 12 680	86,0	-86,0
113	110	199	4 Spar	N 12 680	86,0	-86,0
70	86	70	4 Spar	N 12 680	86,0	-86,0
92	64	93	4 Spar	N 12 680	86,0	-86,0
27	5	99	4 Spar	N 12 680	86,0	-86,0
47	42	105	4 Spar	N 12 680	86,0	-86,0
78	102	91	4 Spar	N 12 680	86,0	-86,0
7	131	77	4 Spar	N 12 680	86,0	-86,0
71	203	62	4 Spar	N 12 680	86,0	-86,0
29	198	61	4 Spar	N 12 680	86,0	-86,0
11	150	8	4 Spar	N 12 680	86,0	-86,0
112	171	156	4 Spar	N 12 680	86,0	-86,0
1	146	206	4 Spar	N 12 680	86,0	-86,0
35	142	140	4 Spar	N 12 680	86,0	-86,0
9	103	68	4 Spar	N 12 680	86,0	-86,0
84	79	125	4 Spar	N 12 680	86,0	-86,0
66	161	224	4 Spar	N 12 680	86,0	-86,0
104	15	141	4 Spar	N 12 680	86,0	-86,0
13	34	12	4 Spar	S 12 680	86,0	-86,0
110	124	168	4 Spar	N 12 680	86,0	-86,0
81	10	75	4 Spar	N 12 680	86,0	-86,0
18	73	229	4 Spar	N 12 680	86,0	-86,0
86	130	187	4 Spar	N 12 680	86,0	-86,0
17	116	173	4 Spar	N 12 680	86,0	-86,0
4	149	233	4 Spar	N 12 680	86,0	-86,0
85	188	76	4 Spar	N 12 680	86,0	-86,0
57	127	216	4 Spar	N 12 680	86,0	-86,0
31	78	85	5 Spar	N 12 680	86,0	-86,0
69	37	227	4 Spar	N 11 650	1,0	-1,0
91	117	122	4 Spar	N 11 650	1,0	-1,0
97	213	167	4 Spar	N 11 650	1,0	-1,0
30	112	96	4 Spar	N 11 650	1,0	-1,0
55	200	148	4 Spar	N 11 650	1,0	-1,0
117	134	225	4 Spar	N 11 650	1,0	-1,0
63	128	215	4 Spar	N 11 650	1,0	-1,0
10	45	207	4 Spar	N 11 650	1,0	-1,0
114	170	193	4 Spar	N 11 650	1,0	-1,0
12	58	44	4 Spar	N 11 650	1,0	-1,0
22	41	121	4 Spar	N 11 650	1,0	-1,0
61	212	57	4 Spar	N 11 650	1,0	-1,0
44	159	180	4 Spar	N 11 650	1,0	-1,0
109	32	111	4 Spar	N 11 650	1,0	-1,0
23	157	138	4 Spar	N 11 650	1,0	-1,0
68	87	185	4 Spar	N 11 650	1,0	-1,0
20	219	95	4 Spar	N 11 650	1,0	-1,0
116	151	230	4 Spar	N 11 650	1,0	-1,0
56	123	236	4 Spar	N 11 650	1,0	-1,0
80	232	25	4 Spar	N 11 650	1,0	-1,0
40	191	115	4 Spar	N 11 650	1,0	-1,0
76	172	36	4 Spar	N 11 650	1,0	-1,0
101	13	221	4 Spar	N 11 650	1,0	-1,0
100	52	98	4 Spar	N 11 650	1,0	-1,0
93	181	33	4 Spar	N 11 650	1,0	-1,0
50	83	80	4 Spar	N 11 650	1,0	-1,0
79	197	158	4 Spar	N 11 650	1,0	-1,0
75	118	165	4 Spar	N 11 650	1,0	-1,0
89	192	81	4 Spar	N 11 650	1,0	-1,0
64	54	155	4 Spar	N 11 650	1,0	-1,0
88	177	214	4 Spar	N 11 650	1,0	-1,0
98	154	4	4 Spar	N 11 650	1,0	-1,0
99	60	66	4 Spar	N 11 650	1,0	-1,0
32	88	235	4 Spar	N 11 650	1,0	-1,0
96	65	55	4 Spar	N 11 650	1,0	-1,0
15	189	22	4 Spar	N 11 650	1,0	-1,0
34	137	31	4 Spar	N 11 650	1,0	-1,0
8	133	69	4 Spar	N 11 650	1,0	-1,0
87	184	21	4 Spar	N 11 650	1,0	-1,0
74	106	222	4 Spar	N 11 650	1,0	-1,0
107	51	218	4 Spar	N 11 650	1,0	-1,0
46	129	109	4 Spar	N 11 650	1,0	-1,0
115	113	209	4 Spar	N 11 650	1,0	-1,0
60	210	6	4 Spar	N 11 650	1,0	-1,0
28	29	204	4 Spar	N 11 650	1,0	-1,0

102	186	163	4 Spar	N 11 650	1,0	-1,0
3	136	71	4 Spar	N 11 650	1,0	-1,0
83	38	205	4 Spar	N 11 650	1,0	-1,0
45	139	202	4 Spar	N 11 650	1,0	-1,0
41	211	114	4 Spar	N 11 650	1,0	-1,0
77	7	26	4 Spar	N 11 650	1,0	-1,0
37	152	107	4 Spar	N 11 650	1,0	-1,0
16	84	179	4 Spar	N 11 650	1,0	-1,0
26	100	49	4 Spar	N 11 650	1,0	-1,0
72	195	183	4 Spar	N 11 650	1,0	-1,0
111	104	162	4 Spar	N 11 650	1,0	-1,0
51	17	182	5 Spar	N 11 650	1,0	-1,0
94	59	231	4 Spar	N 10 620	-67,0	67,0
21	56	164	4 Spar	N 10 620	-67,0	67,0
19	174	147	4 Spar	N 10 620	-67,0	67,0
24	217	153	4 Spar	N 10 620	-67,0	67,0
14	90	201	4 Spar	N 10 620	-67,0	67,0
39	16	176	4 Spar	N 10 620	-67,0	67,0
108	145	234	4 Spar	N 10 620	-67,0	67,0
36	9	48	4 Spar	N 10 620	-67,0	67,0
59	82	53	4 Spar	N 10 620	-67,0	67,0
6	89	63	4 Spar	N 10 620	-67,0	67,0
52	97	24	4 Spar	N 10 620	-67,0	67,0
118	46	208	2 NT	D Ø 5 500	-79,0	79,0
67	18	166	2 Spar	N 11 200	-91,0	91,0
5	35	196	2 Spar	N 11 200	-91,0	91,0
103	1	175	2 Spar	N 11 200	-91,0	91,0
25	101	223	2 Spar	N 11 200	-91,0	91,0
65	19	226	2 Spar	N 11 200	-91,0	91,0
33	190	14	2 Spar	N 11 200	-91,0	91,0
49	108	40	3 Spar	N 11 200	-91,0	91,0
82	50	220	3 Spar	N 11 200	-91,0	91,0
95	47	20	3 Spar	N 11 200	-91,0	91,0
48	30	3	3 Spar	N 11 200	-91,0	91,0
42	92	119	3 Spar	N 11 200	-91,0	91,0
90	43	27	2 Spar	N 10 170	-106,0	106,0
73	2	28	2 Spar	N 10 170	-106,0	106,0
105	143	74	2 Spar	N 10 170	-106,0	106,0
58	23	135	2 Spar	N 10 170	-106,0	106,0
106	120	178	2 Spar	N 9 140	-111,0	111,0
53	11	160	6 Spar	N 11 100	-113,0	113,0
43	194	67	4 Hjeter	S 7 300	-115,0	115,0
38	169	228	1 Ruter	R S 6 400	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
8	133	69	4 Hjerter	N 12	480	89,0	-89,0
68	87	185	4 Spar	S 12	480	89,0	-89,0
91	117	122	4 Spar	S 12	480	89,0	-89,0
42	92	119	4 Spar	S 12	480	89,0	-89,0
58	23	135	4 Spar	S 12	480	89,0	-89,0
12	58	44	4 Spar	S 12	480	89,0	-89,0
15	189	22	4 Spar	S 12	480	89,0	-89,0
46	129	109	4 Spar	S 12	480	89,0	-89,0
34	137	31	4 Spar	S 12	480	89,0	-89,0
112	171	156	4 Spar	S 12	480	89,0	-89,0
17	116	173	4 Spar	S 12	480	89,0	-89,0
11	150	8	4 Spar	S 12	480	89,0	-89,0
10	45	207	4 Spar	S 12	480	89,0	-89,0
60	210	6	4 Spar	S 12	480	89,0	-89,0
7	131	77	4 Spar	S 12	480	89,0	-89,0
47	42	105	4 Spar	S 12	480	89,0	-89,0
26	100	49	4 Spar	S 12	480	89,0	-89,0
41	211	114	4 Spar	S 12	480	89,0	-89,0
48	30	3	4 Spar	S 12	480	89,0	-89,0
93	181	33	4 Spar	S 12	480	89,0	-89,0
50	83	80	4 Spar	S 12	480	89,0	-89,0
1	146	206	4 Spar	S 12	480	89,0	-89,0
63	128	215	4 Spar	S 12	480	89,0	-89,0
73	2	28	4 Spar	S 12	480	89,0	-89,0
105	143	74	4 Spar	S 12	480	89,0	-89,0
13	34	12	4 Spar	S 12	480	89,0	-89,0
51	17	182	4 Spar	S 12	480	89,0	-89,0
102	186	163	4 Spar	S 12	480	89,0	-89,0
38	169	228	4 Spar	S 12	480	89,0	-89,0
64	54	155	3NT	N 11	460	59,0	-59,0
92	64	93	4 Spar	S 11	450	15,0	-15,0
96	65	55	4 Spar	S 11	450	15,0	-15,0
35	142	140	4 Spar	S 11	450	15,0	-15,0
66	161	224	4 Spar	S 11	450	15,0	-15,0
78	102	91	4 Spar	S 11	450	15,0	-15,0
23	157	138	4 Spar	S 11	450	15,0	-15,0
4	149	233	4 Spar	S 11	450	15,0	-15,0
33	190	14	4 Spar	S 11	450	15,0	-15,0
44	159	180	4 Spar	S 11	450	15,0	-15,0
2	72	132	4 Spar	S 11	450	15,0	-15,0
70	86	70	4 Spar	S 11	450	15,0	-15,0
104	15	141	4 Spar	S 11	450	15,0	-15,0
77	7	26	4 Spar	S 11	450	15,0	-15,0
61	212	57	4 Spar	S 11	450	15,0	-15,0
53	11	160	4 Spar	S 11	450	15,0	-15,0
80	232	25	4 Spar	S 11	450	15,0	-15,0
75	118	165	4 Spar	S 11	450	15,0	-15,0
99	60	66	4 Spar	S 11	450	15,0	-15,0
14	90	201	4 Spar	S 11	450	15,0	-15,0
5	35	196	4 Spar	S 11	450	15,0	-15,0
49	108	40	4 Spar	S 11	450	15,0	-15,0
85	188	76	4 Spar	N 11	450	15,0	-15,0
57	127	216	4 Spar	S 11	450	15,0	-15,0
22	41	121	4 Spar	S 11	450	15,0	-15,0
19	174	147	4 Spar	S 11	450	15,0	-15,0
32	88	235	4 Spar	S 11	450	15,0	-15,0
52	97	24	4 Spar	S 11	450	15,0	-15,0
110	124	168	4 Spar	S 11	450	15,0	-15,0
87	184	21	4 Spar	S 11	450	15,0	-15,0
82	50	220	4 Spar	S 11	450	15,0	-15,0
31	78	85	4 Spar	S 11	450	15,0	-15,0
103	1	175	4 Spar	S 11	450	15,0	-15,0
28	29	204	4 Spar	S 11	450	15,0	-15,0
37	152	107	4 Spar	N 11	450	15,0	-15,0
95	47	20	4 Spar	S 11	450	15,0	-15,0
43	194	67	4 Spar	S 11	450	15,0	-15,0
21	56	164	4 Spar	S 11	450	15,0	-15,0
25	101	223	4 Spar	S 11	450	15,0	-15,0
72	195	183	4 Spar	N 11	450	15,0	-15,0
114	170	193	4 Spar	S 11	450	15,0	-15,0
108	145	234	4 Spar	S 11	450	15,0	-15,0
69	37	227	4 Spar	S 11	450	15,0	-15,0
71	203	62	4 Spar	S 11	450	15,0	-15,0
56	123	236	3NT	N 10	430	-29,0	29,0
30	112	96	4 Spar	S 10	420	-45,0	45,0

6	89	63	4 Spar	S 10	420	-45,0	45,0
27	5	99	4 Spar	N 10	420	-45,0	45,0
117	134	225	4 Spar	S 10	420	-45,0	45,0
83	38	205	4 Spar	S 10	420	-45,0	45,0
62	126	94	4 Spar	S 10	420	-45,0	45,0
81	10	75	4 Spar	S 10	420	-45,0	45,0
76	172	36	4 Spar	S 10	420	-45,0	45,0
84	79	125	4 Spar	S 10	420	-45,0	45,0
97	213	167	4 Spar	S 10	420	-45,0	45,0
45	139	202	4 Spar	S 10	420	-45,0	45,0
67	18	166	4 Spar	S 10	420	-45,0	45,0
111	104	162	4 Spar	S 10	420	-45,0	45,0
118	46	208	4 Spar	S 10	420	-45,0	45,0
54	39	144	4 Spar	S 10	420	-45,0	45,0
98	154	4	3 Hjerter	V 6	300	-61,0	61,0
65	19	226	1 Spar	S 12	230	-68,0	68,0
20	219	95	2 Spar	S 12	230	-68,0	68,0
94	59	231	2 Spar	S 12	230	-68,0	68,0
55	200	148	3 Spar	S 12	230	-68,0	68,0
24	217	153	3 Spar	S 12	230	-68,0	68,0
29	198	61	3 Spar	S 12	230	-68,0	68,0
74	106	222	2 NT	S 11	210	-75,0	75,0
79	197	158	1 Spar	S 11	200	-85,0	85,0
36	9	48	2 Spar	S 11	200	-85,0	85,0
115	113	209	2 Spar	S 11	200	-85,0	85,0
100	52	98	2 Spar	S 11	200	-85,0	85,0
88	177	214	2 Spar	S 11	200	-85,0	85,0
59	82	53	3 Spar	S 11	200	-85,0	85,0
3	136	71	3 Spar	S 11	200	-85,0	85,0
89	192	81	3 Spar	S 11	200	-85,0	85,0
107	51	218	3 Spar	S 11	200	-85,0	85,0
106	120	178	1 Spar	S 10	170	-99,0	99,0
40	191	115	2 Spar	S 10	170	-99,0	99,0
113	110	199	2 Spar	S 10	170	-99,0	99,0
101	13	221	3 Spar	S 10	170	-99,0	99,0
18	73	229	3 Spar	S 10	170	-99,0	99,0
116	151	230	3 Ruter	N 11	150	-105,0	105,0
109	32	111	3 Spar	S 9	140	-107,0	107,0
86	130	187	2 Kløver	N 8	90	-109,0	109,0
9	103	68	2 Kløver	N 7	50	-114,0	114,0
90	43	27	2 Kløver	N 7	50	-114,0	114,0
16	84	179	4 Spar	S 9	50	-114,0	114,0
39	16	176	4 Spar	S 9	50	-114,0	114,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010




Mappen: 1(33)
Runden: 11
I (N)

Bord	NS	ØV		NS	ØV	NS	ØV
96	65	55	6 Kløver	V 8	200	117,0	-117,0
118	46	208	5 Kløver	D Ø 10	100	115,0	-115,0
76	172	36	3NT	V 8	50	111,0	-111,0
44	159	180	4 Hjerter	Ø 9	50	111,0	-111,0
61	212	57	5 Kløver	Ø 10	50	111,0	-111,0
60	210	6	2 Spar	N 7	50	107,0	-107,0
101	13	221	2 Spar	S 6	100	105,0	-105,0
35	142	140	3 Kløver	Ø 10	130	101,0	-101,0
34	137	31	3 Kløver	Ø 10	130	101,0	-101,0
19	174	147	3 Kløver	V 10	130	101,0	-101,0
13	34	12	3 Spar	S 6	150	97,0	-97,0
49	108	40	3 Ruter	N 5	200	95,0	-95,0
108	145	234	2 Spar	D S 6	300	93,0	-93,0
55	200	148	3NT	Ø 9	400	79,0	-79,0
41	211	114	3NT	Ø 9	400	79,0	-79,0
105	143	74	3NT	Ø 9	400	79,0	-79,0
100	52	98	3NT	V 9	400	79,0	-79,0
92	64	93	3NT	Ø 9	400	79,0	-79,0
94	59	231	3NT	Ø 9	400	79,0	-79,0
31	78	85	3NT	V 9	400	79,0	-79,0
98	154	4	3NT	V 9	400	79,0	-79,0
102	186	163	3NT	Ø 9	400	79,0	-79,0
85	188	76	3NT	Ø 9	400	79,0	-79,0
111	104	162	3NT	V 9	400	79,0	-79,0
32	88	235	3NT	V 9	400	79,0	-79,0
46	129	109	3NT	Ø 9	400	79,0	-79,0
67	18	166	3NT	Ø 10	430	12,0	-12,0
107	51	218	3NT	Ø 10	430	12,0	-12,0
47	42	105	3NT	Ø 10	430	12,0	-12,0
88	177	214	3NT	V 10	430	12,0	-12,0
70	86	70	3NT	Ø 10	430	12,0	-12,0
20	219	95	3NT	V 10	430	12,0	-12,0
81	10	75	3NT	Ø 10	430	12,0	-12,0
12	58	44	3NT	Ø 10	430	12,0	-12,0
48	30	3	3NT	V 10	430	12,0	-12,0
110	124	168	3NT	Ø 10	430	12,0	-12,0
56	123	236	3NT	Ø 10	430	12,0	-12,0
86	130	187	3NT	V 10	430	12,0	-12,0
66	161	224	3NT	Ø 10	430	12,0	-12,0
112	171	156	3NT	Ø 10	430	12,0	-12,0
22	41	121	3NT	V 10	430	12,0	-12,0
77	7	26	3NT	V 10	430	12,0	-12,0
75	118	165	3NT	V 10	430	12,0	-12,0
40	191	115	3NT	V 10	430	12,0	-12,0
65	19	226	3NT	Ø 10	430	12,0	-12,0
87	184	21	3NT	Ø 10	430	12,0	-12,0
53	11	160	3NT	Ø 10	430	12,0	-12,0
63	128	215	3NT	V 10	430	12,0	-12,0
37	152	107	3NT	Ø 10	430	12,0	-12,0
68	87	185	3NT	Ø 10	430	12,0	-12,0
109	32	111	3NT	V 10	430	12,0	-12,0
103	1	175	3NT	Ø 10	430	12,0	-12,0
7	131	77	3NT	Ø 10	430	12,0	-12,0
114	170	193	3NT	V 10	430	12,0	-12,0
93	181	33	3NT	Ø 10	430	12,0	-12,0
89	192	81	3NT	Ø 10	430	12,0	-12,0
1	146	206	3NT	V 10	430	12,0	-12,0
25	101	223	3NT	Ø 10	430	12,0	-12,0
82	50	220	3NT	Ø 10	430	12,0	-12,0
71	203	62	3NT	Ø 10	430	12,0	-12,0
17	116	173	3NT	Ø 10	430	12,0	-12,0
14	90	201	3NT	V 10	430	12,0	-12,0
51	17	182	3NT	Ø 10	430	12,0	-12,0
97	213	167	3NT	Ø 10	430	12,0	-12,0
99	60	66	3NT	Ø 10	430	12,0	-12,0
15	189	22	3NT	Ø 10	430	12,0	-12,0
79	197	158	3NT	V 10	430	12,0	-12,0
42	92	119	3NT	Ø 10	430	12,0	-12,0
54	39	144	3NT	V 10	430	12,0	-12,0
45	139	202	3NT	Ø 10	430	12,0	-12,0
64	54	155	3NT	V 10	430	12,0	-12,0
59	82	53	3NT	Ø 10	430	12,0	-12,0
6	89	63	3NT	V 10	430	12,0	-12,0
39	16	176	3NT	Ø 10	430	12,0	-12,0
5	35	196	3NT	Ø 10	430	12,0	-12,0

95	47	20	3NT	Ø 10	430	12,0	-12,0
91	117	122	3NT	Ø 10	430	12,0	-12,0
69	37	227	3NT	V 10	430	12,0	-12,0
83	38	205	3NT	V 10	430	12,0	-12,0
116	151	230	3NT	Ø 10	430	12,0	-12,0
57	127	216	3NT	Ø 11	460	-78,0	78,0
21	56	164	3NT	Ø 11	460	-78,0	78,0
113	110	199	3NT	Ø 11	460	-78,0	78,0
4	149	233	3NT	Ø 11	460	-78,0	78,0
80	232	25	3NT	Ø 11	460	-78,0	78,0
90	43	27	3NT	V 11	460	-78,0	78,0
26	100	49	3NT	Ø 11	460	-78,0	78,0
50	83	80	3NT	Ø 11	460	-78,0	78,0
10	45	207	3NT	Ø 11	460	-78,0	78,0
38	169	228	3NT	Ø 11	460	-78,0	78,0
117	134	225	3NT	Ø 11	460	-78,0	78,0
3	136	71	3NT	Ø 11	460	-78,0	78,0
33	190	14	3NT	Ø 11	460	-78,0	78,0
16	84	179	3NT	Ø 11	460	-78,0	78,0
115	113	209	3NT	Ø 11	460	-78,0	78,0
27	5	99	3NT	Ø 11	460	-78,0	78,0
29	198	61	3NT	Ø 11	460	-78,0	78,0
28	29	204	3NT	Ø 11	460	-78,0	78,0
8	133	69	3NT	Ø 11	460	-78,0	78,0
2	72	132	3NT	Ø 11	460	-78,0	78,0
58	23	135	3NT	Ø 11	460	-78,0	78,0
23	157	138	3NT	Ø 11	460	-78,0	78,0
24	217	153	3NT	Ø 11	460	-78,0	78,0
30	112	96	3NT	Ø 11	460	-78,0	78,0
104	15	141	3NT	Ø 11	460	-78,0	78,0
74	106	222	3NT	Ø 11	460	-78,0	78,0
52	97	24	3NT	Ø 11	460	-78,0	78,0
73	2	28	3NT	V 11	460	-78,0	78,0
78	102	91	3NT	Ø 11	460	-78,0	78,0
11	150	8	3NT	V 11	460	-78,0	78,0
72	195	183	3NT	Ø 11	460	-78,0	78,0
36	9	48	3NT	Ø 11	460	-78,0	78,0
62	126	94	3NT	Ø 11	460	-78,0	78,0
84	79	125	3NT	Ø 11	460	-78,0	78,0
43	194	67	3NT	Ø 11	460	-78,0	78,0
9	103	68	4NT	Ø 11	460	-78,0	78,0
106	120	178	3NT	Ø 12	490	-115,0	115,0
18	73	229	2 Hjerter	D N 5	500	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
70	159	75	3NT	Ø 8	50	96,0	-96,0
109	175	143	3NT	V 8	50	96,0	-96,0
118	208	230	3NT	V 8	50	96,0	-96,0
16	235	142	3NT	V 8	50	96,0	-96,0
58	129	135	3NT	V 8	50	96,0	-96,0
114	156	170	3NT	V 8	50	96,0	-96,0
82	185	7	3NT	V 8	50	96,0	-96,0
105	221	74	3NT	V 8	50	96,0	-96,0
94	64	43	4 Hjerter	Ø 9	50	96,0	-96,0
56	62	50	4 Hjerter	Ø 9	50	96,0	-96,0
29	12	198	4 Hjerter	V 9	50	96,0	-96,0
12	229	45	4 Hjerter	Ø 9	50	96,0	-96,0
61	6	108	4 Spar	Ø 9	50	96,0	-96,0
104	124	231	4 Spar	Ø 9	50	96,0	-96,0
26	31	56	4 Spar	Ø 9	50	96,0	-96,0
73	28	152	4 Spar	Ø 9	50	96,0	-96,0
60	25	87	4 Spar	Ø 9	50	96,0	-96,0
9	89	71	4 Spar	Ø 9	50	96,0	-96,0
89	215	184	4 Spar	Ø 9	50	96,0	-96,0
40	224	190	4 Spar	Ø 9	50	96,0	-96,0
76	18	172	4 Spar	Ø 9	50	96,0	-96,0
13	8	217	5 Hjerter	Ø 10	50	96,0	-96,0
24	228	201	2NT	V 8	120	73,0	-73,0
49	91	210	2 Spar	Ø 9	140	60,0	-60,0
77	70	154	2 Spar	Ø 9	140	60,0	-60,0
99	86	21	2 Spar	Ø 9	140	60,0	-60,0
111	111	209	2 Spar	Ø 9	140	60,0	-60,0
110	113	59	2 Spar	Ø 9	140	60,0	-60,0
41	24	236	2 Spar	V 9	140	60,0	-60,0
63	155	82	2 Spar	Ø 9	140	60,0	-60,0
23	48	49	2 Spar	Ø 9	140	60,0	-60,0
81	205	192	3 Hjerter	Ø 9	140	60,0	-60,0
59	161	197	3 Spar	Ø 9	140	60,0	-60,0
91	38	4	3 Spar	Ø 9	140	60,0	-60,0
14	34	61	3 Spar	V 9	140	60,0	-60,0
22	119	16	2NT	V 9	150	46,0	-46,0
6	58	146	2NT	V 9	150	46,0	-46,0
20	223	179	2 Hjerter	Ø 10	170	32,0	-32,0
32	148	100	2 Hjerter	Ø 10	170	32,0	-32,0
31	173	85	2 Hjerter	Ø 10	170	32,0	-32,0
43	138	73	2 Spar	Ø 10	170	32,0	-32,0
57	36	2	2 Spar	Ø 10	170	32,0	-32,0
100	32	15	2 Spar	V 10	170	32,0	-32,0
107	199	178	3 Hjerter	Ø 10	170	32,0	-32,0
33	202	78	3 Hjerter	Ø 10	170	32,0	-32,0
87	167	181	3 Hjerter	Ø 10	170	32,0	-32,0
15	44	77	3 Hjerter	Ø 10	170	32,0	-32,0
66	216	203	3 Spar	Ø 10	170	32,0	-32,0
27	69	5	3 Spar	Ø 10	170	32,0	-32,0
11	150	68	2NT	V 10	180	19,0	-19,0
69	81	232	3 Hjerter	Ø 11	200	15,0	-15,0
80	26	200	3 Hjerter	Ø 11	200	15,0	-15,0
116	51	151	3 Spar	Ø 11	200	15,0	-15,0
74	118	83	3NT	Ø 9	400	10,0	-10,0
47	95	140	3NT	V 9	400	10,0	-10,0
115	234	134	4 Hjerter	Ø 10	420	-33,0	33,0
96	60	122	4 Hjerter	Ø 10	420	-33,0	33,0
85	1	213	4 Hjerter	Ø 10	420	-33,0	33,0
38	80	105	4 Hjerter	Ø 10	420	-33,0	33,0
103	141	120	4 Hjerter	Ø 10	420	-33,0	33,0
84	53	125	4 Hjerter	Ø 10	420	-33,0	33,0
106	193	98	4 Hjerter	Ø 10	420	-33,0	33,0
93	33	20	4 Hjerter	Ø 10	420	-33,0	33,0
83	166	195	4 Hjerter	Ø 10	420	-33,0	33,0
102	65	102	4 Hjerter	Ø 10	420	-33,0	33,0
42	194	92	4 Hjerter	Ø 10	420	-33,0	33,0
112	171	110	4 Hjerter	Ø 10	420	-33,0	33,0
92	186	52	4 Hjerter	Ø 10	420	-33,0	33,0
45	182	204	4 Hjerter	Ø 10	420	-33,0	33,0
54	144	212	4 Hjerter	Ø 10	420	-33,0	33,0
21	147	219	4 Hjerter	Ø 10	420	-33,0	33,0
95	55	220	4 Hjerter	Ø 10	420	-33,0	33,0
97	218	13	4 Hjerter	Ø 10	420	-33,0	33,0
28	109	88	4 Hjerter	Ø 10	420	-33,0	33,0
2	72	196	4 Hjerter	Ø 10	420	-33,0	33,0

86	158	93	4 Hjerter	Ø 10	420	-33,0	33,0
64	126	23	4 Hjerter	Ø 10	420	-33,0	33,0
35	114	137	4 Hjerter	Ø 10	420	-33,0	33,0
88	10	79	4 Hjerter	Ø 10	420	-33,0	33,0
34	164	9	4 Hjerter	Ø 10	420	-33,0	33,0
90	214	188	4 Hjerter	Ø 10	420	-33,0	33,0
51	123	169	4 Hjerter	V 10	420	-33,0	33,0
4	133	189	4 Hjerter	Ø 10	420	-33,0	33,0
7	63	131	4 Hjerter	Ø 10	420	-33,0	33,0
46	11	97	4 Hjerter	Ø 10	420	-33,0	33,0
68	94	139	4 Hjerter	Ø 10	420	-33,0	33,0
50	96	115	4 Spar	Ø 10	420	-33,0	33,0
113	145	104	4 Spar	Ø 10	420	-33,0	33,0
19	14	174	4 Spar	Ø 10	420	-33,0	33,0
67	67	183	4 Spar	Ø 10	420	-33,0	33,0
8	121	35	4 Spar	Ø 10	420	-33,0	33,0
55	39	191	4 Spar	Ø 10	420	-33,0	33,0
62	54	130	4 Spar	Ø 10	420	-33,0	33,0
53	226	157	4 Spar	Ø 10	420	-33,0	33,0
10	103	207	4 Spar	Ø 10	420	-33,0	33,0
52	3	19	4 Spar	Ø 10	420	-33,0	33,0
79	57	17	3NT	Ø 10	430	-78,0	78,0
71	180	128	3NT	Ø 10	430	-78,0	78,0
48	107	211	3NT	V 10	430	-78,0	78,0
98	66	27	3NT	Ø 10	430	-78,0	78,0
101	117	47	4 Hjerter	Ø 11	450	-90,0	90,0
1	132	206	4 Hjerter	Ø 11	450	-90,0	90,0
75	106	177	4 Hjerter	Ø 11	450	-90,0	90,0
65	76	227	4 Hjerter	Ø 11	450	-90,0	90,0
30	42	153	4 Hjerter	Ø 11	450	-90,0	90,0
18	99	116	4 Hjerter	Ø 11	450	-90,0	90,0
3	136	233	4 Hjerter	Ø 11	450	-90,0	90,0
72	127	187	4 Spar	Ø 11	450	-90,0	90,0
37	101	30	3NT	V 11	460	-101,0	101,0
36	40	160	3NT	V 11	460	-101,0	101,0
108	168	162	3NT	V 11	460	-101,0	101,0
78	165	163	4 Hjerter	Ø 12	480	-105,0	105,0
17	41	84	3 Kløver	D N 7	500	-108,0	108,0
39	222	176	3 Kløver	D N 7	500	-108,0	108,0
25	29	90	2 Ruter	D S 5	800	-114,0	114,0
117	46	225	2 Ruter	D S 5	800	-114,0	114,0
44	37	112	2 Ruter	D S 5	800	-114,0	114,0
5	22	149	2 Ruter	D S 5	800	-114,0	114,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
73	28	152	4 Spar	D S 10	590	117,0	-117,0
99	86	21	3 NT	N 10	430	115,0	-115,0
94	64	43	3 NT	N 9	400	112,0	-112,0
118	208	230	3 NT	N 9	400	112,0	-112,0
110	113	59	2 NT	N 8	120	109,0	-109,0
33	202	78	2 Spar	S 8	110	103,0	-103,0
42	194	92	2 Spar	S 8	110	103,0	-103,0
21	147	219	3 Ruter	S 9	110	103,0	-103,0
113	145	104	3 Ruter	S 9	110	103,0	-103,0
103	141	120	3 Ruter	S 9	110	103,0	-103,0
71	180	128	2 Spar	S 7	50	76,0	-76,0
19	14	174	3 NT	N 8	50	76,0	-76,0
111	111	209	3 NT	N 8	50	76,0	-76,0
7	63	131	3 NT	N 8	50	76,0	-76,0
98	66	27	3 NT	N 8	50	76,0	-76,0
3	136	233	3 Ruter	S 8	50	76,0	-76,0
8	121	35	3 Ruter	S 8	50	76,0	-76,0
67	67	183	3 Ruter	S 8	50	76,0	-76,0
17	41	84	3 Ruter	S 8	50	76,0	-76,0
45	182	204	3 Ruter	S 8	50	76,0	-76,0
78	165	163	3 Ruter	S 8	50	76,0	-76,0
6	58	146	3 Ruter	S 8	50	76,0	-76,0
11	150	68	3 Ruter	S 8	50	76,0	-76,0
22	119	16	3 Ruter	S 8	50	76,0	-76,0
112	171	110	3 Ruter	S 8	50	76,0	-76,0
81	205	192	3 Ruter	S 8	50	76,0	-76,0
77	70	154	3 Spar	S 8	50	76,0	-76,0
40	224	190	4 Ruter	S 9	50	76,0	-76,0
96	60	122	4 Ruter	S 9	50	76,0	-76,0
52	3	19	4 Ruter	S 9	50	76,0	-76,0
4	133	189	4 Ruter	N 9	50	76,0	-76,0
69	81	232	4 Spar	S 9	50	76,0	-76,0
68	94	139	3 Ruter	S 7	100	13,0	-13,0
32	148	100	3 Ruter	S 7	100	13,0	-13,0
24	228	201	3 Ruter	S 7	100	13,0	-13,0
72	127	187	4 Ruter	N 8	100	13,0	-13,0
91	38	4	4 Ruter	S 8	100	13,0	-13,0
15	44	77	4 Ruter	S 8	100	13,0	-13,0
39	222	176	4 Ruter	S 8	100	13,0	-13,0
109	175	143	4 Ruter	S 8	100	13,0	-13,0
82	185	7	4 Ruter	S 8	100	13,0	-13,0
87	167	181	4 Ruter	S 8	100	13,0	-13,0
28	109	88	4 Ruter	S 8	100	13,0	-13,0
13	8	217	4 Ruter	S 8	100	13,0	-13,0
62	54	130	4 Ruter	S 8	100	13,0	-13,0
70	159	75	4 Ruter	S 8	100	13,0	-13,0
95	55	220	4 Ruter	S 8	100	13,0	-13,0
79	57	17	4 Ruter	S 8	100	13,0	-13,0
60	25	87	4 Ruter	S 8	100	13,0	-13,0
63	155	82	4 Ruter	S 8	100	13,0	-13,0
29	12	198	4 Ruter	S 8	100	13,0	-13,0
105	221	74	4 Spar	S 8	100	13,0	-13,0
76	18	172	4 Spar	S 8	100	13,0	-13,0
97	218	13	4 Spar	S 8	100	13,0	-13,0
115	234	134	4 Spar	S 8	100	13,0	-13,0
14	34	61	4 Spar	S 8	100	13,0	-13,0
55	39	191	4 Spar	S 8	100	13,0	-13,0
102	65	102	4 Spar	S 8	100	13,0	-13,0
104	124	231	4 Spar	S 8	100	13,0	-13,0
74	118	83	4 Spar	S 8	100	13,0	-13,0
101	117	47	4 Spar	S 8	100	13,0	-13,0
36	40	160	4 Spar	S 8	100	13,0	-13,0
27	69	5	4 Spar	S 8	100	13,0	-13,0
23	48	49	4 Spar	S 8	100	13,0	-13,0
108	168	162	4 Spar	S 8	100	13,0	-13,0
58	129	135	4 Spar	S 8	100	13,0	-13,0
10	103	207	4 Spar	S 8	100	13,0	-13,0
47	95	140	4 Spar	S 8	100	13,0	-13,0
57	36	2	4 Spar	S 8	100	13,0	-13,0
56	62	50	5 Ruter	S 9	100	13,0	-13,0
43	138	73	5 Ruter	S 9	100	13,0	-13,0
90	214	188	5 Ruter	S 9	100	13,0	-13,0
117	46	225	5 Ruter	S 9	100	13,0	-13,0
80	26	200	3 NT	N 6	150	-42,0	42,0
26	31	56	4 Hjerter	N 7	150	-42,0	42,0

44	37	112	4 Hjerter	N 7	150	-42,0	42,0
25	29	90	4 Hjerter	N 7	150	-42,0	42,0
16	235	142	4 NT	N 7	150	-42,0	42,0
89	215	184	4 Ruter	S 7	150	-42,0	42,0
65	76	227	4 Ruter	S 7	150	-42,0	42,0
93	33	20	4 Spar	S 7	150	-42,0	42,0
48	107	211	4 Spar	S 7	150	-42,0	42,0
2	72	196	5 Ruter	S 8	150	-42,0	42,0
92	186	52	5 Ruter	S 8	150	-42,0	42,0
116	51	151	5 Ruter	N 8	150	-42,0	42,0
61	6	108	5 Spar	S 8	150	-42,0	42,0
31	173	85	6 Ruter	S 9	150	-42,0	42,0
54	144	212	3 NT	N 5	200	-65,0	65,0
1	132	206	4 Ruter	S 6	200	-65,0	65,0
34	164	9	4 Spar	S 6	200	-65,0	65,0
75	106	177	4 Spar	S 6	200	-65,0	65,0
100	32	15	4 Spar	N 6	200	-65,0	65,0
114	156	170	5 Ruter	S 7	200	-65,0	65,0
85	1	213	5 Ruter	S 7	200	-65,0	65,0
18	99	116	5 Ruter	S 7	200	-65,0	65,0
106	193	98	6 Ruter	S 8	200	-65,0	65,0
59	161	197	4 Spar	S 5	250	-75,0	75,0
50	96	115	4 NT	D N 8	300	-89,0	89,0
30	42	153	4 Ruter	D S 8	300	-89,0	89,0
66	216	203	4 Ruter	D S 8	300	-89,0	89,0
107	199	178	4 Spar	D S 8	300	-89,0	89,0
12	229	45	4 Spar	D S 8	300	-89,0	89,0
5	22	149	4 Spar	D S 8	300	-89,0	89,0
86	158	93	4 Spar	D S 8	300	-89,0	89,0
35	114	137	4 Spar	D S 8	300	-89,0	89,0
46	11	97	4 Spar	D S 8	300	-89,0	89,0
9	89	71	5 Ruter	D S 9	300	-89,0	89,0
37	101	30	5 Ruter	D S 9	300	-89,0	89,0
64	126	23	5 Ruter	D S 9	300	-89,0	89,0
53	226	157	5 Ruter	D S 9	300	-89,0	89,0
49	91	210	4 Spar	D N 7	500	-108,0	108,0
84	53	125	4 Spar	D S 7	500	-108,0	108,0
20	223	179	5 Ruter	D S 8	500	-108,0	108,0
41	24	236	5 Ruter	D N 8	500	-108,0	108,0
38	80	105	5 Ruter	D S 8	500	-108,0	108,0
83	166	195	5 Spar	D S 8	500	-108,0	108,0
88	10	79	6 Ruter	D S 8	800	-115,0	115,0
51	123	169	4 NT	D N 5	1100	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
67	67	183	4 Hjerter	D Ø 8 500	117,0	-117,0	
94	64	43	3NT	V 5 400	115,0	-115,0	
34	164	9	3NT	V 6 300	108,0	-108,0	
63	155	82	3NT	V 6 300	108,0	-108,0	
80	26	200	3NT	V 6 300	108,0	-108,0	
20	223	179	3NT	Ø 6 300	108,0	-108,0	
23	48	49	3NT	V 6 300	108,0	-108,0	
6	58	146	3NT	V 6 300	108,0	-108,0	
104	124	231	2NT	Ø 6 200	41,0	-41,0	
118	208	230	3 Hjerter	Ø 7 200	41,0	-41,0	
77	70	154	3 Hjerter	Ø 7 200	41,0	-41,0	
46	11	97	3 Kløver	V 7 200	41,0	-41,0	
52	3	19	3NT	V 7 200	41,0	-41,0	
61	6	108	3NT	V 7 200	41,0	-41,0	
110	113	59	3NT	V 7 200	41,0	-41,0	
74	118	83	3NT	V 7 200	41,0	-41,0	
69	81	232	3NT	V 7 200	41,0	-41,0	
88	10	79	3NT	V 7 200	41,0	-41,0	
71	180	128	3NT	V 7 200	41,0	-41,0	
70	159	75	3NT	V 7 200	41,0	-41,0	
99	86	21	3NT	V 7 200	41,0	-41,0	
42	194	92	3NT	V 7 200	41,0	-41,0	
82	185	7	3NT	V 7 200	41,0	-41,0	
12	229	45	3NT	V 7 200	41,0	-41,0	
17	41	84	3NT	Ø 7 200	41,0	-41,0	
59	161	197	3NT	V 7 200	41,0	-41,0	
113	145	104	3NT	V 7 200	41,0	-41,0	
45	182	204	3NT	V 7 200	41,0	-41,0	
49	91	210	3NT	V 7 200	41,0	-41,0	
41	24	236	3NT	V 7 200	41,0	-41,0	
83	166	195	3NT	Ø 7 200	41,0	-41,0	
36	40	160	3NT	V 7 200	41,0	-41,0	
108	168	162	3NT	V 7 200	41,0	-41,0	
115	234	134	3NT	V 7 200	41,0	-41,0	
93	33	20	3NT	V 7 200	41,0	-41,0	
87	167	181	3NT	V 7 200	41,0	-41,0	
40	224	190	3NT	V 7 200	41,0	-41,0	
4	133	189	3NT	Ø 7 200	41,0	-41,0	
106	193	98	3NT	V 7 200	41,0	-41,0	
30	42	153	3NT	V 7 200	41,0	-41,0	
112	171	110	3NT	V 7 200	41,0	-41,0	
66	216	203	3NT	V 7 200	41,0	-41,0	
86	158	93	3NT	V 7 200	41,0	-41,0	
16	235	142	3NT	V 7 200	41,0	-41,0	
51	123	169	3NT	V 7 200	41,0	-41,0	
13	8	217	3NT	V 7 200	41,0	-41,0	
10	103	207	3NT	V 7 200	41,0	-41,0	
44	37	112	3NT	V 7 200	41,0	-41,0	
15	44	77	3NT	V 7 200	41,0	-41,0	
25	29	90	3NT	V 7 200	41,0	-41,0	
85	1	213	3NT	V 7 200	41,0	-41,0	
90	214	188	3NT	V 7 200	41,0	-41,0	
2	72	196	3NT	V 7 200	41,0	-41,0	
103	141	120	3NT	V 7 200	41,0	-41,0	
56	62	50	3NT	V 7 200	41,0	-41,0	
5	22	149	3NT	V 7 200	41,0	-41,0	
58	129	135	3NT	V 7 200	41,0	-41,0	
65	76	227	3NT	V 7 200	41,0	-41,0	
68	94	139	3NT	V 7 200	41,0	-41,0	
26	31	56	3NT	V 7 200	41,0	-41,0	
75	106	177	3NT	V 7 200	41,0	-41,0	
96	60	122	3NT	V 7 200	41,0	-41,0	
33	202	78	3NT	V 7 200	41,0	-41,0	
72	127	187	3NT	V 7 200	41,0	-41,0	
18	99	116	4 Hjerter	Ø 8 200	41,0	-41,0	
111	111	209	4 Hjerter	Ø 8 200	41,0	-41,0	
38	80	105	4 Hjerter	Ø 8 200	41,0	-41,0	
39	222	176	4 Hjerter	Ø 8 200	41,0	-41,0	
53	226	157	4 Hjerter	Ø 8 200	41,0	-41,0	
114	156	170	2NT	V 7 100	-54,0	54,0	
7	63	131	2 Spar	V 7 100	-54,0	54,0	
8	121	35	3NT	V 8 100	-54,0	54,0	
24	228	201	3NT	V 8 100	-54,0	54,0	
22	119	16	3NT	V 8 100	-54,0	54,0	
105	221	74	3NT	Ø 8 100	-54,0	54,0	

11	150	68	3NT	V 8 100	-54,0	54,0	
32	148	100	3NT	V 8 100	-54,0	54,0	
97	218	13	3NT	Ø 8 100	-54,0	54,0	
3	136	233	3NT	V 8 100	-54,0	54,0	
91	38	4	3NT	V 8 100	-54,0	54,0	
73	28	152	3NT	V 8 100	-54,0	54,0	
107	199	178	3NT	V 8 100	-54,0	54,0	
101	117	47	3NT	Ø 8 100	-54,0	54,0	
14	34	61	3NT	V 8 100	-54,0	54,0	
28	109	88	3NT	V 8 100	-54,0	54,0	
54	144	212	3NT	V 8 100	-54,0	54,0	
92	186	52	3NT	V 8 100	-54,0	54,0	
117	46	225	3NT	V 8 100	-54,0	54,0	
98	66	27	3NT	V 8 100	-54,0	54,0	
84	53	125	3NT	V 8 100	-54,0	54,0	
27	69	5	3NT	V 8 100	-54,0	54,0	
102	65	102	3NT	V 8 100	-54,0	54,0	
60	25	87	3NT	V 8 100	-54,0	54,0	
19	14	174	3NT	Ø 8 100	-54,0	54,0	
47	95	140	3NT	V 8 100	-54,0	54,0	
79	57	17	3NT	V 8 100	-54,0	54,0	
9	89	71	3NT	V 8 100	-54,0	54,0	
29	12	198	3NT	V 8 100	-54,0	54,0	
21	147	219	4 Hjerter	Ø 9 100	-54,0	54,0	
95	55	220	4 Hjerter	Ø 9 100	-54,0	54,0	
109	175	143	4 Hjerter	Ø 9 100	-54,0	54,0	
116	51	151	4 Hjerter	V 9 100	-54,0	54,0	
89	215	184	4 Hjerter	Ø 9 100	-54,0	54,0	
78	165	163	1NT	V 7 90	-89,0	89,0	
76	18	172	2 Hjerter	V 8 110	-91,0	91,0	
1	132	206	1NT	D S 6 200	-93,0	93,0	
31	173	85	1 Hjerter	D N 5 500	-95,0	95,0	
55	39	191	3NT	Ø 9 600	-99,0	99,0	
62	54	130	3NT	Ø 9 600	-99,0	99,0	
64	126	23	3NT	Ø 9 600	-99,0	99,0	
35	114	137	3NT	V 10 630	-105,0	105,0	
37	101	30	3NT	V 10 630	-105,0	105,0	
50	96	115	3NT	Ø 10 630	-105,0	105,0	
100	32	15	1 Hjerter	D S 4 800	-110,0	110,0	
57	36	2	2 Hjerter	D N 5 800	-110,0	110,0	
81	205	192	2 Hjerter	D V 9 870	-113,0	113,0	
48	107	211	2 Ruter	D S 4 1100	-116,0	116,0	
43	138	73	2 Ruter	D S 4 1100	-116,0	116,0	


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
8	142	229	2 Kløver	D S	8 180	117,0	-117,0
86	192	76	3 NT	Ø	6 150	114,0	-114,0
47	203	123	3 Ruter	V	6 150	114,0	-114,0
65	53	172	2 NT	N	8 120	111,0	-111,0
80	125	158	2 Hjerter	Ø	6 100	101,0	-101,0
118	208	151	2 NT	Ø	6 100	101,0	-101,0
105	55	32	2 NT	Ø	6 100	101,0	-101,0
77	23	64	2 NT	Ø	6 100	101,0	-101,0
56	183	157	2 NT	Ø	6 100	101,0	-101,0
55	73	28	2 NT	Ø	6 100	101,0	-101,0
112	43	168	2 NT	Ø	6 100	101,0	-101,0
93	79	65	4 Ruter	V	8 100	101,0	-101,0
64	36	127	4 Spar	V	8 100	101,0	-101,0
96	163	38	1 NT	Ø	6 50	67,0	-67,0
110	162	170	1 NT	Ø	6 50	67,0	-67,0
48	3	224	1 NT	Ø	6 50	67,0	-67,0
101	102	93	1 NT	Ø	6 50	67,0	-67,0
24	176	164	1 NT	Ø	6 50	67,0	-67,0
5	132	58	1 NT	Ø	6 50	67,0	-67,0
52	11	114	1 NT	Ø	6 50	67,0	-67,0
2	196	71	1 NT	Ø	6 50	67,0	-67,0
60	9	144	1 NT	Ø	6 50	67,0	-67,0
90	218	106	2 NT	Ø	7 50	67,0	-67,0
85	6	20	2 NT	Ø	7 50	67,0	-67,0
35	198	226	2 NT	Ø	7 50	67,0	-67,0
79	200	165	2 NT	Ø	7 50	67,0	-67,0
51	173	182	2 Spar	V	7 50	67,0	-67,0
89	213	18	3 NT	Ø	8 50	67,0	-67,0
83	214	178	3 NT	Ø	8 50	67,0	-67,0
66	152	118	3 Ruter	V	8 50	67,0	-67,0
71	83	140	3 Ruter	V	8 50	67,0	-67,0
12	48	121	3 Ruter	V	8 50	67,0	-67,0
29	77	160	3 Ruter	V	8 50	67,0	-67,0
81	82	26	3 Ruter	V	8 50	67,0	-67,0
3	146	189	3 Ruter	V	8 50	67,0	-67,0
58	97	81	3 Ruter	Ø	8 50	67,0	-67,0
106	175	47	3 Spar	V	8 50	67,0	-67,0
114	230	134	4 Ruter	V	9 50	67,0	-67,0
69	216	19	1 NT	Ø	7 90	29,0	-29,0
28	211	69	1 NT	Ø	7 90	29,0	-29,0
31	5	202	1 NT	Ø	7 90	29,0	-29,0
46	91	87	2 Ruter	V	8 90	29,0	-29,0
41	80	37	2 Ruter	V	8 90	29,0	-29,0
33	100	138	2 Ruter	V	8 90	29,0	-29,0
76	205	75	2 Ruter	V	8 90	29,0	-29,0
70	187	227	2 Ruter	V	8 90	29,0	-29,0
109	74	193	2 Ruter	V	8 90	29,0	-29,0
67	94	27	2 Ruter	V	8 90	29,0	-29,0
17	41	223	2 Ruter	V	8 90	29,0	-29,0
111	104	59	2 Ruter	V	8 90	29,0	-29,0
72	188	2	2 Ruter	V	8 90	29,0	-29,0
10	116	150	1 NT	N	6 100	15,0	-15,0
95	4	117	2 Ruter	V	9 110	-21,0	21,0
53	112	128	2 Ruter	V	9 110	-21,0	21,0
115	234	120	2 Ruter	Ø	9 110	-21,0	21,0
100	33	171	2 Spar	V	8 110	-21,0	21,0
82	177	10	2 Spar	V	8 110	-21,0	21,0
103	199	231	2 Spar	V	8 110	-21,0	21,0
20	103	137	2 Spar	Ø	8 110	-21,0	21,0
59	105	194	2 Spar	V	8 110	-21,0	21,0
11	22	179	2 Spar	V	8 110	-21,0	21,0
43	67	109	2 Spar	V	8 110	-21,0	21,0
4	206	34	2 Spar	V	8 110	-21,0	21,0
74	154	155	2 Spar	V	8 110	-21,0	21,0
50	85	54	2 Spar	V	8 110	-21,0	21,0
14	61	207	2 Spar	V	8 110	-21,0	21,0
63	191	126	3 Ruter	V	9 110	-21,0	21,0
108	98	145	3 Ruter	V	9 110	-21,0	21,0
84	180	167	3 Ruter	V	9 110	-21,0	21,0
102	122	209	3 Ruter	V	9 110	-21,0	21,0
21	8	78	3 Ruter	V	9 110	-21,0	21,0
27	219	24	3 Ruter	V	9 110	-21,0	21,0
94	52	60	3 Ruter	V	9 110	-21,0	21,0
78	181	7	3 Ruter	V	9 110	-21,0	21,0
107	143	221	3 Ruter	V	9 110	-21,0	21,0

57	108	12	3 Ruter	V	9	110	-21,0	21,0
37	30	56	3 Ruter	V	9	110	-21,0	21,0
15	45	89	3 Ruter	Ø	9	110	-21,0	21,0
104	141	111	3 Ruter	V	9	110	-21,0	21,0
18	228	174	3 Ruter	Ø	9	110	-21,0	21,0
117	156	46	3 Ruter	V	9	110	-21,0	21,0
75	232	186	3 Ruter	V	9	110	-21,0	21,0
42	212	39	3 Ruter	V	9	110	-21,0	21,0
61	50	169	3 Ruter	V	9	110	-21,0	21,0
34	84	148	3 Ruter	Ø	9	110	-21,0	21,0
16	153	201	3 Ruter	V	9	110	-21,0	21,0
62	130	17	3 Ruter	V	9	110	-21,0	21,0
7	63	149	1 NT	Ø	8	120	-61,0	61,0
22	88	44	1 NT	Ø	8	120	-61,0	61,0
44	161	101	2 NT	Ø	8	120	-61,0	61,0
92	57	1	2 NT	Ø	8	120	-61,0	61,0
38	236	129	2 NT	Ø	8	120	-61,0	61,0
25	49	222	2 Ruter	V	10	130	-70,0	70,0
113	110	113	2 Ruter	V	10	130	-70,0	70,0
87	195	70	3 Ruter	Ø	10	130	-70,0	70,0
23	119	235	3 Ruter	V	10	130	-70,0	70,0
45	135	107	2 Spar	V	9	140	-85,0	85,0
97	13	124	2 Spar	V	9	140	-85,0	85,0
88	184	86	2 Spar	V	9	140	-85,0	85,0
13	14	35	2 Spar	V	9	140	-85,0	85,0
26	147	210	2 Spar	V	9	140	-85,0	85,0
68	197	166	2 Spar	V	9	140	-85,0	85,0
6	233	133	2 Spar	V	9	140	-85,0	85,0
91	220	185	2 Spar	V	9	140	-85,0	85,0
49	25	159	2 Spar	V	9	140	-85,0	85,0
73	139	62	2 Spar	V	9	140	-85,0	85,0
99	21	66	3 Spar	Ø	9	140	-85,0	85,0
40	92	40	1 NT	Ø	9	150	-104,0	104,0
54	190	31	1 NT	Ø	9	150	-104,0	104,0
1	131	72	1 NT	Ø	9	150	-104,0	104,0
116	225	51	2 NT	Ø	9	150	-104,0	104,0
19	42	99	2 NT	V	9	150	-104,0	104,0
32	29	96	2 NT	Ø	9	150	-104,0	104,0
30	90	217	2 NT	Ø	9	150	-104,0	104,0
39	115	95	2 NT	Ø	9	150	-104,0	104,0
98	215	15	1 NT	Ø	10	180	-114,0	114,0
36	204	16	1 NT	Ø	10	180	-114,0	114,0
9	68	136	2 Hjerter	S	6	200	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
78	181	7	3 NT	D V 8	200	117,0	-117,0
50	85	54	3 Kløver	V 8	100	113,0	-113,0
81	82	26	3 Kløver	V 8	100	113,0	-113,0
93	79	65	3 Ruter	Ø 8	100	113,0	-113,0
71	83	140	1 Hjerter	S 6	50	106,0	-106,0
90	218	106	2 Hjerter	S 7	50	106,0	-106,0
67	94	27	2 Hjerter	S 7	50	106,0	-106,0
34	84	148	3 Hjerter	S 8	50	106,0	-106,0
99	21	66	1 NT	V 7	90	98,0	-98,0
113	110	113	1 NT	Ø 7	90	98,0	-98,0
43	67	109	1 NT	V 7	90	98,0	-98,0
107	143	221	1 NT	V 7	90	98,0	-98,0
49	25	159	1 NT	S 5	100	50,0	-50,0
7	63	149	1 NT	N 5	100	50,0	-50,0
65	53	172	1 NT	S 5	100	50,0	-50,0
95	4	117	2 Hjerter	S 6	100	50,0	-50,0
41	80	37	2 Hjerter	S 6	100	50,0	-50,0
73	139	62	2 Hjerter	S 6	100	50,0	-50,0
104	141	111	2 Hjerter	S 6	100	50,0	-50,0
47	203	123	2 Hjerter	S 6	100	50,0	-50,0
8	142	229	2 Hjerter	S 6	100	50,0	-50,0
80	125	158	2 Hjerter	S 6	100	50,0	-50,0
89	213	18	2 Hjerter	S 6	100	50,0	-50,0
58	97	81	2 Hjerter	S 6	100	50,0	-50,0
44	161	101	2 Hjerter	S 6	100	50,0	-50,0
17	41	223	2 Hjerter	S 6	100	50,0	-50,0
92	57	1	2 Hjerter	S 6	100	50,0	-50,0
15	45	89	2 Hjerter	S 6	100	50,0	-50,0
103	199	231	2 Hjerter	S 6	100	50,0	-50,0
29	77	160	2 Hjerter	N 6	100	50,0	-50,0
60	9	144	2 Hjerter	S 6	100	50,0	-50,0
16	153	201	2 Hjerter	S 6	100	50,0	-50,0
28	211	69	2 Hjerter	S 6	100	50,0	-50,0
62	130	17	2 Hjerter	S 6	100	50,0	-50,0
85	6	20	2 Hjerter	S 6	100	50,0	-50,0
74	154	155	2 Hjerter	S 6	100	50,0	-50,0
98	215	15	2 Hjerter	S 6	100	50,0	-50,0
72	188	2	2 Hjerter	S 6	100	50,0	-50,0
117	156	46	2 Hjerter	S 6	100	50,0	-50,0
63	191	126	2 Hjerter	S 6	100	50,0	-50,0
116	225	51	2 Hjerter	S 6	100	50,0	-50,0
82	177	10	2 Hjerter	S 6	100	50,0	-50,0
38	236	129	2 Hjerter	S 6	100	50,0	-50,0
56	183	157	2 Hjerter	S 6	100	50,0	-50,0
101	102	93	2 Hjerter	S 6	100	50,0	-50,0
36	204	16	2 Hjerter	S 6	100	50,0	-50,0
20	103	137	2 Hjerter	S 6	100	50,0	-50,0
102	122	209	2 Hjerter	S 6	100	50,0	-50,0
83	214	178	2 Hjerter	S 6	100	50,0	-50,0
105	55	32	2 Hjerter	S 6	100	50,0	-50,0
70	187	227	2 Hjerter	S 6	100	50,0	-50,0
87	195	70	2 Hjerter	N 6	100	50,0	-50,0
4	206	34	2 Hjerter	S 6	100	50,0	-50,0
5	132	58	2 Spar	N 6	100	50,0	-50,0
13	14	35	2 Spar	N 6	100	50,0	-50,0
27	219	24	3 Spar	N 7	100	50,0	-50,0
114	230	134	2 Hjerter	V 8	110	-1,0	1,0
22	88	44	3 Ruter	Ø 9	110	-1,0	1,0
88	184	86	3 Ruter	Ø 9	110	-1,0	1,0
84	180	167	3 Ruter	Ø 9	110	-1,0	1,0
33	100	138	3 Ruter	Ø 9	110	-1,0	1,0
40	92	40	3 Ruter	Ø 9	110	-1,0	1,0
23	119	235	3 Ruter	Ø 9	110	-1,0	1,0
111	104	59	1 NT	V 8	120	-27,0	27,0
108	98	145	1 NT	V 8	120	-27,0	27,0
32	29	96	1 NT	V 8	120	-27,0	27,0
94	52	60	1 NT	V 8	120	-27,0	27,0
12	48	121	1 NT	V 8	120	-27,0	27,0
48	3	224	1 NT	V 8	120	-27,0	27,0
53	112	128	1 NT	V 8	120	-27,0	27,0
75	232	186	1 NT	V 8	120	-27,0	27,0
86	192	76	1 NT	Ø 8	120	-27,0	27,0
24	176	164	1 NT	V 8	120	-27,0	27,0
45	135	107	1 NT	V 8	120	-27,0	27,0
106	175	47	1 NT	V 8	120	-27,0	27,0

25	49	222	1 NT	V 8	120	-27,0	27,0
39	115	95	1 NT	V 8	120	-27,0	27,0
59	105	194	1 NT	V 8	120	-27,0	27,0
3	146	189	1 NT	V 8	120	-27,0	27,0
54	190	31	1 NT	V 8	120	-27,0	27,0
109	74	193	2 NT	V 8	120	-27,0	27,0
61	50	169	2 NT	V 8	120	-27,0	27,0
37	30	56	1 NT	V 9	150	-57,0	57,0
10	116	150	1 NT	V 9	150	-57,0	57,0
79	200	165	1 NT	V 9	150	-57,0	57,0
26	147	210	1 NT	V 9	150	-57,0	57,0
1	131	72	1 NT	V 9	150	-57,0	57,0
55	73	28	2 Hjerter	S 5	150	-57,0	57,0
21	8	78	2 NT	V 9	150	-57,0	57,0
31	5	202	2 NT	V 9	150	-57,0	57,0
51	173	182	2 Spar	N 5	150	-57,0	57,0
9	68	136	3 Hjerter	S 6	150	-57,0	57,0
46	91	87	3 Hjerter	S 6	150	-57,0	57,0
97	13	124	2 Hjerter	D S 6	300	-78,0	78,0
110	162	170	2 Hjerter	D S 6	300	-78,0	78,0
11	22	179	2 Hjerter	D S 6	300	-78,0	78,0
19	42	99	2 Hjerter	D S 6	300	-78,0	78,0
76	205	75	2 Hjerter	D S 6	300	-78,0	78,0
112	43	168	2 Hjerter	D S 6	300	-78,0	78,0
18	228	174	2 Hjerter	D S 6	300	-78,0	78,0
100	33	171	2 Spar	D N 6	300	-78,0	78,0
57	108	12	3 Hjerter	D S 7	300	-78,0	78,0
69	216	19	3 Hjerter	D S 7	300	-78,0	78,0
6	233	133	1 NT	D V 8	380	-89,0	89,0
66	152	118	2 Spar	D N 5	500	-96,0	96,0
96	163	38	3 Hjerter	D S 6	500	-96,0	96,0
14	61	207	3 Hjerter	D S 6	500	-96,0	96,0
91	220	185	3 Hjerter	D S 6	500	-96,0	96,0
68	197	166	3 Spar	D N 6	500	-96,0	96,0
30	90	217	3 Spar	D N 6	500	-96,0	96,0
64	36	127	3 NT	V 9	600	-105,0	105,0
2	196	71	3 NT	V 9	600	-105,0	105,0
115	234	120	3 NT	Ø 9	600	-105,0	105,0
52	11	114	2 NT	D V 8	690	-109,0	109,0
77	23	64	3 NT	D V 9	750	-111,0	111,0
118	208	151	3 Hjerter	D S 5	800	-114,0	114,0
42	212	39	4 Hjerter	D S 6	800	-114,0	114,0
35	198	226	3 Spar	D N 4	1100	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
102	122	209	3NT	N 12	690	113,0 -113,0
118	208	151	3NT	N 12	690	113,0 -113,0
58	97	81	3NT	N 12	690	113,0 -113,0
47	203	123	3NT	N 12	690	113,0 -113,0
31	5	202	3NT	N 12	690	113,0 -113,0
3	146	189	4 Hjerter	S 12	680	95,8 -95,8
94	52	60	4 Hjerter	S 12	680	95,8 -95,8
60	9	144	4 Hjerter	S 12	680	95,8 -95,8
42	212	39	4 Hjerter	S 12	680	95,8 -95,8
27	219	24	4 Hjerter	S 12	680	95,8 -95,8
29	77	160	4 Hjerter	N 12	680	95,8 -95,8
70	187	227	4 Hjerter	S 12	680	95,8 -95,8
39	115	95	4 Hjerter	S 12	680	95,8 -95,8
117	156	46	4 Hjerter	N 12	680	95,8 -95,8
32	29	96	4 Hjerter	S 12	680	95,8 -95,8
61	50	169	4 Spar	S 12	680	95,8 -95,8
21	8	78	4 Spar	N 12	680	95,8 -95,8
89	213	18	3NT	N 11	660	48,4 -48,4
112	43	168	3NT	N 11	660	48,4 -48,4
74	154	155	3NT	N 11	660	48,4 -48,4
88	184	86	3NT	N 11	660	48,4 -48,4
14	61	207	3NT	N 11	660	48,4 -48,4
38	236	129	3NT	N 11	660	48,4 -48,4
4	206	34	3NT	N 11	660	48,4 -48,4
69	216	19	3NT	N 11	660	48,4 -48,4
52	11	114	3NT	N 11	660	48,4 -48,4
54	190	31	3NT	N 11	660	48,4 -48,4
18	228	174	3NT	N 11	660	48,4 -48,4
51	173	182	3NT	N 11	660	48,4 -48,4
115	234	120	3NT	N 11	660	48,4 -48,4
17	41	223	3NT	N 11	660	48,4 -48,4
15	45	89	3NT	N 11	660	48,4 -48,4
116	225	51	3NT	N 11	660	48,4 -48,4
99	21	66	3NT	N 11	660	48,4 -48,4
104	141	111	3NT	N 11	660	48,4 -48,4
10	116	150	3NT	N 11	660	48,4 -48,4
113	110	113	3NT	N 11	660	48,4 -48,4
114	230	134	3NT	N 11	660	48,4 -48,4
33	100	138	3NT	N 11	660	48,4 -48,4
9	68	136	3NT	N 11	660	48,4 -48,4
87	195	70	3NT	N 11	660	48,4 -48,4
50	85	54	3NT	N 11	660	48,4 -48,4
66	152	118	3NT	N 11	660	48,4 -48,4
30	90	217	3NT	N 11	660	48,4 -48,4
41	80	37	3NT	N 11	660	48,4 -48,4
23	119	235	3NT	N 11	660	48,4 -48,4
81	82	26	3NT	N 11	660	48,4 -48,4
80	125	158	3NT	N 11	660	48,4 -48,4
22	88	44	3NT	N 11	660	48,4 -48,4
44	161	101	3NT	N 11	660	48,4 -48,4
7	63	149	3NT	N 11	660	48,4 -48,4
108	98	145	3NT	N 11	660	48,4 -48,4
57	108	12	4 Hjerter	S 11	650	6,1 -6,1
109	74	193	4 Hjerter	S 11	650	6,1 -6,1
20	103	137	4 Hjerter	S 11	650	6,1 -6,1
36	204	16	4 Hjerter	S 11	650	6,1 -6,1
103	199	231	4 Hjerter	S 11	650	6,1 -6,1
19	42	99	4 Hjerter	S 11	650	6,1 -6,1
110	162	170	4 Hjerter	S 11	650	6,1 -6,1
72	188	2	40%-40%			-23,4 -23,4
28	211	69	3NT	N 10	630	-53,5 53,5
43	67	109	3NT	N 10	630	-53,5 53,5
83	214	178	3NT	S 10	630	-53,5 53,5
78	181	7	3NT	N 10	630	-53,5 53,5
85	6	20	3NT	N 10	630	-53,5 53,5
98	215	15	3NT	N 10	630	-53,5 53,5
111	104	59	3NT	N 10	630	-53,5 53,5
55	73	28	3NT	N 10	630	-53,5 53,5
56	183	157	3NT	N 10	630	-53,5 53,5
67	94	27	3NT	N 10	630	-53,5 53,5
35	198	226	3NT	N 10	630	-53,5 53,5
65	53	172	3NT	S 10	630	-53,5 53,5
101	102	93	3NT	N 10	630	-53,5 53,5
76	205	75	3NT	S 10	630	-53,5 53,5
63	191	126	3NT	N 10	630	-53,5 53,5

16	153	201	3NT	N 10	630	-53,5 53,5
40	92	40	3NT	N 10	630	-53,5 53,5
105	55	32	3NT	N 10	630	-53,5 53,5
73	139	62	3NT	S 10	630	-53,5 53,5
100	33	171	3NT	N 10	630	-53,5 53,5
11	22	179	3NT	N 10	630	-53,5 53,5
49	25	159	3NT	N 10	630	-53,5 53,5
93	79	65	3NT	N 10	630	-53,5 53,5
37	30	56	3NT	N 10	630	-53,5 53,5
84	180	167	3NT	N 10	630	-53,5 53,5
95	4	117	3NT	N 10	630	-53,5 53,5
96	163	38	3NT	N 10	630	-53,5 53,5
90	218	106	3NT	N 10	630	-53,5 53,5
6	233	133	3NT	N 10	630	-53,5 53,5
62	130	17	3NT	N 10	630	-53,5 53,5
53	112	128	3NT	N 10	630	-53,5 53,5
46	91	87	3NT	N 10	630	-53,5 53,5
82	177	10	3NT	N 10	630	-53,5 53,5
107	143	221	3NT	N 10	630	-53,5 53,5
5	132	58	3NT	N 10	630	-53,5 53,5
24	176	164	3NT	N 10	630	-53,5 53,5
64	36	127	3NT	N 10	630	-53,5 53,5
92	57	1	3NT	S 10	630	-53,5 53,5
34	84	148	3NT	N 10	630	-53,5 53,5
48	3	224	3NT	N 10	630	-53,5 53,5
25	49	222	3NT	N 10	630	-53,5 53,5
106	175	47	3NT	N 10	630	-53,5 53,5
79	200	165	3NT	N 10	630	-53,5 53,5
26	147	210	3NT	N 10	630	-53,5 53,5
71	83	140	3NT	S 10	630	-53,5 53,5
2	196	71	3NT	N 10	630	-53,5 53,5
68	197	166	3NT	N 10	630	-53,5 53,5
91	220	185	3NT	N 10	630	-53,5 53,5
45	135	107	3NT	N 10	630	-53,5 53,5
59	105	194	3NT	N 10	630	-53,5 53,5
8	142	229	3NT	N 10	630	-53,5 53,5
77	23	64	3NT	N 10	630	-53,5 53,5
75	232	186	4 Hjerter	N 10	620	-107,9 107,9
13	14	35	4 Spar	N 10	620	-107,9 107,9
12	48	121	3NT	S 9	600	-113,0 113,0
86	192	76	3NT	S 9	600	-113,0 113,0
1	131	72	3NT	N 9	600	-113,0 113,0
97	13	124	3 Ruter	N 10	130	-117,0 117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
12	121	179	2 Hjerter	D Ø 4	800	117,0	-117,0
61	86	9	3 Ruter	D Ø 6	500	115,0	-115,0
110	21	74	3NT	N 10	430	113,0	-113,0
35	159	148	3NT	S 9	400	96,0	-96,0
27	99	210	3NT	N 9	400	96,0	-96,0
47	194	56	3NT	S 9	400	96,0	-96,0
107	143	199	3NT	S 9	400	96,0	-96,0
79	214	79	3NT	N 9	400	96,0	-96,0
89	192	232	3NT	N 9	400	96,0	-96,0
99	82	215	3NT	S 9	400	96,0	-96,0
77	52	180	3NT	S 9	400	96,0	-96,0
80	190	50	3NT	N 9	400	96,0	-96,0
5	233	48	3NT	N 9	400	96,0	-96,0
70	26	188	3NT	N 9	400	96,0	-96,0
105	98	113	3NT	S 9	400	96,0	-96,0
51	203	169	3NT	N 9	400	96,0	-96,0
3	71	131	3NT	S 9	400	96,0	-96,0
100	65	106	3NT	S 9	400	96,0	-96,0
44	40	182	3NT	N 9	400	96,0	-96,0
81	220	20	2 Ruter	D Ø 6	300	79,0	-79,0
78	166	101	2NT	S 9	150	76,0	-76,0
113	234	110	2NT	N 9	150	76,0	-76,0
36	236	64	2 Spar	N 9	140	72,0	-72,0
14	14	211	3 Hjerter	N 9	140	72,0	-72,0
20	201	88	1NT	S 8	120	59,0	-59,0
109	193	209	2NT	N 8	120	59,0	-59,0
25	164	147	2NT	N 8	120	59,0	-59,0
97	93	218	2NT	S 8	120	59,0	-59,0
94	4	10	2NT	N 8	120	59,0	-59,0
87	158	184	2NT	N 8	120	59,0	-59,0
65	173	177	2NT	N 8	120	59,0	-59,0
88	186	53	2NT	S 8	120	59,0	-59,0
117	208	43	2NT	S 8	120	59,0	-59,0
84	152	181	2NT	N 8	120	59,0	-59,0
54	92	191	2NT	S 8	120	59,0	-59,0
26	160	129	3 Kløver	S 9	110	47,0	-47,0
1	206	58	1NT	S 7	90	45,0	-45,0
31	222	5	3NT	N 8	50	-20,0	20,0
39	198	49	3NT	N 8	50	-20,0	20,0
19	174	44	3NT	N 8	50	-20,0	20,0
72	139	185	3NT	S 8	50	-20,0	20,0
115	59	156	3NT	N 8	50	-20,0	20,0
111	225	32	3NT	N 8	50	-20,0	20,0
40	95	3	3NT	N 8	50	-20,0	20,0
15	207	132	3NT	N 8	50	-20,0	20,0
86	15	18	3NT	N 8	50	-20,0	20,0
118	46	230	3NT	N 8	50	-20,0	20,0
37	115	28	3NT	N 8	50	-20,0	20,0
71	205	36	3NT	N 8	50	-20,0	20,0
112	168	104	3NT	N 8	50	-20,0	20,0
53	17	80	3NT	N 8	50	-20,0	20,0
17	223	228	3NT	N 8	50	-20,0	20,0
42	16	161	3NT	N 8	50	-20,0	20,0
18	41	45	3NT	N 8	50	-20,0	20,0
90	126	13	3NT	N 8	50	-20,0	20,0
33	96	78	3NT	N 8	50	-20,0	20,0
58	227	39	3NT	N 8	50	-20,0	20,0
34	77	84	3NT	N 8	50	-20,0	20,0
67	172	108	3NT	S 8	50	-20,0	20,0
32	224	100	3NT	N 8	50	-20,0	20,0
21	235	89	3NT	N 8	50	-20,0	20,0
104	145	122	3NT	N 8	50	-20,0	20,0
95	171	76	3NT	N 8	50	-20,0	20,0
66	70	54	3NT	N 8	50	-20,0	20,0
55	12	62	3NT	N 8	50	-20,0	20,0
91	165	75	3NT	S 8	50	-20,0	20,0
28	212	219	3NT	S 8	50	-20,0	20,0
52	155	130	3NT	N 8	50	-20,0	20,0
41	29	112	3NT	N 8	50	-20,0	20,0
102	33	117	3NT	N 8	50	-20,0	20,0
114	134	151	3NT	N 8	50	-20,0	20,0
101	175	57	3NT	N 8	50	-20,0	20,0
73	167	6	3NT	N 8	50	-20,0	20,0
69	127	197	3NT	N 8	50	-20,0	20,0
83	213	124	3NT	N 8	50	-20,0	20,0

11	35	142	3NT	S 8	50	-20,0	20,0
30	67	69	3NT	N 8	50	-20,0	20,0
7	116	229	3NT	N 8	50	-20,0	20,0
93	111	38	3NT	N 8	50	-20,0	20,0
29	24	42	3NT	N 8	50	-20,0	20,0
23	202	119	3NT	N 8	50	-20,0	20,0
82	163	114	3NT	N 8	50	-20,0	20,0
76	19	144	3NT	N 8	50	-20,0	20,0
46	31	25	3NT	N 8	50	-20,0	20,0
92	7	154	3NT	S 8	50	-20,0	20,0
16	61	30	3NT	N 8	50	-20,0	20,0
63	135	94	3NT	N 8	50	-20,0	20,0
24	176	90	3NT	N 8	50	-20,0	20,0
116	51	120	3NT	N 8	50	-20,0	20,0
10	68	146	3NT	N 8	50	-20,0	20,0
2	149	72	3NT	N 8	50	-20,0	20,0
4	133	196	3NT	N 8	50	-20,0	20,0
48	105	23	3NT	N 8	50	-20,0	20,0
57	87	125	3NT	N 8	50	-20,0	20,0
49	157	91	3NT	N 8	50	-20,0	20,0
6	34	189	3NT	N 8	50	-20,0	20,0
59	118	27	3NT	N 8	50	-20,0	20,0
85	200	60	3NT	S 8	50	-20,0	20,0
60	128	2	3NT	N 8	50	-20,0	20,0
45	217	204	4 Hjerter	S 9	50	-20,0	20,0
50	97	73	4 Hjerter	N 9	50	-20,0	20,0
38	138	85	3NT	N 7	100	-97,0	97,0
74	107	195	3NT	D S 8	100	-97,0	97,0
75	83	183	3NT	N 7	100	-97,0	97,0
98	47	141	3NT	N 7	100	-97,0	97,0
62	187	11	3NT	N 7	100	-97,0	97,0
43	81	226	3NT	N 7	100	-97,0	97,0
68	178	216	3NT	N 7	100	-97,0	97,0
13	136	8	3NT	N 7	100	-97,0	97,0
9	137	153	3NT	S 7	100	-97,0	97,0
108	170	231	3NT	S 7	100	-97,0	97,0
106	162	55	3NT	S 7	100	-97,0	97,0
8	63	150	3NT	N 7	100	-97,0	97,0
103	221	66	4 Spar	N 8	100	-97,0	97,0
56	109	37	3NT	N 6	150	-114,0	114,0
22	103	22	3NT	N 6	150	-114,0	114,0
96	102	1	3NT	N 6	150	-114,0	114,0
64	140	123	4 Hjerter	S 7	150	-114,0	114,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
71	205	36	3 Kløver	D Ø 7	500	117,0	-117,0
57	87	125	2 Spar	V 6	200	113,0	-113,0
97	93	218	3 Kløver	Ø 7	200	113,0	-113,0
106	162	55	3 Kløver	Ø 7	200	113,0	-113,0
67	172	108	2 Hjerter	S 8	110	109,0	-109,0
34	77	84	3 Kløver	Ø 8	100	103,0	-103,0
12	121	179	3 Kløver	Ø 8	100	103,0	-103,0
82	163	114	3 Kløver	Ø 8	100	103,0	-103,0
93	111	38	3 Kløver	Ø 8	100	103,0	-103,0
24	176	90	3 Kløver	Ø 8	100	103,0	-103,0
87	158	184	1 NT	N 7	90	86,0	-86,0
7	116	229	1 NT	N 7	90	86,0	-86,0
44	40	182	1 NT	N 7	90	86,0	-86,0
22	103	22	1 NT	N 7	90	86,0	-86,0
101	175	57	1 NT	N 7	90	86,0	-86,0
88	186	53	1 NT	N 7	90	86,0	-86,0
8	63	150	1 NT	N 7	90	86,0	-86,0
76	19	144	1 NT	N 7	90	86,0	-86,0
95	171	76	1 NT	N 7	90	86,0	-86,0
28	212	219	1 NT	N 7	90	86,0	-86,0
1	206	58	1 NT	N 7	90	86,0	-86,0
49	157	91	1 NT	N 7	90	86,0	-86,0
66	70	54	Pass			65,0	-65,0
23	202	119	Pass			65,0	-65,0
115	59	156	Pass			65,0	-65,0
110	21	74	Pass			65,0	-65,0
69	127	197	Pass			65,0	-65,0
5	233	48	Pass			65,0	-65,0
89	192	232	Pass			65,0	-65,0
17	223	228	Pass			65,0	-65,0
85	200	60	Pass			65,0	-65,0
55	12	62	1 NT	N 6	50	-14,0	14,0
39	198	49	1 NT	N 6	50	-14,0	14,0
6	34	189	1 NT	N 6	50	-14,0	14,0
10	68	146	1 NT	N 6	50	-14,0	14,0
37	115	28	1 NT	N 6	50	-14,0	14,0
90	126	13	1 NT	N 6	50	-14,0	14,0
36	236	64	1 NT	N 6	50	-14,0	14,0
73	167	6	1 NT	N 6	50	-14,0	14,0
27	99	210	1 NT	N 6	50	-14,0	14,0
109	193	209	1 NT	N 6	50	-14,0	14,0
31	222	5	1 NT	N 6	50	-14,0	14,0
105	98	113	1 NT	N 6	50	-14,0	14,0
63	135	94	1 NT	N 6	50	-14,0	14,0
65	173	177	1 NT	N 6	50	-14,0	14,0
35	159	148	1 NT	N 6	50	-14,0	14,0
104	145	122	1 NT	N 6	50	-14,0	14,0
16	61	30	1 NT	N 6	50	-14,0	14,0
112	168	104	1 NT	N 6	50	-14,0	14,0
96	102	1	1 NT	N 6	50	-14,0	14,0
62	187	11	1 NT	N 6	50	-14,0	14,0
59	118	27	1 NT	N 6	50	-14,0	14,0
14	14	211	1 NT	N 6	50	-14,0	14,0
75	83	183	1 NT	N 6	50	-14,0	14,0
33	96	78	1 NT	N 6	50	-14,0	14,0
21	235	89	1 NT	N 6	50	-14,0	14,0
32	224	100	1 NT	N 6	50	-14,0	14,0
68	178	216	1 NT	N 6	50	-14,0	14,0
53	17	80	1 NT	N 6	50	-14,0	14,0
117	208	43	1 NT	N 6	50	-14,0	14,0
83	213	124	1 NT	N 6	50	-14,0	14,0
114	134	151	1 NT	N 6	50	-14,0	14,0
30	67	69	1 NT	N 6	50	-14,0	14,0
41	29	112	1 NT	N 6	50	-14,0	14,0
79	214	79	1 NT	N 6	50	-14,0	14,0
46	31	25	1 NT	N 6	50	-14,0	14,0
54	92	191	1 NT	N 6	50	-14,0	14,0
99	82	215	1 NT	N 6	50	-14,0	14,0
111	225	32	1 NT	N 6	50	-14,0	14,0
72	139	185	1 NT	S 6	50	-14,0	14,0
26	160	129	1 NT	N 6	50	-14,0	14,0
92	7	154	1 NT	N 6	50	-14,0	14,0
80	190	50	1 NT	N 6	50	-14,0	14,0
19	174	44	1 NT	N 6	50	-14,0	14,0
50	97	73	1 NT	N 6	50	-14,0	14,0

78	166	101	1 NT	N 6	50	-14,0	14,0
11	35	142	1 NT	N 6	50	-14,0	14,0
108	170	231	1 NT	N 6	50	-14,0	14,0
13	136	8	1 NT	N 6	50	-14,0	14,0
2	149	72	1 NT	N 6	50	-14,0	14,0
77	52	180	1 NT	N 6	50	-14,0	14,0
60	128	2	1 NT	N 6	50	-14,0	14,0
81	220	20	1 NT	N 6	50	-14,0	14,0
25	164	147	1 NT	N 6	50	-14,0	14,0
40	95	3	1 NT	N 6	50	-14,0	14,0
15	207	132	1 NT	N 6	50	-14,0	14,0
43	81	226	1 NT	N 6	50	-14,0	14,0
4	133	196	1 NT	N 6	50	-14,0	14,0
64	140	123	1 NT	N 6	50	-14,0	14,0
70	26	188	1 NT	N 6	50	-14,0	14,0
113	234	110	1 NT	N 6	50	-14,0	14,0
100	65	106	1 NT	N 6	50	-14,0	14,0
51	203	169	1 NT	N 6	50	-14,0	14,0
45	217	204	1 NT	N 6	50	-14,0	14,0
29	24	42	2 Hjerter	S 7	50	-14,0	14,0
103	221	66	2 Hjerter	S 7	50	-14,0	14,0
91	165	75	2 Hjerter	S 7	50	-14,0	14,0
47	194	56	2 Hjerter	S 7	50	-14,0	14,0
56	109	37	2 Ruter	N 8	50	-14,0	14,0
58	227	39	3 Ruter	N 8	50	-14,0	14,0
48	105	23	3 Ruter	N 8	50	-14,0	14,0
61	86	9	2 Kløver	Ø 8	90	-85,0	85,0
20	201	88	1 NT	N 5	100	-100,0	100,0
52	155	130	1 NT	N 5	100	-100,0	100,0
94	4	10	1 NT	N 5	100	-100,0	100,0
9	137	153	1 NT	D N 6	100	-100,0	100,0
84	152	181	1 NT	N 5	100	-100,0	100,0
38	138	85	1 NT	N 5	100	-100,0	100,0
98	47	141	2 Hjerter	S 6	100	-100,0	100,0
3	71	131	2 NT	N 6	100	-100,0	100,0
118	46	230	2 NT	N 6	100	-100,0	100,0
86	15	18	2 NT	N 6	100	-100,0	100,0
102	33	117	3 Hjerter	N 7	100	-100,0	100,0
107	143	199	3 Hjerter	N 7	100	-100,0	100,0
42	16	161	3 NT	N 7	100	-100,0	100,0
18	41	45	3 Ruter	N 7	100	-100,0	100,0
116	51	120	2 NT	N 5	150	-116,0	116,0
74	107	195	3 NT	N 6	150	-116,0	116,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ Q975 Mappen: 10(42)
 ♥ K9 Rundenr: 14
 ♦ AK843 A (Ø)
 ♣ 62

♠ KJ2
 ♥ QJ2
 ♦ T75
 ♣ KT93


♠ T4
 ♥ A87643
 ♦ 92
 ♣ Q85

♠ A863
 ♥ T5
 ♦ QJ6
 ♣ AJ74

Bord	NS	ØV		NS	ØV	NS	ØV
45	217	204	4 Spar	N 11	650	113,0	-113,0
61	86	9	4 Spar	N 11	650	113,0	-113,0
26	160	129	4 Spar	N 11	650	113,0	-113,0
101	175	57	4 Spar	N 11	650	113,0	-113,0
75	83	183	4 Spar	N 11	650	113,0	-113,0
1	206	58	3 NT	N 10	630	107,0	-107,0
95	171	76	4 Spar	S 10	620	76,0	-76,0
58	227	39	4 Spar	N 10	620	76,0	-76,0
77	52	180	4 Spar	N 10	620	76,0	-76,0
41	29	112	4 Spar	N 10	620	76,0	-76,0
29	24	42	4 Spar	N 10	620	76,0	-76,0
9	137	153	4 Spar	S 10	620	76,0	-76,0
27	99	210	4 Spar	S 10	620	76,0	-76,0
81	220	20	4 Spar	N 10	620	76,0	-76,0
108	170	231	4 Spar	N 10	620	76,0	-76,0
63	135	94	4 Spar	N 10	620	76,0	-76,0
117	208	43	4 Spar	S 10	620	76,0	-76,0
106	162	55	4 Spar	S 10	620	76,0	-76,0
36	236	64	4 Spar	N 10	620	76,0	-76,0
15	207	132	4 Spar	N 10	620	76,0	-76,0
72	139	185	4 Spar	N 10	620	76,0	-76,0
5	233	48	4 Spar	N 10	620	76,0	-76,0
4	133	196	4 Spar	N 10	620	76,0	-76,0
82	163	114	4 Spar	N 10	620	76,0	-76,0
78	166	101	4 Spar	S 10	620	76,0	-76,0
109	193	209	4 Spar	N 10	620	76,0	-76,0
107	143	199	4 Spar	N 10	620	76,0	-76,0
93	111	38	4 Spar	N 10	620	76,0	-76,0
118	46	230	4 Spar	N 10	620	76,0	-76,0
21	235	89	4 Spar	S 10	620	76,0	-76,0
20	201	88	4 Spar	N 10	620	76,0	-76,0
65	173	177	4 Spar	N 10	620	76,0	-76,0
54	92	191	4 Spar	S 10	620	76,0	-76,0
38	138	85	4 Spar	N 10	620	76,0	-76,0
91	165	75	4 Spar	N 10	620	76,0	-76,0
85	200	60	4 Spar	N 10	620	76,0	-76,0
6	34	189	3 NT	N 9	600	45,0	-45,0
44	40	182	2 Spar	N 11	200	42,0	-42,0
94	4	10	3 Hjertes	D Ø	8 200	42,0	-42,0
70	26	188	2 Spar	N 10	170	33,0	-33,0
104	145	122	2 Spar	N 10	170	33,0	-33,0
43	81	226	2 Spar	N 10	170	33,0	-33,0
102	33	117	3 Spar	N 10	170	33,0	-33,0
103	221	66	3 Spar	N 10	170	33,0	-33,0
98	47	141	3 Spar	N 10	170	33,0	-33,0
89	192	232	3 Spar	N 10	170	33,0	-33,0
115	59	156	2 Spar	N 9	140	11,0	-11,0
11	35	142	2 Spar	S 9	140	11,0	-11,0
105	98	113	2 Spar	S 9	140	11,0	-11,0
76	19	144	2 Spar	S 9	140	11,0	-11,0
67	172	108	2 Spar	S 9	140	11,0	-11,0
12	121	179	3 Spar	N 9	140	11,0	-11,0
110	21	74	3 Spar	S 9	140	11,0	-11,0
87	158	184	3 Spar	S 9	140	11,0	-11,0
19	174	44	3 Spar	N 9	140	11,0	-11,0
59	118	27	3 Spar	S 9	140	11,0	-11,0
62	187	11	3 Spar	N 9	140	11,0	-11,0
60	128	2	3 Spar	S 9	140	11,0	-11,0
35	159	148	3 Spar	S 9	140	11,0	-11,0
8	63	150	3 Spar	S 9	140	11,0	-11,0
22	103	22	3 Spar	S 9	140	11,0	-11,0
64	140	123	3 Ruter	N 10	130	-6,0	6,0
88	186	53	4 Ruter	N 10	130	-6,0	6,0
50	97	73	2 Spar	N 8	110	-9,0	9,0
17	223	228	3 Hjertes	Ø	8 100	-11,0	11,0
51	203	169	1 Spar	S 7	80	-13,0	13,0
39	198	49	3 NT	N 8	100	-62,0	62,0
49	157	91	3 NT	N 8	100	-62,0	62,0
111	225	32	4 Ruter	N 9	100	-62,0	62,0
99	82	215	4 Spar	S 9	100	-62,0	62,0
55	12	62	4 Spar	N 9	100	-62,0	62,0
116	51	120	4 Spar	N 9	100	-62,0	62,0
10	68	146	4 Spar	S 9	100	-62,0	62,0
114	134	151	4 Spar	S 9	100	-62,0	62,0
90	126	13	4 Spar	S 9	100	-62,0	62,0

52	155	130	4 Spar	N 9	100	-62,0	62,0
47	194	56	4 Spar	S 9	100	-62,0	62,0
113	234	110	4 Spar	S 9	100	-62,0	62,0
80	190	50	4 Spar	S 9	100	-62,0	62,0
16	61	30	4 Spar	N 9	100	-62,0	62,0
32	224	100	4 Spar	S 9	100	-62,0	62,0
14	14	211	4 Spar	N 9	100	-62,0	62,0
42	16	161	4 Spar	N 9	100	-62,0	62,0
2	149	72	4 Spar	S 9	100	-62,0	62,0
46	31	25	4 Spar	S 9	100	-62,0	62,0
34	77	84	4 Spar	N 9	100	-62,0	62,0
25	164	147	4 Spar	S 9	100	-62,0	62,0
86	15	18	4 Spar	S 9	100	-62,0	62,0
74	107	195	4 Spar	S 9	100	-62,0	62,0
30	67	69	4 Spar	S 9	100	-62,0	62,0
66	70	54	4 Spar	N 9	100	-62,0	62,0
24	176	90	4 Spar	S 9	100	-62,0	62,0
83	213	124	4 Spar	S 9	100	-62,0	62,0
68	178	216	4 Spar	S 9	100	-62,0	62,0
28	212	219	4 Spar	S 9	100	-62,0	62,0
57	87	125	4 Spar	S 9	100	-62,0	62,0
71	205	36	4 Spar	S 9	100	-62,0	62,0
92	7	154	4 Spar	S 9	100	-62,0	62,0
96	102	1	4 Spar	S 9	100	-62,0	62,0
73	167	6	4 Spar	S 9	100	-62,0	62,0
53	17	80	4 Spar	S 9	100	-62,0	62,0
23	202	119	4 Spar	N 9	100	-62,0	62,0
69	127	197	4 Spar	S 9	100	-62,0	62,0
40	95	3	4 Spar	N 9	100	-62,0	62,0
18	41	45	4 Spar	S 9	100	-62,0	62,0
13	136	8	4 Spar	S 9	100	-62,0	62,0
3	71	131	4 Spar	S 9	100	-62,0	62,0
100	65	106	4 Spar	S 9	100	-62,0	62,0
33	96	78	4 Spar	N 9	100	-62,0	62,0
112	168	104	4 Spar	S 9	100	-62,0	62,0
48	105	23	4 Spar	S 9	100	-62,0	62,0
56	109	37	4 Spar	S 9	100	-62,0	62,0
7	116	229	4 Spar	S 9	100	-62,0	62,0
31	222	5	4 Spar	S 9	100	-62,0	62,0
97	93	218	2 Hjertes	V 9	140	-112,0	112,0
37	115	28	3 Spar	Ø	9 140	-112,0	112,0
84	152	181	3 NT	N 6	300	-115,0	115,0
79	214	79	2 Hjertes	D Ø	9 870	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
99	220	175	5 Hjerter	D V 9	300	116,0	-116,0
94	7	47	6 Hjerter	D V 10	300	116,0	-116,0
93	123	197	3 NT	Ø 5	200	113,0	-113,0
90	192	163	5 Ruter	V 8	150	111,0	-111,0
40	9	16	3 NT	Ø 7	100	99,0	-99,0
98	232	117	4 Hjerter	D V 9	100	99,0	-99,0
70	27	81	4 Hjerter	V 8	100	99,0	-99,0
48	185	17	4 Hjerter	D V 9	100	99,0	-99,0
64	127	213	4 Hjerter	D Ø 9	100	99,0	-99,0
97	93	18	4 Hjerter	V 8	100	99,0	-99,0
74	50	19	4 Hjerter	D V 9	100	99,0	-99,0
86	20	126	4 Hjerter	V 8	100	99,0	-99,0
75	227	178	4 Hjerter	D V 9	100	99,0	-99,0
10	207	41	4 Hjerter	V 8	100	99,0	-99,0
52	204	166	5 Hjerter	V 9	100	99,0	-99,0
38	78	31	3 Hjerter	V 8	50	66,0	-66,0
59	49	173	3 NT	Ø 8	50	66,0	-66,0
60	86	105	3 NT	Ø 8	50	66,0	-66,0
19	201	68	4 Hjerter	V 9	50	66,0	-66,0
6	179	34	4 Hjerter	V 9	50	66,0	-66,0
46	42	87	4 Hjerter	V 9	50	66,0	-66,0
61	155	157	4 Hjerter	V 9	50	66,0	-66,0
58	25	91	4 Hjerter	V 9	50	66,0	-66,0
54	191	94	4 Hjerter	V 9	50	66,0	-66,0
34	69	64	4 Hjerter	V 9	50	66,0	-66,0
24	115	176	4 Hjerter	V 9	50	66,0	-66,0
68	216	92	4 Hjerter	V 9	50	66,0	-66,0
67	6	177	4 Hjerter	V 9	50	66,0	-66,0
91	184	10	4 Hjerter	V 9	50	66,0	-66,0
51	182	39	4 Hjerter	V 9	50	66,0	-66,0
110	74	225	4 Hjerter	V 9	50	66,0	-66,0
18	103	235	4 Hjerter	V 9	50	66,0	-66,0
56	96	23	4 Hjerter	V 9	50	66,0	-66,0
1	72	133	4 Hjerter	V 9	50	66,0	-66,0
20	61	88	4 Hjerter	V 9	50	66,0	-66,0
79	108	152	4 Hjerter	V 9	50	66,0	-66,0
30	129	85	4 Spar	V 9	50	66,0	-66,0
45	3	187	2 Ruter	V 9	110	41,0	-41,0
49	128	73	2 Ruter	V 9	110	41,0	-41,0
26	5	30	2 Ruter	V 9	110	41,0	-41,0
5	146	116	2 Ruter	V 10	130	36,0	-36,0
116	151	43	3 Ruter	V 10	130	36,0	-36,0
102	221	57	1 Hjerter	V 9	140	24,0	-24,0
31	159	40	2 Hjerter	V 9	140	24,0	-24,0
85	165	180	2 Hjerter	V 9	140	24,0	-24,0
53	130	198	3 Hjerter	V 9	140	24,0	-24,0
65	183	188	3 Hjerter	V 9	140	24,0	-24,0
41	28	95	3 Hjerter	V 9	140	24,0	-24,0
21	219	228	3 Hjerter	V 9	140	24,0	-24,0
8	142	136	3 Hjerter	V 9	140	24,0	-24,0
66	167	37	3 Hjerter	V 9	140	24,0	-24,0
92	76	82	3 Hjerter	V 9	140	24,0	-24,0
82	114	135	3 Hjerter	V 10	170	6,0	-6,0
83	101	54	3 Hjerter	V 10	170	6,0	-6,0
32	224	22	3 Hjerter	V 10	170	6,0	-6,0
81	139	154	3 Hjerter	V 10	170	6,0	-6,0
43	148	12	3 Hjerter	V 10	170	6,0	-6,0
112	32	104	3 Hjerter	V 10	170	6,0	-6,0
88	60	141	3 Hjerter	V 10	170	6,0	-6,0
107	13	170	3 Hjerter	V 10	170	6,0	-6,0
16	210	174	3 Hjerter	V 11	200	-3,0	3,0
13	132	233	3 Spar	D N 7	300	-6,0	6,0
47	160	29	3 Spar	D N 7	300	-6,0	6,0
44	147	62	3 NT	Ø 9	400	-10,0	10,0
23	119	14	3 NT	Ø 9	400	-10,0	10,0
2	71	206	4 Hjerter	V 10	420	-48,0	48,0
11	189	137	4 Hjerter	V 10	420	-48,0	48,0
3	58	149	4 Hjerter	V 10	420	-48,0	48,0
106	162	21	4 Hjerter	V 10	420	-48,0	48,0
114	120	168	4 Hjerter	V 10	420	-48,0	48,0
28	202	100	4 Hjerter	V 10	420	-48,0	48,0
84	38	218	4 Hjerter	Ø 10	420	-48,0	48,0
14	8	211	4 Hjerter	V 10	420	-48,0	48,0
87	200	102	4 Hjerter	V 10	420	-48,0	48,0
9	150	121	4 Hjerter	V 10	420	-48,0	48,0

42	161	24	4 Hjerter	V 10	420	-48,0	48,0
36	226	236	4 Hjerter	V 10	420	-48,0	48,0
22	222	77	4 Hjerter	V 10	420	-48,0	48,0
29	67	97	4 Hjerter	Ø 10	420	-48,0	48,0
35	90	84	4 Hjerter	V 10	420	-48,0	48,0
109	193	110	4 Hjerter	V 10	420	-48,0	48,0
111	231	156	4 Hjerter	V 10	420	-48,0	48,0
7	35	48	4 Hjerter	V 10	420	-48,0	48,0
78	75	181	4 Hjerter	V 10	420	-48,0	48,0
72	2	15	4 Hjerter	V 10	420	-48,0	48,0
17	44	99	4 Hjerter	V 10	420	-48,0	48,0
103	98	215	4 Hjerter	V 10	420	-48,0	48,0
69	70	186	4 Hjerter	V 10	420	-48,0	48,0
12	153	229	4 Hjerter	V 10	420	-48,0	48,0
108	33	113	4 Hjerter	V 10	420	-48,0	48,0
96	122	144	4 Hjerter	V 10	420	-48,0	48,0
25	89	164	4 Hjerter	V 10	420	-48,0	48,0
117	230	51	4 Hjerter	V 10	420	-48,0	48,0
105	65	143	4 Hjerter	V 10	420	-48,0	48,0
39	80	194	4 Hjerter	V 10	420	-48,0	48,0
15	131	45	4 Hjerter	V 10	420	-48,0	48,0
89	190	1	4 Hjerter	V 10	420	-48,0	48,0
50	138	124	4 Hjerter	Ø 10	420	-48,0	48,0
55	112	169	4 Hjerter	V 10	420	-48,0	48,0
73	53	52	4 Hjerter	V 10	420	-48,0	48,0
62	118	79	4 Hjerter	V 10	420	-48,0	48,0
118	134	46	3 NT	Ø 10	430	-87,0	87,0
101	199	145	3 NT	Ø 10	430	-87,0	87,0
80	172	205	3 NT	V 10	430	-87,0	87,0
113	209	59	4 Hjerter	V 11	450	-96,0	96,0
63	83	11	4 Hjerter	V 11	450	-96,0	96,0
33	217	212	4 Hjerter	V 11	450	-96,0	96,0
100	55	158	4 Hjerter	V 11	450	-96,0	96,0
95	4	111	4 Hjerter	V 11	450	-96,0	96,0
4	196	63	4 Hjerter	V 11	450	-96,0	96,0
76	26	140	4 Hjerter	D V 10	590	-106,0	106,0
37	125	56	4 Hjerter	D V 10	590	-106,0	106,0
77	36	171	4 Hjerter	D V 10	590	-106,0	106,0
27	203	223	4 Hjerter	D V 10	590	-106,0	106,0
115	208	234	3 Kløver	D N 5	800	-113,0	113,0
71	195	214	4 Spar	D N 6	800	-113,0	113,0
104	66	106	4 Spar	D S 6	800	-113,0	113,0
57	107	109	4 Spar	D S 4	1400	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
43	148	12	3 Kløver	D N 9	670	117,0	-117,0
108	33	113	3 Kløver	Ø 5	200	114,0	-114,0
67	6	177	4 Hjerter	V 6	200	114,0	-114,0
60	86	105	3 NT	Ø 6	150	111,0	-111,0
87	200	102	4 Hjerter	V 8	100	104,0	-104,0
33	217	212	4 Hjerter	D V 9	100	104,0	-104,0
65	183	188	4 Hjerter	V 8	100	104,0	-104,0
6	179	34	4 Hjerter	Ø 8	100	104,0	-104,0
35	90	84	4 Hjerter	V 8	100	104,0	-104,0
99	220	175	4 Hjerter	V 8	100	104,0	-104,0
77	36	171	4 Hjerter	V 9	50	75,0	-75,0
49	128	73	4 Hjerter	V 9	50	75,0	-75,0
63	83	11	4 Hjerter	V 9	50	75,0	-75,0
48	185	17	4 Hjerter	V 9	50	75,0	-75,0
94	7	47	4 Hjerter	V 9	50	75,0	-75,0
83	101	54	4 Hjerter	V 9	50	75,0	-75,0
97	93	18	4 Hjerter	V 9	50	75,0	-75,0
45	3	187	4 Hjerter	V 9	50	75,0	-75,0
106	162	21	4 Hjerter	V 9	50	75,0	-75,0
107	13	170	4 Hjerter	V 9	50	75,0	-75,0
79	108	152	4 Hjerter	V 9	50	75,0	-75,0
85	165	180	4 Hjerter	V 9	50	75,0	-75,0
116	151	43	4 Hjerter	V 9	50	75,0	-75,0
96	122	144	4 Hjerter	V 9	50	75,0	-75,0
18	103	235	4 Hjerter	V 9	50	75,0	-75,0
75	227	178	4 Hjerter	V 9	50	75,0	-75,0
31	159	40	4 Hjerter	V 9	50	75,0	-75,0
27	203	223	4 Hjerter	V 9	50	75,0	-75,0
76	26	140	4 Hjerter	V 9	50	75,0	-75,0
69	70	186	4 Hjerter	V 9	50	75,0	-75,0
30	129	85	4 Hjerter	V 9	50	75,0	-75,0
19	201	68	4 Hjerter	V 9	50	75,0	-75,0
104	66	106	4 Hjerter	Ø 9	50	75,0	-75,0
39	80	194	2 Hjerter	V 9	140	47,0	-47,0
44	147	62	2 Hjerter	V 9	140	47,0	-47,0
92	76	82	2 Hjerter	Ø 9	140	47,0	-47,0
64	127	213	3 Hjerter	V 9	140	47,0	-47,0
98	232	117	3 Hjerter	V 9	140	47,0	-47,0
113	209	59	2 Hjerter	V 10	170	33,0	-33,0
95	4	111	2 Hjerter	Ø 10	170	33,0	-33,0
103	98	215	2 Hjerter	Ø 10	170	33,0	-33,0
115	208	234	3 Hjerter	V 10	170	33,0	-33,0
102	221	57	3 Hjerter	V 10	170	33,0	-33,0
66	167	37	3 Hjerter	V 10	170	33,0	-33,0
36	226	236	3 Hjerter	V 10	170	33,0	-33,0
55	112	169	3 Hjerter	Ø 10	170	33,0	-33,0
50	138	124	3 Hjerter	V 10	170	33,0	-33,0
23	119	14	2 Spar	D S 7	200	23,0	-23,0
93	123	197	4 Hjerter	V 10	420	-47,0	47,0
72	2	15	4 Hjerter	V 10	420	-47,0	47,0
86	20	126	4 Hjerter	V 10	420	-47,0	47,0
52	204	166	4 Hjerter	V 10	420	-47,0	47,0
20	61	88	4 Hjerter	V 10	420	-47,0	47,0
73	53	52	4 Hjerter	V 10	420	-47,0	47,0
109	193	110	4 Hjerter	V 10	420	-47,0	47,0
28	202	100	4 Hjerter	V 10	420	-47,0	47,0
112	32	104	4 Hjerter	V 10	420	-47,0	47,0
9	150	121	4 Hjerter	V 10	420	-47,0	47,0
81	139	154	4 Hjerter	V 10	420	-47,0	47,0
16	210	174	4 Hjerter	V 10	420	-47,0	47,0
8	142	136	4 Hjerter	V 10	420	-47,0	47,0
29	67	97	4 Hjerter	V 10	420	-47,0	47,0
91	184	10	4 Hjerter	V 10	420	-47,0	47,0
59	49	173	4 Hjerter	V 10	420	-47,0	47,0
13	132	233	4 Hjerter	V 10	420	-47,0	47,0
14	8	211	4 Hjerter	V 10	420	-47,0	47,0
7	35	48	4 Hjerter	V 10	420	-47,0	47,0
22	222	77	4 Hjerter	V 10	420	-47,0	47,0
117	230	51	4 Hjerter	V 10	420	-47,0	47,0
41	28	95	4 Hjerter	V 10	420	-47,0	47,0
111	231	156	4 Hjerter	V 10	420	-47,0	47,0
56	96	23	4 Hjerter	V 10	420	-47,0	47,0
54	191	94	4 Hjerter	V 10	420	-47,0	47,0
118	134	46	4 Hjerter	V 10	420	-47,0	47,0
80	172	205	4 Hjerter	V 10	420	-47,0	47,0

53	130	198	4 Hjerter	V 10	420	-47,0	47,0
84	38	218	4 Hjerter	V 10	420	-47,0	47,0
68	216	92	4 Hjerter	V 10	420	-47,0	47,0
57	107	109	4 Hjerter	V 10	420	-47,0	47,0
105	65	143	4 Hjerter	V 10	420	-47,0	47,0
89	190	1	4 Hjerter	V 10	420	-47,0	47,0
71	195	214	4 Hjerter	Ø 10	420	-47,0	47,0
12	153	229	4 Hjerter	V 10	420	-47,0	47,0
2	71	206	4 Hjerter	Ø 10	420	-47,0	47,0
61	155	157	4 Hjerter	V 10	420	-47,0	47,0
17	44	99	4 Hjerter	V 10	420	-47,0	47,0
46	42	87	4 Hjerter	V 10	420	-47,0	47,0
32	224	22	4 Hjerter	V 10	420	-47,0	47,0
62	118	79	4 Hjerter	V 10	420	-47,0	47,0
90	192	163	4 Hjerter	V 10	420	-47,0	47,0
42	161	24	4 Hjerter	V 10	420	-47,0	47,0
5	146	116	4 Hjerter	V 10	420	-47,0	47,0
24	115	176	4 Hjerter	V 10	420	-47,0	47,0
3	58	149	4 Hjerter	V 10	420	-47,0	47,0
47	160	29	4 Hjerter	V 10	420	-47,0	47,0
38	78	31	4 Hjerter	V 10	420	-47,0	47,0
15	131	45	4 Hjerter	V 10	420	-47,0	47,0
101	199	145	4 Hjerter	V 10	420	-47,0	47,0
10	207	41	4 Hjerter	V 10	420	-47,0	47,0
34	69	64	4 Hjerter	V 10	420	-47,0	47,0
11	189	137	4 Hjerter	V 10	420	-47,0	47,0
82	114	135	4 Hjerter	V 10	420	-47,0	47,0
58	25	91	4 Hjerter	V 10	420	-47,0	47,0
114	120	168	4 Hjerter	V 10	420	-47,0	47,0
78	75	181	4 Hjerter	Ø 10	420	-47,0	47,0
88	60	141	4 Hjerter	V 10	420	-47,0	47,0
74	50	19	4 Hjerter	V 10	420	-47,0	47,0
26	5	30	4 Hjerter	V 10	420	-47,0	47,0
100	55	158	4 Hjerter	V 10	420	-47,0	47,0
21	219	228	4 Hjerter	V 10	420	-47,0	47,0
40	9	16	4 Hjerter	V 10	420	-47,0	47,0
37	125	56	4 Hjerter	V 10	420	-47,0	47,0
51	182	39	4 Hjerter	V 10	420	-47,0	47,0
25	89	164	4 Hjerter	V 10	420	-47,0	47,0
110	74	225	4 Hjerter	V 10	420	-47,0	47,0
1	72	133	4 Hjerter	V 10	420	-47,0	47,0
4	196	63	4 Hjerter	V 10	420	-47,0	47,0
70	27	81	4 Hjerter	V 11	450	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
102	221	57	3NT	S 9	600	117,0 -117,0
95	4	111	2NT	N 8	120	115,0 -115,0
111	231	156	2Hjerter	N 8	110	103,0 -103,0
90	192	163	2Hjerter	N 8	110	103,0 -103,0
6	179	34	2Hjerter	N 8	110	103,0 -103,0
34	69	64	2Hjerter	N 8	110	103,0 -103,0
45	3	187	2Hjerter	N 8	110	103,0 -103,0
53	130	198	2Hjerter	N 8	110	103,0 -103,0
103	98	215	2Hjerter	N 8	110	103,0 -103,0
94	7	47	2Hjerter	N 8	110	103,0 -103,0
29	67	97	2Hjerter	N 8	110	103,0 -103,0
49	128	73	2Hjerter	N 8	110	103,0 -103,0
18	103	235	2Hjerter	N 8	110	103,0 -103,0
79	108	152	2Hjerter	N 7	100	58,0 -58,0
91	184	10	2Hjerter	N 7	100	58,0 -58,0
33	217	212	2Hjerter	N 7	100	58,0 -58,0
74	50	19	2Hjerter	N 7	100	58,0 -58,0
20	61	88	2Hjerter	N 7	100	58,0 -58,0
68	216	92	2Hjerter	N 7	100	58,0 -58,0
96	122	144	2Hjerter	N 7	100	58,0 -58,0
21	219	228	2Hjerter	N 7	100	58,0 -58,0
48	185	17	2Hjerter	N 7	100	58,0 -58,0
12	153	229	2Hjerter	N 7	100	58,0 -58,0
16	210	174	2Hjerter	N 7	100	58,0 -58,0
41	28	95	2Hjerter	N 7	100	58,0 -58,0
23	119	14	2Hjerter	N 7	100	58,0 -58,0
50	138	124	2Hjerter	N 7	100	58,0 -58,0
108	33	113	2Hjerter	N 7	100	58,0 -58,0
80	172	205	3Hjerter	N 8	100	58,0 -58,0
25	89	164	3NT	S 8	100	58,0 -58,0
60	86	105	3NT	N 8	100	58,0 -58,0
73	53	52	3NT	S 8	100	58,0 -58,0
99	220	175	3NT	N 8	100	58,0 -58,0
110	74	225	3NT	N 8	100	58,0 -58,0
32	224	22	3NT	N 8	100	58,0 -58,0
92	76	82	3NT	N 8	100	58,0 -58,0
105	65	143	3NT	S 8	100	58,0 -58,0
72	2	15	4Hjerter	N 9	100	58,0 -58,0
42	161	24	4Hjerter	N 9	100	58,0 -58,0
115	208	234	4Hjerter	N 9	100	58,0 -58,0
7	35	48	4Hjerter	N 9	100	58,0 -58,0
39	80	194	4Hjerter	N 9	100	58,0 -58,0
55	112	169	4Hjerter	N 9	100	58,0 -58,0
56	96	23	4Hjerter	N 9	100	58,0 -58,0
117	230	51	4Hjerter	N 9	100	58,0 -58,0
47	160	29	4Hjerter	N 9	100	58,0 -58,0
28	202	100	4Hjerter	N 9	100	58,0 -58,0
112	32	104	3Hjerter	N 7	200	-24,0 24,0
81	139	154	3Hjerter	N 7	200	-24,0 24,0
78	75	181	3Hjerter	N 7	200	-24,0 24,0
61	155	157	3Hjerter	N 7	200	-24,0 24,0
69	70	186	3NT	S 7	200	-24,0 24,0
17	44	99	3NT	N 7	200	-24,0 24,0
14	8	211	4Hjerter	N 8	200	-24,0 24,0
31	159	40	4Hjerter	N 8	200	-24,0 24,0
86	20	126	4Hjerter	N 8	200	-24,0 24,0
113	209	59	4Hjerter	N 8	200	-24,0 24,0
100	55	158	4Hjerter	N 8	200	-24,0 24,0
63	83	11	4Hjerter	N 8	200	-24,0 24,0
75	227	178	4Hjerter	N 8	200	-24,0 24,0
52	204	166	4Hjerter	N 8	200	-24,0 24,0
109	193	110	4Hjerter	N 8	200	-24,0 24,0
10	207	41	4Hjerter	N 8	200	-24,0 24,0
22	222	77	4Hjerter	N 8	200	-24,0 24,0
8	142	136	4Hjerter	N 8	200	-24,0 24,0
37	125	56	4Hjerter	N 8	200	-24,0 24,0
54	191	94	4Hjerter	N 8	200	-24,0 24,0
59	49	173	4Hjerter	D N 9	200	-24,0 24,0
114	120	168	4Hjerter	N 8	200	-24,0 24,0
84	38	218	4Hjerter	N 8	200	-24,0 24,0
9	150	121	4Hjerter	N 8	200	-24,0 24,0
43	148	12	4Hjerter	N 8	200	-24,0 24,0
97	93	18	4Hjerter	N 8	200	-24,0 24,0
38	78	31	4Hjerter	N 8	200	-24,0 24,0
88	60	141	4Hjerter	N 8	200	-24,0 24,0

26	5	30	4Hjerter	N 8	200	-24,0 24,0
2	71	206	4Hjerter	N 8	200	-24,0 24,0
40	9	16	4Hjerter	N 8	200	-24,0 24,0
51	182	39	4Hjerter	N 8	200	-24,0 24,0
5	146	116	4Hjerter	N 8	200	-24,0 24,0
4	196	63	4Hjerter	N 8	200	-24,0 24,0
62	118	79	4Hjerter	D N 9	200	-24,0 24,0
3	58	149	4Hjerter	N 8	200	-24,0 24,0
76	26	140	4Hjerter	N 8	200	-24,0 24,0
104	66	106	4Hjerter	N 8	200	-24,0 24,0
27	203	223	4Hjerter	N 8	200	-24,0 24,0
30	129	85	4Hjerter	N 8	200	-24,0 24,0
64	127	213	4Hjerter	N 8	200	-24,0 24,0
44	147	62	4Hjerter	N 8	200	-24,0 24,0
101	199	145	4Hjerter	N 8	200	-24,0 24,0
66	167	37	4Hjerter	N 8	200	-24,0 24,0
1	72	133	4Hjerter	N 8	200	-24,0 24,0
107	13	170	4Hjerter	N 8	200	-24,0 24,0
89	190	1	4Hjerter	N 8	200	-24,0 24,0
11	189	137	4Hjerter	N 8	200	-24,0 24,0
46	42	87	4Hjerter	N 7	300	-86,0 86,0
13	132	233	4Hjerter	N 7	300	-86,0 86,0
106	162	21	4Hjerter	N 7	300	-86,0 86,0
67	6	177	4Hjerter	N 7	300	-86,0 86,0
82	114	135	4Hjerter	N 7	300	-86,0 86,0
98	232	117	4Hjerter	N 7	300	-86,0 86,0
57	107	109	4Hjerter	N 7	300	-86,0 86,0
36	226	236	4Hjerter	N 7	300	-86,0 86,0
87	200	102	4Hjerter	N 7	300	-86,0 86,0
71	195	214	4Hjerter	N 7	300	-86,0 86,0
58	25	91	4Hjerter	N 7	300	-86,0 86,0
83	101	54	4Hjerter	N 7	300	-86,0 86,0
65	183	188	4Hjerter	N 7	300	-86,0 86,0
116	151	43	4Hjerter	N 7	300	-86,0 86,0
85	165	180	4Hjerter	D N 8	500	-108,0 108,0
19	201	68	4Hjerter	D N 8	500	-108,0 108,0
24	115	176	4Hjerter	D N 8	500	-108,0 108,0
35	90	84	4Hjerter	D N 8	500	-108,0 108,0
77	36	171	4Hjerter	D N 8	500	-108,0 108,0
118	134	46	4Hjerter	D N 8	500	-108,0 108,0
93	123	197	4Hjerter	D N 8	500	-108,0 108,0
70	27	81	4Hjerter	D N 8	500	-108,0 108,0
15	131	45	4Hjerter	D N 7	800	-117,0 117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
35	160	97	5 Ruter	D V 2 2300	117,0	-117,0	
21	100	203	6 Ruter	S 12 920	110,0	-110,0	
42	124	224	6 Ruter	S 12 920	110,0	-110,0	
12	189	229	6 Ruter	S 12 920	110,0	-110,0	
39	84	24	6 Ruter	S 12 920	110,0	-110,0	
56	92	52	6 Ruter	S 12 920	110,0	-110,0	
60	157	112	6 Ruter	N 12 920	110,0	-110,0	
6	149	116	5 Ruter	D S 12 650	102,0	-102,0	
84	75	107	5 Ruter	D S 12 650	102,0	-102,0	
27	68	161	3 Spar	D Ø 6 500	98,0	-98,0	
34	80	212	3 Spar	D Ø 6 500	98,0	-98,0	
59	17	94	3 NT	N 11 460	95,0	-95,0	
44	87	29	4 Hjerter	N 11 450	93,0	-93,0	
73	163	213	3 NT	N 10 430	88,0	-88,0	
98	66	7	3 NT	N 10 430	88,0	-88,0	
7	34	63	3 NT	N 10 430	88,0	-88,0	
69	2	192	3 NT	N 10 430	88,0	-88,0	
55	187	6	4 Hjerter	N 10 420	61,0	-61,0	
70	105	141	4 Hjerter	N 10 420	61,0	-61,0	
106	221	199	5 Ruter	N 12 420	61,0	-61,0	
88	218	15	5 Ruter	S 12 420	61,0	-61,0	
16	174	201	5 Ruter	S 12 420	61,0	-61,0	
111	156	113	5 Ruter	S 12 420	61,0	-61,0	
76	109	50	5 Ruter	N 12 420	61,0	-61,0	
114	74	151	5 Ruter	S 12 420	61,0	-61,0	
5	45	8	5 Ruter	S 12 420	61,0	-61,0	
23	119	176	5 Ruter	S 12 420	61,0	-61,0	
50	95	42	5 Ruter	S 12 420	61,0	-61,0	
110	104	33	5 Ruter	N 12 420	61,0	-61,0	
62	171	83	5 Ruter	S 12 420	61,0	-61,0	
52	185	11	5 Ruter	S 12 420	61,0	-61,0	
3	71	146	5 Ruter	S 12 420	61,0	-61,0	
29	210	217	5 Ruter	S 12 420	61,0	-61,0	
15	44	136	5 Ruter	S 12 420	61,0	-61,0	
91	117	93	5 Ruter	S 12 420	61,0	-61,0	
41	166	125	5 Ruter	S 12 420	61,0	-61,0	
77	188	139	5 Ruter	S 12 420	61,0	-61,0	
94	21	114	5 Ruter	S 12 420	61,0	-61,0	
72	154	227	5 Ruter	S 12 420	61,0	-61,0	
10	99	150	5 Ruter	S 12 420	61,0	-61,0	
103	215	193	5 Ruter	N 11 400	37,0	-37,0	
17	179	137	3 Spar	D Ø 7 300	35,0	-35,0	
30	164	28	3 Spar	Ø 4 250	33,0	-33,0	
58	16	91	3 Hjerter	N 11 200	31,0	-31,0	
79	81	123	2 Ruter	S 12 170	17,0	-17,0	
68	1	172	2 Ruter	S 12 170	17,0	-17,0	
4	233	196	3 Ruter	S 12 170	17,0	-17,0	
74	200	167	3 Ruter	S 12 170	17,0	-17,0	
36	62	130	3 Ruter	S 12 170	17,0	-17,0	
96	60	98	3 Ruter	S 12 170	17,0	-17,0	
117	43	134	3 Ruter	S 12 170	17,0	-17,0	
89	140	220	3 Ruter	S 12 170	17,0	-17,0	
99	76	184	3 Ruter	S 12 170	17,0	-17,0	
87	10	53	3 Ruter	S 12 170	17,0	-17,0	
61	204	181	4 Ruter	S 12 170	17,0	-17,0	
37	3	115	4 Ruter	S 12 170	17,0	-17,0	
113	225	234	4 Ruter	S 12 170	17,0	-17,0	
93	4	152	3 Ruter	S 11 150	1,0	-1,0	
20	77	219	3 Ruter	N 11 150	1,0	-1,0	
83	18	26	3 Spar	Ø 6 150	1,0	-1,0	
22	85	41	5 Kløver	D Ø 10 100	-3,0	3,0	
100	143	162	2 NT	N 7	50	-29,0	29,0
48	64	25	2 NT	S 7	50	-29,0	29,0
86	158	108	3 Hjerter	N 8	50	-29,0	29,0
53	12	128	3 Hjerter	N 8	50	-29,0	29,0
109	32	57	3 Hjerter	N 8	50	-29,0	29,0
2	121	72	3 Hjerter	N 8	50	-29,0	29,0
97	20	180	3 NT	N 8	50	-29,0	29,0
71	70	82	3 NT	N 8	50	-29,0	29,0
116	209	208	3 NT	S 8	50	-29,0	29,0
101	144	145	3 NT	N 8	50	-29,0	29,0
80	155	165	3 NT	N 8	50	-29,0	29,0
107	231	120	3 NT	N 8	50	-29,0	29,0
43	195	147	3 NT	N 8	50	-29,0	29,0
95	38	122	3 NT	N 8	50	-29,0	29,0

54	186	9	3 NT	N 8	50	-29,0	29,0
40	56	67	3 NT	N 8	50	-29,0	29,0
115	230	168	3 NT	N 8	50	-29,0	29,0
104	47	65	3 NT	S 8	50	-29,0	29,0
13	211	132	3 NT	N 8	50	-29,0	29,0
78	135	205	3 NT	N 8	50	-29,0	29,0
45	129	86	4 Hjerter	N 9	50	-29,0	29,0
46	23	173	4 Hjerter	N 9	50	-29,0	29,0
8	153	142	4 Hjerter	N 9	50	-29,0	29,0
105	106	55	4 Hjerter	N 9	50	-29,0	29,0
63	169	118	4 Hjerter	N 9	50	-29,0	29,0
33	78	22	3 Hjerter	N 7	100	-77,0	77,0
1	133	206	3 NT	N 7	100	-77,0	77,0
51	148	216	3 NT	S 7	100	-77,0	77,0
102	102	13	3 NT	N 7	100	-77,0	77,0
118	51	46	3 NT	N 7	100	-77,0	77,0
64	138	198	3 NT	S 7	100	-77,0	77,0
57	39	79	3 NT	N 7	100	-77,0	77,0
67	191	19	3 NT	N 7	100	-77,0	77,0
90	197	178	3 NT	N 7	100	-77,0	77,0
19	30	48	3 NT	N 7	100	-77,0	77,0
47	73	37	3 NT	N 7	100	-77,0	77,0
24	88	228	3 NT	S 7	100	-77,0	77,0
28	61	69	3 NT	N 7	100	-77,0	77,0
65	183	127	3 NT	N 7	100	-77,0	77,0
38	194	90	3 NT	N 7	100	-77,0	77,0
108	170	232	3 NT	N 7	100	-77,0	77,0
18	5	103	4 Hjerter	N 8	100	-77,0	77,0
85	190	175	4 Hjerter	N 8	100	-77,0	77,0
82	177	36	4 Hjerter	N 8	100	-77,0	77,0
14	40	235	4 Hjerter	N 8	100	-77,0	77,0
26	236	159	4 Hjerter	N 8	100	-77,0	77,0
25	223	14	4 Hjerter	N 8	100	-77,0	77,0
32	89	226	4 Hjerter	N 8	100	-77,0	77,0
81	54	111	4 Hjerter	N 7	150	-105,0	105,0
31	222	202	4 Hjerter	N 7	150	-105,0	105,0
92	126	101	4 Hjerter	N 7	150	-105,0	105,0
112	110	59	4 Hjerter	N 7	150	-105,0	105,0
75	182	214	4 Hjerter	N 7	150	-105,0	105,0
49	31	49	4 Hjerter	D N 7	500	-111,0	111,0
11	207	131	4 Kløver	D Ø 10	510	-113,0	113,0
9	58	35	6 Hjerter	D N 8	800	-115,0	115,0
66	27	96	6 Hjerter	D N 7	1100	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
64	138	198	7NT	S 13 2220	116,0	-116,0
38	194	90	7NT	S 13 2220	116,0	-116,0
60	157	112	6NT	N 13 1470	81,0	-81,0
12	189	229	6NT	N 13 1470	81,0	-81,0
59	17	94	6NT	N 13 1470	81,0	-81,0
65	183	127	6NT	N 13 1470	81,0	-81,0
27	68	161	6NT	N 13 1470	81,0	-81,0
55	187	6	6NT	N 13 1470	81,0	-81,0
17	179	137	6NT	S 13 1470	81,0	-81,0
61	204	181	6NT	N 13 1470	81,0	-81,0
82	177	36	6NT	N 13 1470	81,0	-81,0
11	207	131	6NT	S 13 1470	81,0	-81,0
113	225	234	6NT	S 13 1470	81,0	-81,0
111	156	113	6NT	S 13 1470	81,0	-81,0
98	66	7	6NT	N 13 1470	81,0	-81,0
47	73	37	6NT	N 13 1470	81,0	-81,0
5	45	8	6NT	S 13 1470	81,0	-81,0
117	43	134	6NT	N 13 1470	81,0	-81,0
87	10	53	6NT	N 13 1470	81,0	-81,0
21	100	203	6NT	S 13 1470	81,0	-81,0
39	84	24	6NT	N 13 1470	81,0	-81,0
37	3	115	6NT	N 13 1470	81,0	-81,0
66	27	96	6NT	S 13 1470	81,0	-81,0
6	149	116	6NT	N 13 1470	81,0	-81,0
77	188	139	6NT	N 13 1470	81,0	-81,0
91	117	93	6NT	N 13 1470	81,0	-81,0
23	119	176	6NT	S 13 1470	81,0	-81,0
85	190	175	6NT	N 13 1470	81,0	-81,0
106	221	199	6NT	N 13 1470	81,0	-81,0
53	12	128	6NT	S 13 1470	81,0	-81,0
112	110	59	6NT	N 13 1470	81,0	-81,0
58	16	91	6NT	N 13 1470	81,0	-81,0
88	218	15	6NT	N 13 1470	81,0	-81,0
79	81	123	6NT	S 13 1470	81,0	-81,0
41	166	125	6NT	S 13 1470	81,0	-81,0
28	61	69	6NT	S 12 1440	45,0	-45,0
62	171	83	6NT	S 12 1440	45,0	-45,0
86	158	108	6NT	S 12 1440	45,0	-45,0
69	2	192	6 Kløver	N 13 1390	34,0	-34,0
70	105	141	6 Kløver	N 13 1390	34,0	-34,0
50	95	42	6 Kløver	N 13 1390	34,0	-34,0
42	124	224	6 Kløver	N 13 1390	34,0	-34,0
51	148	216	6 Kløver	N 13 1390	34,0	-34,0
81	54	111	6 Kløver	N 13 1390	34,0	-34,0
26	236	159	6 Kløver	N 13 1390	34,0	-34,0
115	230	168	6 Ruter	N 13 1390	34,0	-34,0
68	1	172	3NT	N 13 720	-20,0	20,0
101	144	145	3NT	S 13 720	-20,0	20,0
97	20	180	3NT	S 13 720	-20,0	20,0
75	182	214	3NT	S 13 720	-20,0	20,0
43	195	147	3NT	N 13 720	-20,0	20,0
110	104	33	3NT	N 13 720	-20,0	20,0
24	88	228	3NT	N 13 720	-20,0	20,0
19	30	48	3NT	S 13 720	-20,0	20,0
8	153	142	3NT	N 13 720	-20,0	20,0
7	34	63	3NT	S 13 720	-20,0	20,0
29	210	217	3NT	N 13 720	-20,0	20,0
16	174	201	3NT	S 13 720	-20,0	20,0
93	4	152	3NT	N 13 720	-20,0	20,0
104	47	65	3NT	S 13 720	-20,0	20,0
107	231	120	3NT	S 13 720	-20,0	20,0
57	39	79	3NT	N 13 720	-20,0	20,0
102	102	13	3NT	N 13 720	-20,0	20,0
48	64	25	3NT	N 13 720	-20,0	20,0
15	44	136	3NT	N 13 720	-20,0	20,0
34	80	212	3NT	N 13 720	-20,0	20,0
49	31	49	3NT	N 13 720	-20,0	20,0
84	75	107	3NT	N 13 720	-20,0	20,0
25	223	14	3NT	N 13 720	-20,0	20,0
22	85	41	3NT	N 13 720	-20,0	20,0
95	38	122	3NT	S 13 720	-20,0	20,0
35	160	97	3NT	S 13 720	-20,0	20,0
3	71	146	3NT	S 13 720	-20,0	20,0
52	185	11	3NT	S 13 720	-20,0	20,0
89	140	220	3NT	S 13 720	-20,0	20,0

31	222	202	3NT	S 13 720	-20,0	20,0
74	200	167	3NT	S 13 720	-20,0	20,0
56	92	52	3NT	S 13 720	-20,0	20,0
45	129	86	3NT	S 13 720	-20,0	20,0
100	143	162	3NT	S 13 720	-20,0	20,0
30	164	28	3NT	N 13 720	-20,0	20,0
4	233	196	3NT	N 13 720	-20,0	20,0
99	76	184	3NT	S 13 720	-20,0	20,0
40	56	67	3NT	N 13 720	-20,0	20,0
72	154	227	3NT	N 13 720	-20,0	20,0
13	211	132	3NT	S 13 720	-20,0	20,0
33	78	22	3NT	S 13 720	-20,0	20,0
76	109	50	3NT	N 13 720	-20,0	20,0
71	70	82	4NT	N 13 720	-20,0	20,0
105	106	55	4NT	N 13 720	-20,0	20,0
2	121	72	4NT	S 13 720	-20,0	20,0
116	209	208	4NT	N 13 720	-20,0	20,0
80	155	165	3NT	S 12 690	-87,0	87,0
83	18	26	3NT	S 12 690	-87,0	87,0
118	51	46	3NT	N 12 690	-87,0	87,0
9	58	35	3NT	S 12 690	-87,0	87,0
10	99	150	3NT	S 12 690	-87,0	87,0
20	77	219	3NT	S 12 690	-87,0	87,0
90	197	178	3NT	S 12 690	-87,0	87,0
63	169	118	3NT	S 12 690	-87,0	87,0
73	163	213	3NT	S 12 690	-87,0	87,0
103	215	193	3NT	S 12 690	-87,0	87,0
67	191	19	3NT	S 12 690	-87,0	87,0
108	170	232	3NT	S 12 690	-87,0	87,0
32	89	226	3NT	N 12 690	-87,0	87,0
78	135	205	3NT	S 12 690	-87,0	87,0
54	186	9	3NT	S 12 690	-87,0	87,0
18	5	103	3NT	S 12 690	-87,0	87,0
114	74	151	3NT	S 12 690	-87,0	87,0
46	23	173	3NT	S 12 690	-87,0	87,0
44	87	29	3NT	S 12 690	-87,0	87,0
1	133	206	3NT	N 12 690	-87,0	87,0
92	126	101	3NT	S 12 690	-87,0	87,0
94	21	114	3NT	S 11 660	-111,0	111,0
96	60	98	3NT	S 11 660	-111,0	111,0
109	32	57	3NT	S 11 660	-111,0	111,0
36	62	130	5 Kløver	N 13 640	-116,0	116,0
14	40	235	5 Kløver	N 13 640	-116,0	116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
56	92	52	4 Spar	S 11	450	115,0	-115,0
67	191	19	4 Spar	S 11	450	115,0	-115,0
47	73	37	4 Spar	S 11	450	115,0	-115,0
117	43	134	4 Spar	N 10	420	85,0	-85,0
109	32	57	4 Spar	N 10	420	85,0	-85,0
76	109	50	4 Spar	N 10	420	85,0	-85,0
113	225	234	4 Spar	N 10	420	85,0	-85,0
55	187	6	4 Spar	N 10	420	85,0	-85,0
40	56	67	4 Spar	N 10	420	85,0	-85,0
28	61	69	4 Spar	S 10	420	85,0	-85,0
110	104	33	4 Spar	N 10	420	85,0	-85,0
46	23	173	4 Spar	S 10	420	85,0	-85,0
89	140	220	4 Spar	N 10	420	85,0	-85,0
5	45	8	4 Spar	N 10	420	85,0	-85,0
49	31	49	4 Spar	N 10	420	85,0	-85,0
21	100	203	4 Spar	N 10	420	85,0	-85,0
20	77	219	4 Spar	N 10	420	85,0	-85,0
11	207	131	4 Spar	N 10	420	85,0	-85,0
68	1	172	4 Spar	N 10	420	85,0	-85,0
62	171	83	4 Spar	N 10	420	85,0	-85,0
29	210	217	4 Spar	N 10	420	85,0	-85,0
48	64	25	4 Spar	N 10	420	85,0	-85,0
97	20	180	4 Spar	N 10	420	85,0	-85,0
39	84	24	4 Spar	S 10	420	85,0	-85,0
10	99	150	4 Spar	S 10	420	85,0	-85,0
92	126	101	4 Spar	N 10	420	85,0	-85,0
6	149	116	4 Spar	N 10	420	85,0	-85,0
112	110	59	4 Spar	N 10	420	85,0	-85,0
86	158	108	4 Spar	N 10	420	85,0	-85,0
106	221	199	4 Spar	N 10	420	85,0	-85,0
36	62	130	3 NT	N 9	400	56,0	-56,0
58	16	91	3 NT	N 9	400	56,0	-56,0
99	76	184	3 Spar	N 9	140	53,0	-53,0
9	58	35	3 NT	N 8		50	-18,0 18,0
45	129	86	3 NT	N 8		50	-18,0 18,0
87	10	53	4 Spar	N 9		50	-18,0 18,0
14	40	235	4 Spar	N 9		50	-18,0 18,0
34	80	212	4 Spar	N 9		50	-18,0 18,0
23	119	176	4 Spar	N 9		50	-18,0 18,0
64	138	198	4 Spar	N 9		50	-18,0 18,0
32	89	226	4 Spar	N 9		50	-18,0 18,0
98	66	7	4 Spar	N 9		50	-18,0 18,0
93	4	152	4 Spar	S 9		50	-18,0 18,0
4	233	196	4 Spar	N 9		50	-18,0 18,0
95	38	122	4 Spar	N 9		50	-18,0 18,0
85	190	175	4 Spar	S 9		50	-18,0 18,0
78	135	205	4 Spar	S 9		50	-18,0 18,0
54	186	9	4 Spar	S 9		50	-18,0 18,0
16	174	201	4 Spar	N 9		50	-18,0 18,0
80	155	165	4 Spar	N 9		50	-18,0 18,0
43	195	147	4 Spar	N 9		50	-18,0 18,0
1	133	206	4 Spar	N 9		50	-18,0 18,0
15	44	136	4 Spar	N 9		50	-18,0 18,0
13	211	132	4 Spar	N 9		50	-18,0 18,0
116	209	208	4 Spar	N 9		50	-18,0 18,0
79	81	123	4 Spar	S 9		50	-18,0 18,0
90	197	178	4 Spar	N 9		50	-18,0 18,0
83	18	26	4 Spar	N 9		50	-18,0 18,0
102	102	13	4 Spar	N 9		50	-18,0 18,0
75	182	214	4 Spar	N 9		50	-18,0 18,0
63	169	118	4 Spar	N 9		50	-18,0 18,0
61	204	181	4 Spar	N 9		50	-18,0 18,0
18	5	103	4 Spar	N 9		50	-18,0 18,0
57	39	79	4 Spar	N 9		50	-18,0 18,0
107	231	120	4 Spar	N 9		50	-18,0 18,0
91	117	93	4 Spar	N 9		50	-18,0 18,0
77	188	139	4 Spar	N 9		50	-18,0 18,0
71	70	82	4 Spar	N 9		50	-18,0 18,0
27	68	161	4 Spar	N 9		50	-18,0 18,0
96	60	98	4 Spar	N 9		50	-18,0 18,0
69	2	192	4 Spar	N 9		50	-18,0 18,0
25	223	14	4 Spar	N 9		50	-18,0 18,0
51	148	216	4 Spar	N 9		50	-18,0 18,0
3	71	146	4 Spar	N 9		50	-18,0 18,0
50	95	42	4 Spar	N 9		50	-18,0 18,0

73	163	213	4 Spar	N 9	50	-18,0	18,0
52	185	11	4 Spar	N 9	50	-18,0	18,0
12	189	229	4 Spar	N 9	50	-18,0	18,0
94	21	114	4 Spar	S 9	50	-18,0	18,0
81	54	111	4 Spar	N 9	50	-18,0	18,0
41	166	125	4 Spar	N 9	50	-18,0	18,0
84	75	107	4 Spar	N 9	50	-18,0	18,0
17	179	137	4 Spar	N 9	50	-18,0	18,0
31	222	202	4 Spar	N 9	50	-18,0	18,0
42	124	224	4 Spar	N 9	50	-18,0	18,0
44	87	29	4 Spar	N 9	50	-18,0	18,0
38	194	90	4 Spar	N 9	50	-18,0	18,0
74	200	167	4 Spar	S 9	50	-18,0	18,0
26	236	159	4 Spar	N 9	50	-18,0	18,0
66	27	96	4 Spar	N 9	50	-18,0	18,0
114	74	151	4 Spar	N 9	50	-18,0	18,0
100	143	162	4 Spar	N 9	50	-18,0	18,0
8	153	142	4 Spar	N 9	50	-18,0	18,0
82	177	36	4 Spar	N 9	50	-18,0	18,0
105	106	55	4 Spar	N 9	50	-18,0	18,0
72	154	227	4 Spar	N 9	50	-18,0	18,0
115	230	168	4 Spar	N 9	50	-18,0	18,0
101	144	145	4 Spar	N 9	50	-18,0	18,0
104	47	65	4 Spar	N 9	50	-18,0	18,0
103	215	193	4 Spar	N 9	50	-18,0	18,0
70	105	141	4 Spar	N 9	50	-18,0	18,0
33	78	22	4 Spar	N 9	50	-18,0	18,0
24	88	228	4 Spar	S 9	50	-18,0	18,0
37	3	115	3 NT	N 7	100	-102,0	102,0
7	34	63	4 Spar	S 8	100	-102,0	102,0
35	160	97	4 Spar	S 8	100	-102,0	102,0
22	85	41	4 Spar	N 8	100	-102,0	102,0
108	170	232	4 Spar	N 8	100	-102,0	102,0
60	157	112	4 Spar	N 8	100	-102,0	102,0
88	218	15	4 Spar	S 8	100	-102,0	102,0
59	17	94	4 Spar	S 8	100	-102,0	102,0
53	12	128	4 Spar	S 8	100	-102,0	102,0
19	30	48	4 Spar	S 8	100	-102,0	102,0
111	156	113	4 Spar	S 8	100	-102,0	102,0
65	183	127	4 Spar	N 8	100	-102,0	102,0
2	121	72	4 Spar	S 8	100	-102,0	102,0
118	51	46	4 Spar	S 8	100	-102,0	102,0
30	164	28	4 Spar	S 7	150	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
90	53	75	6 Hjerter	D S 12 1210	116,0	-116,0
19	236	189	6 Hjerter	D S 12 1210	116,0	-116,0
75	182	172	6 Hjerter	S 12 980	113,0	-113,0
96	180	117	4 Hjerter	D S 13 890	111,0	-111,0
117	46	43	4 Hjerter	D S 12 790	109,0	-109,0
37	129	97	5 Hjerter	D S 12 750	105,0	-105,0
49	171	31	5 Hjerter	D S 12 750	105,0	-105,0
45	194	29	5 Hjerter	D S 12 750	105,0	-105,0
57	23	1	4 Hjerter	D S 11 690	100,0	-100,0
68	83	169	4 Hjerter	D S 11 690	100,0	-100,0
106	215	231	5 Hjerter	D N 11 650	84,0	-84,0
30	88	68	5 Hjerter	D S 11 650	84,0	-84,0
83	111	140	5 Hjerter	D S 11 650	84,0	-84,0
18	219	100	5 Hjerter	D S 11 650	84,0	-84,0
56	112	186	5 Hjerter	D S 11 650	84,0	-84,0
50	181	214	5 Hjerter	D S 11 650	84,0	-84,0
62	157	64	5 Hjerter	D S 11 650	84,0	-84,0
84	15	213	5 Hjerter	D S 11 650	84,0	-84,0
69	108	195	5 Hjerter	D S 11 650	84,0	-84,0
51	37	49	5 Hjerter	D S 11 650	84,0	-84,0
98	60	102	5 Hjerter	D S 11 650	84,0	-84,0
93	10	221	5 Hjerter	D S 11 650	84,0	-84,0
89	177	76	5 Hjerter	D S 11 650	84,0	-84,0
113	151	47	5 Hjerter	D S 11 650	84,0	-84,0
74	2	118	5 Hjerter	S 12 480	68,0	-68,0
67	92	50	5 Hjerter	S 12 480	68,0	-68,0
16	30	119	2 Spar	D N 8 470	65,0	-65,0
59	39	96	4 Hjerter	S 11 450	54,0	-54,0
23	217	61	4 Hjerter	S 11 450	54,0	-54,0
80	165	188	4 Hjerter	S 11 450	54,0	-54,0
22	34	5	4 Hjerter	S 11 450	54,0	-54,0
5	149	146	4 Hjerter	S 11 450	54,0	-54,0
48	79	11	4 Hjerter	N 11 450	54,0	-54,0
60	125	204	5 Hjerter	S 11 450	54,0	-54,0
39	62	67	5 Hjerter	S 11 450	54,0	-54,0
107	104	193	5 Hjerter	S 11 450	54,0	-54,0
101	114	162	5 Hjerter	S 11 450	54,0	-54,0
3	133	45	6 Ruter	D Ø 10 300	40,0	-40,0
31	161	130	6 Ruter	D Ø 10 300	40,0	-40,0
33	185	78	6 Ruter	D Ø 10 300	40,0	-40,0
43	148	166	6 Ruter	D Ø 10 300	40,0	-40,0
65	135	12	2 Spar	N 11 200	33,0	-33,0
1	206	121	2 Spar	N 11 200	33,0	-33,0
58	227	42	3 Hjerter	N 11 200	33,0	-33,0
29	228	80	3 Spar	N 10 170	29,0	-29,0
38	24	160	3 NT	Ø 6 150	26,0	-26,0
64	141	16	3 NT	Ø 6 150	26,0	-26,0
99	178	106	2 Spar	N 9 140	22,0	-22,0
108	59	170	3 Spar	N 9 140	22,0	-22,0
15	48	176	2 Spar	N 8 110	18,0	-18,0
47	124	6	2 Spar	S 8 110	18,0	-18,0
26	56	132	3 NT	Ø 7 100	7,0	-7,0
73	198	7	5 Kløver	V 9 100	7,0	-7,0
86	122	98	5 Kløver	D V 10 100	7,0	-7,0
53	91	9	5 Ruter	D Ø 10 100	7,0	-7,0
104	232	113	5 Ruter	D Ø 10 100	7,0	-7,0
46	115	173	5 Ruter	D Ø 10 100	7,0	-7,0
8	211	153	6 Ruter	D Ø 11 100	7,0	-7,0
79	27	155	6 Ruter	D Ø 11 100	7,0	-7,0
28	28	210	6 Ruter	Ø 10 100	7,0	-7,0
114	33	230	5 Ruter	Ø 10 50	-9,0	9,0
21	40	223	5 Ruter	Ø 10 50	-9,0	9,0
41	212	222	5 Ruter	Ø 10 50	-9,0	9,0
70	191	205	5 Ruter	V 10 50	-9,0	9,0
110	120	55	5 Ruter	Ø 10 50	-9,0	9,0
94	18	126	5 Ruter	Ø 10 50	-9,0	9,0
95	20	190	5 Ruter	Ø 10 50	-9,0	9,0
78	54	19	2 Spar	N 7 50	-21,7	21,7
9	142	207	2 Spar	S 7 50	-21,7	21,7
13	77	136	2 Spar	S 7 50	-21,7	21,7
2	72	233	2 Spar	N 7 50	-21,7	21,7
27	44	203	2 Spar	S 7 50	-21,7	21,7
34	202	89	3 Spar	S 7 100	-32,3	32,3
7	116	103	3 Spar	N 7 100	-32,3	32,3
25	164	86	4 Spar	D N 9 100	-32,3	32,3

12	196	58	4 Spar	N 8	100	-32,3	32,3
11	229	137	6 Hjerter	D S 11	100	-32,3	32,3
111	168	199	4 Ruter	Ø 10	130	-39,3	39,3
82	139	82	4 Ruter	Ø 10	130	-39,3	39,3
88	21	4	5 Ruter	Ø 11	400	-41,5	41,5
71	73	70	4 Ruter	Ø 11	150	-46,3	46,3
63	220	183	4 Ruter	Ø 11	150	-46,3	46,3
100	38	66	4 Ruter	Ø 11	150	-46,3	46,3
17	174	69	4 Ruter	Ø 11	150	-46,3	46,3
112	156	234	4 Ruter	V 11	150	-46,3	46,3
32	14	85	3 Spar	D S 7	300	-53,3	53,3
52	109	192	3 Spar	D S 7	300	-53,3	53,3
4	63	71	5 Ruter	Ø 11	400	-81,7	81,7
105	152	110	5 Ruter	V 11	400	-81,7	81,7
87	145	163	5 Ruter	Ø 11	400	-81,7	81,7
42	224	147	5 Ruter	Ø 11	400	-81,7	81,7
109	74	32	5 Ruter	V 11	400	-81,7	81,7
116	225	209	5 Ruter	Ø 11	400	-81,7	81,7
66	154	81	5 Ruter	Ø 11	400	-81,7	81,7
102	107	175	5 Ruter	V 11	400	-81,7	81,7
103	144	65	5 Ruter	V 11	400	-81,7	81,7
77	93	187	5 Ruter	Ø 11	400	-81,7	81,7
35	22	128	5 Ruter	Ø 11	400	-81,7	81,7
115	57	208	5 Ruter	Ø 11	400	-81,7	81,7
118	51	134	5 Ruter	Ø 11	400	-81,7	81,7
36	84	235	5 Ruter	V 11	400	-81,7	81,7
10	35	8	5 Ruter	Ø 11	400	-81,7	81,7
85	26	197	5 Ruter	Ø 11	400	-81,7	81,7
76	218	200	5 Ruter	Ø 11	400	-81,7	81,7
91	105	36	5 Ruter	Ø 11	400	-81,7	81,7
72	158	167	5 Ruter	Ø 11	400	-81,7	81,7
20	159	3	5 Ruter	Ø 11	400	-81,7	81,7
55	95	25	5 Ruter	V 11	400	-81,7	81,7
97	13	143	5 Ruter	Ø 11	400	-81,7	81,7
61	94	138	5 Ruter	Ø 11	400	-81,7	81,7
24	131	41	5 Ruter	Ø 11	400	-81,7	81,7
92	101	184	5 Ruter	Ø 11	400	-81,7	81,7
40	87	226	5 Ruter	Ø 11	400	-81,7	81,7
54	127	52	5 Spar	D N 8	500	-109,0	109,0
14	150	201	5 Ruter	D Ø 11	550	-113,0	113,0
81	123	17	5 Ruter	D Ø 11	550	-113,0	113,0
44	90	216	5 Ruter	D Ø 11	550	-113,0	113,0
6	99	179	6 Ruter	Ø 12	920	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
7	116	103	3NT	V 8	50	115,0	-115,0
90	53	75	3NT	V 8	50	115,0	-115,0
91	105	36	5 Kløver	V 10	50	115,0	-115,0
75	182	172	1 Kløver	V 10	130	111,0	-111,0
106	215	231	3 Kløver	V 11	150	108,0	-108,0
88	21	4	3 Kløver	V 11	150	108,0	-108,0
82	139	82	2NT	V 10	180	104,0	-104,0
109	74	32	2NT	V 10	180	104,0	-104,0
58	227	42	3NT	V 9	400	93,0	-93,0
111	168	199	3NT	V 9	400	93,0	-93,0
50	181	214	3NT	V 9	400	93,0	-93,0
97	13	143	3NT	Ø 9	400	93,0	-93,0
105	152	110	3NT	V 9	400	93,0	-93,0
52	109	192	3NT	Ø 9	400	93,0	-93,0
44	90	216	3NT	Ø 9	400	93,0	-93,0
49	171	31	3NT	V 9	400	93,0	-93,0
43	148	166	5 Kløver	V 11	400	93,0	-93,0
45	194	29	3NT	V 10	430	-9,0	9,0
47	124	6	3NT	Ø 10	430	-9,0	9,0
77	93	187	3NT	V 10	430	-9,0	9,0
73	198	7	3NT	V 10	430	-9,0	9,0
70	191	205	3NT	V 10	430	-9,0	9,0
41	212	222	3NT	V 10	430	-9,0	9,0
72	158	167	3NT	V 10	430	-9,0	9,0
1	206	121	3NT	Ø 10	430	-9,0	9,0
99	178	106	3NT	V 10	430	-9,0	9,0
107	104	193	3NT	V 10	430	-9,0	9,0
59	39	96	3NT	Ø 10	430	-9,0	9,0
62	157	64	3NT	Ø 10	430	-9,0	9,0
66	154	81	3NT	Ø 10	430	-9,0	9,0
35	22	128	3NT	V 10	430	-9,0	9,0
63	220	183	3NT	Ø 10	430	-9,0	9,0
57	23	1	3NT	V 10	430	-9,0	9,0
29	228	80	3NT	Ø 10	430	-9,0	9,0
37	129	97	3NT	V 10	430	-9,0	9,0
55	95	25	3NT	V 10	430	-9,0	9,0
8	211	153	3NT	V 10	430	-9,0	9,0
85	26	197	3NT	Ø 10	430	-9,0	9,0
94	18	126	3NT	V 10	430	-9,0	9,0
61	94	138	3NT	V 10	430	-9,0	9,0
21	40	223	3NT	V 10	430	-9,0	9,0
103	144	65	3NT	V 10	430	-9,0	9,0
116	225	209	3NT	V 10	430	-9,0	9,0
110	120	55	3NT	Ø 10	430	-9,0	9,0
115	57	208	3NT	Ø 10	430	-9,0	9,0
42	224	147	3NT	Ø 10	430	-9,0	9,0
20	159	3	3NT	V 10	430	-9,0	9,0
81	123	17	3NT	V 10	430	-9,0	9,0
113	151	47	3NT	V 10	430	-9,0	9,0
46	115	173	3NT	V 10	430	-9,0	9,0
3	133	45	3NT	Ø 10	430	-9,0	9,0
71	73	70	3NT	V 10	430	-9,0	9,0
118	51	134	3NT	V 10	430	-9,0	9,0
39	62	67	3NT	Ø 10	430	-9,0	9,0
108	59	170	3NT	Ø 10	430	-9,0	9,0
95	20	190	3NT	Ø 10	430	-9,0	9,0
104	232	113	3NT	Ø 10	430	-9,0	9,0
53	91	9	3NT	Ø 10	430	-9,0	9,0
38	24	160	3NT	V 10	430	-9,0	9,0
112	156	234	3NT	V 10	430	-9,0	9,0
18	219	100	3NT	V 10	430	-9,0	9,0
19	236	189	3NT	V 10	430	-9,0	9,0
22	34	5	3NT	V 10	430	-9,0	9,0
65	135	12	3NT	V 10	430	-9,0	9,0
86	122	98	3NT	V 10	430	-9,0	9,0
16	30	119	3NT	V 10	430	-9,0	9,0
4	63	71	3NT	V 10	430	-9,0	9,0
79	27	155	3NT	Ø 10	430	-9,0	9,0
2	72	233	3NT	V 10	430	-9,0	9,0
27	44	203	3NT	V 10	430	-9,0	9,0
5	149	146	3NT	Ø 10	430	-9,0	9,0
101	114	162	3NT	V 10	430	-9,0	9,0
48	79	11	3NT	Ø 10	430	-9,0	9,0
68	83	169	3NT	V 10	430	-9,0	9,0
56	112	186	3NT	V 10	430	-9,0	9,0

9	142	207	3NT	V 10	430	-9,0	9,0
80	165	188	3NT	V 10	430	-9,0	9,0
6	99	179	3NT	V 10	430	-9,0	9,0
102	107	175	3NT	Ø 10	430	-9,0	9,0
32	14	85	3NT	Ø 10	430	-9,0	9,0
89	177	76	3NT	Ø 10	430	-9,0	9,0
76	218	200	3NT	V 10	430	-9,0	9,0
25	164	86	3NT	Ø 10	430	-9,0	9,0
93	10	221	3NT	V 10	430	-9,0	9,0
12	196	58	3NT	V 10	430	-9,0	9,0
13	77	136	3NT	V 10	430	-9,0	9,0
15	48	176	3NT	V 10	430	-9,0	9,0
33	185	78	3NT	V 10	430	-9,0	9,0
92	101	184	3NT	V 10	430	-9,0	9,0
51	37	49	3NT	V 10	430	-9,0	9,0
117	46	43	3NT	Ø 10	430	-9,0	9,0
64	141	16	3NT	V 10	430	-9,0	9,0
84	15	213	3NT	Ø 10	430	-9,0	9,0
23	217	61	3NT	V 10	430	-9,0	9,0
98	60	102	3NT	Ø 10	430	-9,0	9,0
69	108	195	3NT	V 10	430	-9,0	9,0
28	28	210	3NT	V 10	430	-9,0	9,0
36	84	235	3NT	V 10	430	-9,0	9,0
26	56	132	3NT	Ø 10	430	-9,0	9,0
31	161	130	3NT	Ø 10	430	-9,0	9,0
30	88	68	3NT	Ø 10	430	-9,0	9,0
11	229	137	3NT	V 10	430	-9,0	9,0
100	38	66	3NT	V 10	430	-9,0	9,0
17	174	69	3NT	V 10	430	-9,0	9,0
14	150	201	3NT	V 10	430	-9,0	9,0
34	202	89	3NT	V 10	430	-9,0	9,0
24	131	41	3NT	V 10	430	-9,0	9,0
54	127	52	3NT	V 10	430	-9,0	9,0
96	180	117	3NT	V 10	430	-9,0	9,0
114	33	230	3NT	Ø 10	430	-9,0	9,0
40	87	226	3NT	V 11	460	-109,0	109,0
78	54	19	3NT	Ø 11	460	-109,0	109,0
74	2	118	3NT	V 11	460	-109,0	109,0
87	145	163	3NT	V 11	460	-109,0	109,0
67	92	50	3NT	V 11	460	-109,0	109,0
83	111	140	3NT	Ø 11	460	-109,0	109,0
60	125	204	3NT	V 11	460	-109,0	109,0
10	35	8	6 Kløver	V 12	920	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
13	77	136	6 Hjerter	D V 10	500	117,0	-117,0
65	135	12	6 NT	V 9	300	114,0	-114,0
63	220	183	6 Ruter	Ø 9	300	114,0	-114,0
66	154	81	6 Ruter	D V 11	200	110,0	-110,0
99	178	106	6 Ruter	V 10	200	110,0	-110,0
43	148	166	3 NT	Ø 8	100	97,0	-97,0
108	59	170	3 NT	Ø 8	100	97,0	-97,0
111	168	199	4 Hjerter	V 9	100	97,0	-97,0
73	198	7	5 Hjerter	V 10	100	97,0	-97,0
19	236	189	5 Hjerter	V 10	100	97,0	-97,0
22	34	5	5 Hjerter	V 10	100	97,0	-97,0
88	21	4	5 Ruter	Ø 10	100	97,0	-97,0
20	159	3	5 Ruter	V 10	100	97,0	-97,0
40	87	226	6 Ruter	Ø 11	100	97,0	-97,0
94	18	126	6 Ruter	Ø 11	100	97,0	-97,0
9	142	207	6 Ruter	Ø 11	100	97,0	-97,0
117	46	43	3 Ruter	Ø 11	150	85,0	-85,0
90	53	75	3 Hjerter	V 10	170	64,0	-64,0
12	196	58	3 Hjerter	V 10	170	64,0	-64,0
44	90	216	3 Hjerter	V 10	170	64,0	-64,0
67	92	50	3 Hjerter	V 10	170	64,0	-64,0
83	111	140	3 Hjerter	V 10	170	64,0	-64,0
79	27	155	3 Hjerter	V 10	170	64,0	-64,0
34	202	89	3 Hjerter	V 10	170	64,0	-64,0
37	129	97	3 Hjerter	V 10	170	64,0	-64,0
85	26	197	3 Hjerter	V 10	170	64,0	-64,0
89	177	76	3 Hjerter	V 10	170	64,0	-64,0
29	228	80	3 Hjerter	V 10	170	64,0	-64,0
116	225	209	3 Hjerter	V 10	170	64,0	-64,0
38	24	160	3 Hjerter	V 10	170	64,0	-64,0
81	123	17	3 Hjerter	V 10	170	64,0	-64,0
24	131	41	3 Hjerter	V 10	170	64,0	-64,0
21	40	223	3 Hjerter	V 10	170	64,0	-64,0
70	191	205	3 Hjerter	V 10	170	64,0	-64,0
69	108	195	3 Hjerter	Ø 10	170	64,0	-64,0
35	22	128	3 Hjerter	V 10	170	64,0	-64,0
56	112	186	3 Hjerter	Ø 10	170	64,0	-64,0
80	165	188	3 Kløver	D S 7	300	43,0	-43,0
75	182	172	5 Kløver	D S 8	500	41,0	-41,0
98	60	102	3 NT	Ø 9	600	28,0	-28,0
110	120	55	3 NT	Ø 9	600	28,0	-28,0
78	54	19	3 NT	Ø 9	600	28,0	-28,0
100	38	66	3 NT	Ø 9	600	28,0	-28,0
103	144	65	3 NT	Ø 9	600	28,0	-28,0
77	93	187	3 NT	Ø 9	600	28,0	-28,0
23	217	61	5 Ruter	Ø 11	600	28,0	-28,0
109	74	32	5 Ruter	V 11	600	28,0	-28,0
45	194	29	5 Ruter	Ø 11	600	28,0	-28,0
92	101	184	5 Ruter	Ø 11	600	28,0	-28,0
97	13	143	5 Ruter	Ø 11	600	28,0	-28,0
76	218	200	5 Ruter	Ø 11	600	28,0	-28,0
86	122	98	4 Hjerter	V 10	620	-38,0	38,0
74	2	118	4 Hjerter	V 10	620	-38,0	38,0
33	185	78	4 Hjerter	V 10	620	-38,0	38,0
36	84	235	4 Hjerter	V 10	620	-38,0	38,0
62	157	64	4 Hjerter	V 10	620	-38,0	38,0
47	124	6	4 Hjerter	V 10	620	-38,0	38,0
28	28	210	4 Hjerter	V 10	620	-38,0	38,0
101	114	162	4 Hjerter	V 10	620	-38,0	38,0
104	232	113	4 Hjerter	V 10	620	-38,0	38,0
71	73	70	4 Hjerter	V 10	620	-38,0	38,0
58	227	42	4 Hjerter	V 10	620	-38,0	38,0
41	212	222	4 Hjerter	V 10	620	-38,0	38,0
11	229	137	4 Hjerter	V 10	620	-38,0	38,0
64	141	16	4 Hjerter	V 10	620	-38,0	38,0
95	20	190	4 Hjerter	V 10	620	-38,0	38,0
5	149	146	4 Hjerter	V 10	620	-38,0	38,0
112	156	234	4 Hjerter	V 10	620	-38,0	38,0
113	151	47	4 Hjerter	V 10	620	-38,0	38,0
18	219	100	4 Hjerter	V 10	620	-38,0	38,0
46	115	173	4 Hjerter	V 10	620	-38,0	38,0
25	164	86	4 Hjerter	V 10	620	-38,0	38,0
57	23	1	4 Hjerter	V 10	620	-38,0	38,0
114	33	230	4 Hjerter	V 10	620	-38,0	38,0
55	95	25	4 Hjerter	Ø 10	620	-38,0	38,0

60	125	204	4 Hjerter	V 10	620	-38,0	38,0
1	206	121	4 Hjerter	V 10	620	-38,0	38,0
93	10	221	4 Hjerter	V 10	620	-38,0	38,0
91	105	36	4 Hjerter	V 10	620	-38,0	38,0
48	79	11	4 Hjerter	V 10	620	-38,0	38,0
82	139	82	4 Hjerter	V 10	620	-38,0	38,0
54	127	52	4 Hjerter	V 10	620	-38,0	38,0
16	30	119	4 Hjerter	V 10	620	-38,0	38,0
31	161	130	4 Hjerter	V 10	620	-38,0	38,0
96	180	117	4 Hjerter	V 10	620	-38,0	38,0
106	215	231	4 Hjerter	V 10	620	-38,0	38,0
49	171	31	4 Hjerter	V 10	620	-38,0	38,0
15	48	176	4 Hjerter	V 10	620	-38,0	38,0
10	35	8	4 Hjerter	V 10	620	-38,0	38,0
30	88	68	4 Hjerter	V 10	620	-38,0	38,0
51	37	49	4 Hjerter	V 10	620	-38,0	38,0
61	94	138	4 Hjerter	V 10	620	-38,0	38,0
6	99	179	4 Hjerter	V 10	620	-38,0	38,0
2	72	233	4 Hjerter	V 10	620	-38,0	38,0
26	56	132	4 Hjerter	V 10	620	-38,0	38,0
7	116	103	4 Hjerter	V 10	620	-38,0	38,0
3	133	45	4 Hjerter	Ø 10	620	-38,0	38,0
105	152	110	4 Hjerter	Ø 10	620	-38,0	38,0
68	83	169	4 Hjerter	V 10	620	-38,0	38,0
84	15	213	5 Ruter	Ø 12	620	-38,0	38,0
39	62	67	5 Ruter	Ø 12	620	-38,0	38,0
42	224	147	5 Ruter	Ø 12	620	-38,0	38,0
50	181	214	5 Ruter	V 12	620	-38,0	38,0
14	150	201	5 Ruter	Ø 12	620	-38,0	38,0
8	211	153	5 Ruter	Ø 12	620	-38,0	38,0
72	158	167	3 NT	Ø 10	630	-97,0	97,0
102	107	175	3 NT	Ø 10	630	-97,0	97,0
17	174	69	3 NT	Ø 10	630	-97,0	97,0
87	145	163	3 NT	Ø 10	630	-97,0	97,0
115	57	208	3 NT	Ø 10	630	-97,0	97,0
53	91	9	4 Hjerter	D V 10	790	-104,0	104,0
52	109	192	4 Hjerter	D V 10	790	-104,0	104,0
107	104	193	3 NT	D V 10	950	-108,0	108,0
32	14	85	3 NT	D Ø 10	950	-108,0	108,0
59	39	96	6 Ruter	Ø 12	1370	-114,0	114,0
27	44	203	6 Ruter	Ø 12	1370	-114,0	114,0
118	51	134	6 Ruter	Ø 12	1370	-114,0	114,0
4	63	71	6 Ruter	Ø 12	1370	-114,0	114,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
108	231	33	2Hjerter	D V 6 500	117,0	-117,0	
88	178	13	3NT	V 6 300	115,0	-115,0	
69	91	6	3NT	V 7 200	109,0	-109,0	
99	104	18	3NT	V 7 200	109,0	-109,0	
39	109	87	3NT	V 7 200	109,0	-109,0	
21	86	3	3NT	V 7 200	109,0	-109,0	
53	96	222	3NT	V 7 200	109,0	-109,0	
110	168	59	3NT	V 8 100	77,0	-77,0	
115	47	230	3NT	V 8 100	77,0	-77,0	
102	106	152	3NT	V 8 100	77,0	-77,0	
19	228	150	3NT	V 8 100	77,0	-77,0	
82	213	101	3NT	V 8 100	77,0	-77,0	
58	181	148	3NT	V 8 100	77,0	-77,0	
96	184	53	3NT	V 8 100	77,0	-77,0	
50	203	89	3NT	V 8 100	77,0	-77,0	
118	209	134	3NT	V 8 100	77,0	-77,0	
45	29	161	3NT	V 8 100	77,0	-77,0	
116	170	199	3NT	V 8 100	77,0	-77,0	
98	162	197	3NT	V 8 100	77,0	-77,0	
100	143	126	3NT	V 8 100	77,0	-77,0	
94	20	139	3NT	V 8 100	77,0	-77,0	
103	175	193	3NT	V 8 100	77,0	-77,0	
5	121	103	3NT	V 8 100	77,0	-77,0	
51	11	157	3NT	V 8 100	77,0	-77,0	
76	82	135	3NT	V 8 100	77,0	-77,0	
74	17	140	3NT	V 8 100	77,0	-77,0	
63	2	191	3NT	V 8 100	77,0	-77,0	
20	28	219	3NT	V 8 100	77,0	-77,0	
72	52	221	3NT	V 8 100	77,0	-77,0	
33	166	217	3NT	V 8 100	77,0	-77,0	
34	30	164	3NT	V 8 100	77,0	-77,0	
16	174	68	3NT	V 8 100	77,0	-77,0	
15	201	210	3NT	V 8 100	77,0	-77,0	
90	163	123	4Spar	Ø 9 100	77,0	-77,0	
81	145	172	1NT	V 8 120	47,0	-47,0	
3	149	133	2NT	V 8 120	47,0	-47,0	
18	235	61	2NT	V 8 120	47,0	-47,0	
17	137	116	1NT	V 9 150	41,0	-41,0	
36	160	5	2NT	V 9 150	41,0	-41,0	
52	204	224	2NT	V 9 150	41,0	-41,0	
57	25	73	3NT	V 9 600	-38,0	38,0	
40	88	129	3NT	V 9 600	-38,0	38,0	
24	69	56	3NT	V 9 600	-38,0	38,0	
61	192	24	3NT	V 9 600	-38,0	38,0	
106	144	55	3NT	V 9 600	-38,0	38,0	
92	155	4	3NT	V 9 600	-38,0	38,0	
71	141	218	3NT	V 9 600	-38,0	38,0	
38	214	40	3NT	V 9 600	-38,0	38,0	
112	151	57	3NT	V 9 600	-38,0	38,0	
113	43	74	3NT	V 9 600	-38,0	38,0	
12	153	77	3NT	V 9 600	-38,0	38,0	
66	188	12	3NT	V 9 600	-38,0	38,0	
43	67	78	3NT	V 9 600	-38,0	38,0	
54	31	187	3NT	V 9 600	-38,0	38,0	
104	102	38	3NT	V 9 600	-38,0	38,0	
25	80	34	3NT	V 9 600	-38,0	38,0	
41	9	62	3NT	V 9 600	-38,0	38,0	
107	46	215	3NT	V 9 600	-38,0	38,0	
60	158	154	3NT	V 9 600	-38,0	38,0	
117	234	51	3NT	V 9 600	-38,0	38,0	
109	120	225	3NT	V 9 600	-38,0	38,0	
77	98	70	3NT	V 9 600	-38,0	38,0	
29	130	131	3NT	V 9 600	-38,0	38,0	
111	156	32	3NT	V 9 600	-38,0	38,0	
28	8	176	3NT	V 9 600	-38,0	38,0	
79	169	200	3NT	V 9 600	-38,0	38,0	
22	132	229	3NT	V 9 600	-38,0	38,0	
9	48	142	3NT	V 9 600	-38,0	38,0	
65	94	165	3NT	V 9 600	-38,0	38,0	
93	36	66	3NT	V 9 600	-38,0	38,0	
56	64	138	3NT	V 9 600	-38,0	38,0	
6	179	71	3NT	V 9 600	-38,0	38,0	
26	44	236	3NT	V 9 600	-38,0	38,0	
49	49	95	3NT	V 9 600	-38,0	38,0	
87	7	10	3NT	V 9 600	-38,0	38,0	

27	226	22	3NT	V 9 600	-38,0	38,0
95	21	190	3NT	V 9 600	-38,0	38,0
11	211	196	3NT	V 9 600	-38,0	38,0
48	1	115	3NT	V 9 600	-38,0	38,0
35	97	124	3NT	V 9 600	-38,0	38,0
13	136	84	3NT	V 9 600	-38,0	38,0
7	146	99	3NT	V 9 600	-38,0	38,0
86	75	232	3NT	V 9 600	-38,0	38,0
31	128	185	3NT	V 9 600	-38,0	38,0
62	118	37	3NT	V 9 600	-38,0	38,0
91	93	177	3NT	Ø 9 600	-38,0	38,0
105	107	60	3NT	V 9 600	-38,0	38,0
42	85	194	3NT	V 9 600	-38,0	38,0
101	110	65	3NT	V 9 600	-38,0	38,0
78	50	108	3NT	V 9 600	-38,0	38,0
4	233	63	3NT	V 9 600	-38,0	38,0
8	100	207	3NT	V 9 600	-38,0	38,0
30	58	223	3NT	V 9 600	-38,0	38,0
23	14	202	3NT	V 9 600	-38,0	38,0
85	83	54	3NT	V 9 600	-38,0	38,0
80	122	19	3NT	V 9 600	-38,0	38,0
64	42	112	3NT	V 9 600	-38,0	38,0
84	117	105	3NT	V 9 600	-38,0	38,0
114	208	113	3NT	V 9 600	-38,0	38,0
70	125	183	3NT	V 9 600	-38,0	38,0
59	23	227	3NT	V 9 600	-38,0	38,0
67	186	39	3NT	V 9 600	-38,0	38,0
44	173	127	3NT	V 9 600	-38,0	38,0
14	41	159	3NT	V 9 600	-38,0	38,0
37	147	79	3NT	V 9 600	-38,0	38,0
55	205	81	3NT	V 9 600	-38,0	38,0
75	111	26	3NT	V 9 600	-38,0	38,0
89	15	182	3NT	V 9 600	-38,0	38,0
10	189	119	3NT	V 9 600	-38,0	38,0
68	167	220	3NT	V 9 600	-38,0	38,0
97	114	180	3NT	V 9 600	-38,0	38,0
2	72	35	3NT	Ø 9 600	-38,0	38,0
32	216	171	3NT	V 9 600	-38,0	38,0
1	45	206	3NT	V 9 600	-38,0	38,0
73	195	198	3NT	Ø 9 600	-38,0	38,0
47	16	90	3NT	V 9 600	-38,0	38,0
83	76	27	3NT	V 10 630	-116,0	116,0
46	92	212	3NT	V 10 630	-116,0	116,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010




Mappen: 21(53)
Rundrenn: 18
NS (N)

Bord	NS	ØV	NS	ØV	NS	ØV
57	25	73	5 Ruter	D Ø 7 800	113,0	-113,0
75	111	26	5 Ruter	D Ø 7 800	113,0	-113,0
101	110	65	5 Ruter	D Ø 7 800	113,0	-113,0
89	15	182	5 Ruter	D Ø 7 800	113,0	-113,0
97	114	180	5 Ruter	D Ø 7 800	113,0	-113,0
82	213	101	5 Kløver	D N 11 750	107,0	-107,0
46	92	212	4 Hjerter	S 11 650	105,0	-105,0
6	179	71	5 Kløver	N 12 620	101,0	-101,0
13	136	84	5 Kløver	N 12 620	101,0	-101,0
62	118	37	5 Kløver	N 12 620	101,0	-101,0
69	91	6	5 Kløver	N 11 600	87,0	-87,0
49	49	95	5 Kløver	N 11 600	87,0	-87,0
10	189	119	5 Kløver	N 11 600	87,0	-87,0
11	211	196	5 Kløver	N 11 600	87,0	-87,0
1	45	206	5 Kløver	N 11 600	87,0	-87,0
67	186	39	5 Kløver	N 11 600	87,0	-87,0
8	100	207	5 Kløver	N 11 600	87,0	-87,0
51	11	157	5 Kløver	N 11 600	87,0	-87,0
115	47	230	5 Kløver	N 11 600	87,0	-87,0
102	106	152	5 Kløver	N 11 600	87,0	-87,0
9	48	142	5 Kløver	N 11 600	87,0	-87,0
59	23	227	5 Ruter	D Ø 8 500	74,0	-74,0
66	188	12	5 Ruter	D Ø 8 500	74,0	-74,0
112	151	57	5 Ruter	D Ø 9 300	71,0	-71,0
114	208	113	2 Hjerter	N 11 200	68,0	-68,0
29	130	131	5 Ruter	Ø 7 200	68,0	-68,0
58	181	148	3 Hjerter	S 10 170	59,0	-59,0
23	14	202	3 Kløver	N 12 170	59,0	-59,0
88	178	13	3 Kløver	N 12 170	59,0	-59,0
99	104	18	3 Kløver	N 12 170	59,0	-59,0
94	20	139	3 Kløver	N 12 170	59,0	-59,0
53	96	222	4 Kløver	N 12 170	59,0	-59,0
44	173	127	4 Kløver	N 12 170	59,0	-59,0
15	201	210	2 Kløver	N 11 150	17,0	-17,0
70	125	183	2 Kløver	N 11 150	17,0	-17,0
109	120	225	3 Kløver	N 11 150	17,0	-17,0
85	83	54	3 Kløver	N 11 150	17,0	-17,0
14	41	159	3 Kløver	N 11 150	17,0	-17,0
81	145	172	3 Kløver	N 11 150	17,0	-17,0
60	158	154	4 Kløver	N 11 150	17,0	-17,0
61	192	24	4 Kløver	N 11 150	17,0	-17,0
64	42	112	4 Kløver	N 11 150	17,0	-17,0
43	67	78	4 Kløver	N 11 150	17,0	-17,0
84	117	105	4 Kløver	N 11 150	17,0	-17,0
117	234	51	4 Kløver	N 11 150	17,0	-17,0
77	98	70	4 Kløver	N 11 150	17,0	-17,0
116	170	199	4 Kløver	N 11 150	17,0	-17,0
103	175	193	4 Kløver	N 11 150	17,0	-17,0
93	36	66	4 Kløver	N 11 150	17,0	-17,0
108	231	33	4 Kløver	N 11 150	17,0	-17,0
21	86	3	4 Kløver	N 11 150	17,0	-17,0
36	160	5	4 Kløver	N 11 150	17,0	-17,0
74	17	140	4 Kløver	N 11 150	17,0	-17,0
35	97	124	4 Kløver	N 11 150	17,0	-17,0
16	174	68	4 Ruter	Ø 7 150	17,0	-17,0
50	203	89	4 Ruter	V 7 150	17,0	-17,0
20	28	219	4 Ruter	Ø 7 150	17,0	-17,0
7	146	99	4 Ruter	Ø 7 150	17,0	-17,0
34	30	164	4 Ruter	Ø 7 150	17,0	-17,0
47	16	90	4 Ruter	V 7 150	17,0	-17,0
56	64	138	4 Ruter	Ø 7 150	17,0	-17,0
19	228	150	4 Ruter	Ø 7 150	17,0	-17,0
27	226	22	4 Ruter	V 7 150	17,0	-17,0
86	75	232	4 Ruter	Ø 7 150	17,0	-17,0
98	162	197	4 Ruter	V 7 150	17,0	-17,0
91	93	177	4 Ruter	Ø 7 150	17,0	-17,0
107	46	215	4 Ruter	Ø 7 150	17,0	-17,0
42	85	194	5 Ruter	V 8 150	17,0	-17,0
71	141	218	3 Hjerter	S 9 140	-19,0	19,0
2	72	35	2 Kløver	N 10 130	-32,0	32,0
106	144	55	2 Kløver	N 10 130	-32,0	32,0
95	21	190	4 Kløver	N 10 130	-32,0	32,0
68	167	220	4 Kløver	N 10 130	-32,0	32,0
76	82	135	4 Kløver	N 10 130	-32,0	32,0
17	137	116	4 Kløver	N 10 130	-32,0	32,0

40	88	129	4 Kløver	N 10 130	-32,0	32,0
83	76	27	4 Kløver	N 10 130	-32,0	32,0
104	102	38	4 Kløver	N 10 130	-32,0	32,0
65	94	165	4 Kløver	N 10 130	-32,0	32,0
38	214	40	4 Kløver	N 10 130	-32,0	32,0
118	209	134	4 Kløver	N 10 130	-32,0	32,0
72	52	221	2 Hjerter	S 8 110	-45,0	45,0
80	122	19	3 Ruter	Ø 7 100	-64,0	64,0
39	109	87	3 Ruter	Ø 7 100	-64,0	64,0
55	205	81	3 Ruter	V 7 100	-64,0	64,0
110	168	59	3 Ruter	Ø 7 100	-64,0	64,0
33	166	217	3 Ruter	V 7 100	-64,0	64,0
5	121	103	3 Ruter	Ø 7 100	-64,0	64,0
24	69	56	3 Ruter	Ø 7 100	-64,0	64,0
26	44	236	3 Ruter	Ø 7 100	-64,0	64,0
32	216	171	3 Ruter	Ø 7 100	-64,0	64,0
105	107	60	3 Ruter	V 7 100	-64,0	64,0
3	149	133	3 Ruter	Ø 7 100	-64,0	64,0
52	204	224	3 Ruter	Ø 7 100	-64,0	64,0
30	58	223	3 Ruter	Ø 7 100	-64,0	64,0
54	31	187	4 Ruter	Ø 8 100	-64,0	64,0
63	2	191	4 Ruter	V 8 100	-64,0	64,0
73	195	198	4 Ruter	Ø 8 100	-64,0	64,0
96	184	53	5 Ruter	V 9 100	-64,0	64,0
100	143	126	5 Ruter	Ø 9 100	-64,0	64,0
4	233	63	3 Ruter	V 8 50	-85,0	85,0
18	235	61	3 Ruter	Ø 8 50	-85,0	85,0
113	43	74	4 Ruter	V 9 50	-85,0	85,0
92	155	4	1 NT	Ø 7 90	-89,0	89,0
37	147	79	5 Kløver	N 10 100	-95,0	95,0
31	128	185	5 Kløver	N 10 100	-95,0	95,0
22	132	229	5 Kløver	N 10 100	-95,0	95,0
79	169	200	5 Kløver	N 10 100	-95,0	95,0
28	8	176	5 Kløver	N 10 100	-95,0	95,0
87	7	10	3 Ruter	Ø 9 110	-102,0	102,0
12	153	77	3 Ruter	V 9 110	-102,0	102,0
90	163	123	3 Ruter	Ø 10 130	-105,0	105,0
41	9	62	3 Hjerter	S 7 200	-109,0	109,0
25	80	34	4 Hjerter	S 8 200	-109,0	109,0
45	29	161	6 Kløver	N 10 200	-109,0	109,0
78	50	108	3 Spar	S 6 300	-113,0	113,0
48	1	115	4 Hjerter	S 6 400	-115,0	115,0
111	156	32	3 Ruter	D Ø 9 470	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
84	117	105	3 Spar	D N 10	630	116,0	-116,0
76	82	135	3 Spar	D N 10	630	116,0	-116,0
49	49	95	4 Spar	D N 10	590	112,0	-112,0
80	122	19	4 Spar	D N 10	590	112,0	-112,0
109	120	225	3 Spar	D N 9	530	108,0	-108,0
59	23	227	3 Spar	D N 9	530	108,0	-108,0
97	114	180	5 Ruter	Ø 6	500	104,0	-104,0
48	1	115	6 Ruter	Ø 7	500	104,0	-104,0
53	96	222	4 Spar	N 11	450	101,0	-101,0
113	43	74	4 Spar	N 10	420	97,0	-97,0
20	28	219	4 Spar	N 10	420	97,0	-97,0
38	214	40	4 Spar	N 10	420	97,0	-97,0
10	189	119	4 NT	Ø 6	400	93,0	-93,0
57	25	73	3 NT	Ø 7	200	88,0	-88,0
66	188	12	5 Kløver	D Ø 10	200	88,0	-88,0
9	48	142	5 Ruter	D V 10	200	88,0	-88,0
90	163	123	6 Kløver	V 10	200	88,0	-88,0
11	211	196	2 Spar	N 10	170	81,0	-81,0
13	136	84	2 Spar	N 10	170	81,0	-81,0
85	83	54	3 Spar	N 10	170	81,0	-81,0
108	231	33	2 Spar	N 9	140	64,0	-64,0
70	125	183	2 Spar	N 9	140	64,0	-64,0
68	167	220	3 Hjertter	N 9	140	64,0	-64,0
78	50	108	3 Spar	S 9	140	64,0	-64,0
54	31	187	3 Spar	N 9	140	64,0	-64,0
2	72	35	3 Spar	N 9	140	64,0	-64,0
56	64	138	3 Spar	N 9	140	64,0	-64,0
83	76	27	3 Spar	N 9	140	64,0	-64,0
116	170	199	3 Spar	N 9	140	64,0	-64,0
65	94	165	3 Spar	N 9	140	64,0	-64,0
18	235	61	3 Spar	N 9	140	64,0	-64,0
103	175	193	3 Spar	N 9	140	64,0	-64,0
37	147	79	3 Spar	S 9	140	64,0	-64,0
7	146	99	3 Spar	S 9	140	64,0	-64,0
99	104	18	2 Spar	S 8	110	46,0	-46,0
81	145	172	2 Spar	S 8	110	46,0	-46,0
114	208	113	2 Spar	S 8	110	46,0	-46,0
93	36	66	2 Spar	N 8	110	46,0	-46,0
45	29	161	4 Kløver	V 9	100	29,0	-29,0
64	42	112	5 Kløver	Ø 10	100	29,0	-29,0
32	216	171	5 Kløver	V 10	100	29,0	-29,0
12	153	77	5 Kløver	V 10	100	29,0	-29,0
36	160	5	5 Kløver	Ø 10	100	29,0	-29,0
96	184	53	5 Kløver	Ø 10	100	29,0	-29,0
112	151	57	5 Kløver	V 10	100	29,0	-29,0
79	169	200	5 Kløver	Ø 10	100	29,0	-29,0
28	8	176	5 Kløver	V 10	100	29,0	-29,0
110	168	59	5 Kløver	Ø 10	100	29,0	-29,0
115	47	230	5 Kløver	V 10	100	29,0	-29,0
4	233	63	5 Kløver	V 10	100	29,0	-29,0
67	186	39	5 Kløver	V 10	100	29,0	-29,0
106	144	55	2 Ruter	S 7	50	6,0	-6,0
71	141	218	3 Hjertter	N 8	50	6,0	-6,0
43	67	78	3 Ruter	S 8	50	6,0	-6,0
39	109	87	3 Spar	N 8	50	6,0	-6,0
44	173	127	3 Spar	S 8	50	6,0	-6,0
111	156	32	4 Spar	S 9	50	6,0	-6,0
52	204	224	4 Spar	N 9	50	6,0	-6,0
87	7	10	4 Spar	N 9	50	6,0	-6,0
118	209	134	4 Spar	N 9	50	6,0	-6,0
15	201	210	4 Spar	S 9	50	6,0	-6,0
21	86	3	4 Spar	D N 9	100	-16,0	16,0
41	9	62	4 Spar	D N 9	100	-16,0	16,0
25	80	34	4 Spar	D N 9	100	-16,0	16,0
3	149	133	4 Spar	N 8	100	-16,0	16,0
34	30	164	4 Spar	D S 9	100	-16,0	16,0
8	100	207	4 Spar	D N 9	100	-16,0	16,0
1	45	206	4 Spar	N 8	100	-16,0	16,0
117	234	51	4 Spar	D N 9	100	-16,0	16,0
6	179	71	4 Spar	D S 9	100	-16,0	16,0
16	174	68	4 Spar	D N 9	100	-16,0	16,0
73	195	198	4 Spar	N 8	100	-16,0	16,0
22	132	229	4 Spar	D N 9	100	-16,0	16,0
5	121	103	3 Kløver	Ø 10	130	-53,0	53,0
72	52	221	3 Kløver	V 10	130	-53,0	53,0

46	92	212	3 Kløver	V 10	130	-53,0	53,0
19	228	150	3 Kløver	Ø 10	130	-53,0	53,0
107	46	215	3 Kløver	Ø 10	130	-53,0	53,0
75	111	26	3 Kløver	V 10	130	-53,0	53,0
74	17	140	4 Kløver	Ø 10	130	-53,0	53,0
42	85	194	4 Kløver	V 10	130	-53,0	53,0
92	155	4	4 Kløver	Ø 10	130	-53,0	53,0
47	16	90	4 Kløver	V 10	130	-53,0	53,0
104	102	38	4 Kløver	V 10	130	-53,0	53,0
95	21	190	4 Kløver	V 10	130	-53,0	53,0
61	192	24	4 Kløver	Ø 10	130	-53,0	53,0
94	20	139	4 Kløver	Ø 10	130	-53,0	53,0
63	2	191	4 Kløver	V 10	130	-53,0	53,0
26	44	236	4 Kløver	V 10	130	-53,0	53,0
29	130	131	4 Kløver	V 10	130	-53,0	53,0
98	162	197	4 Kløver	V 10	130	-53,0	53,0
82	213	101	4 Kløver	V 10	130	-53,0	53,0
35	97	124	4 Kløver	V 10	130	-53,0	53,0
27	226	22	4 Kløver	V 10	130	-53,0	53,0
24	69	56	4 Kløver	V 10	130	-53,0	53,0
101	110	65	4 Kløver	V 10	130	-53,0	53,0
33	166	217	4 Kløver	V 10	130	-53,0	53,0
105	107	60	4 Kløver	V 10	130	-53,0	53,0
77	98	70	4 Kløver	V 11	150	-82,0	82,0
86	75	232	4 Kløver	Ø 11	150	-82,0	82,0
91	93	177	4 Kløver	V 11	150	-82,0	82,0
17	137	116	4 Kløver	V 11	150	-82,0	82,0
14	41	159	4 Spar	D S 8	300	-90,0	90,0
102	106	152	5 Spar	D N 9	300	-90,0	90,0
50	203	89	5 Spar	D N 9	300	-90,0	90,0
23	14	202	5 Spar	D N 9	300	-90,0	90,0
55	205	81	3 NT	Ø 9	600	-98,0	98,0
89	15	182	3 NT	Ø 9	600	-98,0	98,0
62	118	37	3 NT	Ø 9	600	-98,0	98,0
40	88	129	3 NT	Ø 9	600	-98,0	98,0
60	158	154	3 NT	Ø 10	630	-106,0	106,0
88	178	13	3 NT	Ø 10	630	-106,0	106,0
30	58	223	3 NT	Ø 10	630	-106,0	106,0
31	128	185	3 NT	Ø 10	630	-106,0	106,0
69	91	6	4 Kløver	D V 10	710	-112,0	112,0
58	181	148	4 Kløver	D Ø 10	710	-112,0	112,0
51	11	157	5 Kløver	D Ø 11	750	-115,0	115,0
100	143	126	3 Kløver	D Ø 10	870	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ 86 Mappen: 23(55)
 ♥ KQT874 Rundennr: 19
 ♦ K64 A (S)
 ♣ K2

♠ AKQJT9
 ♥ AJ5
 ♦ Q
 ♣ QJ5


♠ 732
 ♥ 632
 ♦ T9872
 ♣ 87

♠ 54
 ♥ 9
 ♦ AJ53
 ♣ AT9643

Bord	NS	ØV		NS	ØV	NS	ØV
96	65	18	4 Hjerter	D N 10	790	117,0	-117,0
87	66	195	3 Kløver	D S 9	670	115,0	-115,0
54	11	89	4 Spar	D V 8	500	112,0	-112,0
44	16	181	4 Spar	D V 8	500	112,0	-112,0
68	70	191	4 Spar	V 6	400	106,0	-106,0
105	168	38	4 Spar	V 6	400	106,0	-106,0
80	140	125	4 Spar	V 6	400	106,0	-106,0
11	153	196	4 Spar	V 6	400	106,0	-106,0
70	53	2	3 Ruter	V 6	300	95,0	-95,0
88	101	232	3 Spar	V 6	300	95,0	-95,0
9	48	207	3 Spar	V 6	300	95,0	-95,0
12	35	235	4 Spar	V 7	300	95,0	-95,0
100	193	172	4 Spar	V 7	300	95,0	-95,0
82	12	186	4 Spar	V 7	300	95,0	-95,0
63	163	220	4 Spar	V 7	300	95,0	-95,0
112	113	32	2 Hjerter	V 6	200	68,0	-68,0
29	229	174	2 Spar	V 6	200	68,0	-68,0
98	46	162	2 Spar	V 6	200	68,0	-68,0
42	67	92	2 Spar	V 6	200	68,0	-68,0
30	85	148	2 Spar	V 6	200	68,0	-68,0
64	135	182	3 Spar	V 7	200	68,0	-68,0
10	77	8	3 Spar	V 7	200	68,0	-68,0
24	84	61	3 Spar	V 7	200	68,0	-68,0
106	55	59	3 Spar	V 7	200	68,0	-68,0
62	64	205	3 Spar	V 7	200	68,0	-68,0
38	203	124	3 Spar	V 7	200	68,0	-68,0
14	137	69	3 Spar	V 7	200	68,0	-68,0
67	6	73	3 Spar	V 7	200	68,0	-68,0
65	19	108	4 Spar	V 8	200	68,0	-68,0
26	147	217	4 Spar	V 8	200	68,0	-68,0
35	185	40	4 Spar	V 8	200	68,0	-68,0
84	13	122	4 Spar	V 8	200	68,0	-68,0
49	97	187	4 Spar	D V 9	200	68,0	-68,0
16	34	41	4 Spar	V 8	200	68,0	-68,0
110	225	33	4 Spar	V 8	200	68,0	-68,0
95	76	20	3 Hjerter	N 10	170	47,0	-47,0
114	47	156	3 Kløver	S 9	110	45,0	-45,0
71	111	200	1 NT	V 6	100	13,0	-13,0
107	208	102	2 NT	V 7	100	13,0	-13,0
78	94	82	2 Spar	V 7	100	13,0	-13,0
104	126	75	2 Spar	V 7	100	13,0	-13,0
31	131	80	2 Spar	V 7	100	13,0	-13,0
45	161	138	2 Spar	V 7	100	13,0	-13,0
5	103	142	2 Spar	V 7	100	13,0	-13,0
3	71	233	2 Spar	V 7	100	13,0	-13,0
8	99	201	3 NT	V 8	100	13,0	-13,0
74	188	178	3 NT	V 8	100	13,0	-13,0
13	236	119	3 NT	V 8	100	13,0	-13,0
69	31	17	3 NT	V 8	100	13,0	-13,0
52	214	212	3 Spar	V 8	100	13,0	-13,0
20	132	171	3 Spar	V 8	100	13,0	-13,0
91	175	184	3 Spar	V 8	100	13,0	-13,0
6	121	146	3 Spar	V 8	100	13,0	-13,0
4	179	133	3 Spar	Ø 8	100	13,0	-13,0
89	117	139	3 Spar	V 8	100	13,0	-13,0
25	176	56	3 Spar	V 8	100	13,0	-13,0
32	9	58	3 Spar	V 8	100	13,0	-13,0
102	145	143	3 Spar	V 8	100	13,0	-13,0
116	209	43	3 Spar	V 8	100	13,0	-13,0
115	234	57	3 Spar	V 8	100	13,0	-13,0
72	98	141	3 Spar	V 8	100	13,0	-13,0
1	206	149	3 Spar	V 8	100	13,0	-13,0
66	224	198	4 Spar	V 9	100	13,0	-13,0
27	22	130	4 Spar	V 9	100	13,0	-13,0
117	134	170	4 Spar	V 9	100	13,0	-13,0
51	49	227	4 Spar	V 9	100	13,0	-13,0
22	3	136	4 Spar	V 9	100	13,0	-13,0
19	219	226	4 Spar	V 9	100	13,0	-13,0
118	199	51	3 Kløver	S 8	100	-20,0	20,0
83	10	21	3 Kløver	S 8	100	-20,0	20,0
33	150	194	2 Spar	V 8	110	-35,0	35,0
43	216	160	2 Spar	V 8	110	-35,0	35,0
101	110	215	2 Spar	V 8	110	-35,0	35,0
108	106	120	2 Spar	V 8	110	-35,0	35,0
73	42	39	2 Spar	V 8	110	-35,0	35,0

79	91	158	2 Spar	V 8	110	-35,0	35,0
103	152	104	2 Spar	V 8	110	-35,0	35,0
59	81	52	2 Spar	V 8	110	-35,0	35,0
86	105	213	2 Spar	V 8	110	-35,0	35,0
34	223	30	2 Spar	V 8	110	-35,0	35,0
58	29	165	2 Spar	V 8	110	-35,0	35,0
109	144	151	2 Spar	V 8	110	-35,0	35,0
39	78	164	2 Spar	V 8	110	-35,0	35,0
17	116	159	2 NT	V 8	120	-49,0	49,0
97	197	114	2 Spar	V 9	140	-80,0	80,0
40	173	62	2 Spar	V 9	140	-80,0	80,0
18	210	86	2 Spar	V 9	140	-80,0	80,0
92	180	123	2 Spar	V 9	140	-80,0	80,0
90	36	190	2 Spar	V 9	140	-80,0	80,0
53	167	112	2 Spar	V 9	140	-80,0	80,0
76	177	27	2 Spar	V 9	140	-80,0	80,0
28	129	128	2 Spar	V 9	140	-80,0	80,0
61	95	154	2 Spar	V 9	140	-80,0	80,0
93	54	93	2 Spar	V 9	140	-80,0	80,0
48	222	87	2 Spar	V 9	140	-80,0	80,0
60	37	127	2 Spar	V 9	140	-80,0	80,0
37	79	88	2 Spar	V 9	140	-80,0	80,0
36	14	44	2 Spar	V 9	140	-80,0	80,0
81	50	83	2 Spar	V 9	140	-80,0	80,0
111	74	107	3 Spar	V 9	140	-80,0	80,0
77	218	26	3 Spar	V 9	140	-80,0	80,0
41	90	204	3 Spar	V 9	140	-80,0	80,0
2	45	72	3 Spar	V 9	140	-80,0	80,0
99	4	60	3 Spar	V 9	140	-80,0	80,0
15	228	211	3 Spar	Ø 9	140	-80,0	80,0
46	25	109	3 Spar	V 9	140	-80,0	80,0
21	202	68	3 Spar	V 9	140	-80,0	80,0
23	28	189	3 Spar	V 9	140	-80,0	80,0
94	7	155	3 Spar	V 9	140	-80,0	80,0
56	24	1	3 Spar	Ø 9	140	-80,0	80,0
57	118	192	3 Spar	V 9	140	-80,0	80,0
50	5	115	3 Spar	V 9	140	-80,0	80,0
75	183	221	3 Spar	V 9	140	-80,0	80,0
85	15	169	3 Spar	V 9	140	-80,0	80,0
47	96	157	2 Spar	V 10	170	-111,0	111,0
7	63	100	2 NT	V 10	180	-113,0	113,0
113	230	231	4 Spar	S 8	200	-115,0	115,0
55	166	23	3 Spar	D V 10	930	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
32	9	58	2 Hjerter	D N 8 470	116,0	-116,0	
50	5	115	2 Hjerter	D N 8 470	116,0	-116,0	
25	176	56	2 Hjerter	S 10 170	111,0	-111,0	
49	97	187	3 Hjerter	N 10 170	111,0	-111,0	
74	188	178	3 Hjerter	N 10 170	111,0	-111,0	
83	10	21	1 Hjerter	N 9 140	83,0	-83,0	
26	147	217	2 Hjerter	N 9 140	83,0	-83,0	
48	222	87	2 Hjerter	N 9 140	83,0	-83,0	
68	70	191	2 Hjerter	N 9 140	83,0	-83,0	
91	175	184	2 Hjerter	N 9 140	83,0	-83,0	
55	166	23	2 Hjerter	N 9 140	83,0	-83,0	
104	126	75	2 Hjerter	N 9 140	83,0	-83,0	
66	224	198	2 Hjerter	N 9 140	83,0	-83,0	
6	121	146	2 Hjerter	N 9 140	83,0	-83,0	
39	78	164	2 Hjerter	N 9 140	83,0	-83,0	
57	118	192	2 Hjerter	S 9 140	83,0	-83,0	
23	28	189	2 Hjerter	N 9 140	83,0	-83,0	
59	81	52	2 Hjerter	N 9 140	83,0	-83,0	
112	113	32	2 Hjerter	N 9 140	83,0	-83,0	
89	117	139	2 Hjerter	N 9 140	83,0	-83,0	
37	79	88	2 Hjerter	S 9 140	83,0	-83,0	
47	96	157	3 Hjerter	N 9 140	83,0	-83,0	
110	225	33	3 Hjerter	N 9 140	83,0	-83,0	
80	140	125	3 Hjerter	N 9 140	83,0	-83,0	
15	228	211	3 Hjerter	N 9 140	83,0	-83,0	
22	3	136	3 Hjerter	N 9 140	83,0	-83,0	
85	15	169	3 Hjerter	N 9 140	83,0	-83,0	
82	12	186	3 Hjerter	N 9 140	83,0	-83,0	
67	6	73	3 Hjerter	N 9 140	83,0	-83,0	
38	203	124	3 Hjerter	N 9 140	83,0	-83,0	
71	111	200	1 Hjerter	N 8 110	50,0	-50,0	
2	45	72	2 Hjerter	N 8 110	50,0	-50,0	
117	134	170	2 Hjerter	N 8 110	50,0	-50,0	
4	179	133	2 Hjerter	N 8 110	50,0	-50,0	
40	173	62	2 Hjerter	N 8 110	50,0	-50,0	
90	36	190	2 Hjerter	N 8 110	50,0	-50,0	
5	103	142	2 Hjerter	N 8 110	50,0	-50,0	
77	218	26	2 Hjerter	N 8 110	50,0	-50,0	
7	63	100	2 Spar	V 6 100	40,0	-40,0	
52	214	212	3 NT	Ø 7 100	40,0	-40,0	
113	230	231	1 NT	N 7 90	37,0	-37,0	
63	163	220	2 NT	Ø 7 50	32,0	-32,0	
8	99	201	2 NT	Ø 7 50	32,0	-32,0	
9	48	207	2 NT	Ø 7 50	32,0	-32,0	
51	49	227	3 Ruter	V 8 50	32,0	-32,0	
1	206	149	2 Hjerter	S 7 50	13,0	-13,0	
54	11	89	3 Hjerter	N 8 50	13,0	-13,0	
109	144	151	3 Hjerter	N 8 50	13,0	-13,0	
42	67	92	3 Hjerter	N 8 50	13,0	-13,0	
107	208	102	3 Hjerter	N 8 50	13,0	-13,0	
11	153	196	3 Hjerter	N 8 50	13,0	-13,0	
69	31	17	3 Hjerter	N 8 50	13,0	-13,0	
111	74	107	3 Hjerter	N 8 50	13,0	-13,0	
65	19	108	3 Hjerter	N 8 50	13,0	-13,0	
20	132	171	3 Hjerter	N 8 50	13,0	-13,0	
45	161	138	3 Hjerter	N 8 50	13,0	-13,0	
79	91	158	3 Hjerter	N 8 50	13,0	-13,0	
35	185	40	3 Hjerter	N 8 50	13,0	-13,0	
108	106	120	3 Hjerter	N 8 50	13,0	-13,0	
62	64	205	4 Hjerter	N 9 50	13,0	-13,0	
98	46	162	1 NT	Ø 7 90	-12,0	12,0	
116	209	43	1 NT	Ø 7 90	-12,0	12,0	
100	193	172	1 NT	Ø 7 90	-12,0	12,0	
114	47	156	1 NT	Ø 7 90	-12,0	12,0	
27	22	130	1 NT	Ø 7 90	-12,0	12,0	
58	29	165	1 NT	Ø 7 90	-12,0	12,0	
18	210	86	1 NT	Ø 7 90	-12,0	12,0	
72	98	141	1 NT	Ø 7 90	-12,0	12,0	
88	101	232	1 NT	Ø 7 90	-12,0	12,0	
33	150	194	2 Ruter	V 8 90	-12,0	12,0	
70	53	2	1 NT	S 5 100	-34,0	34,0	
75	183	221	3 Hjerter	N 7 100	-34,0	34,0	
84	13	122	3 Hjerter	N 7 100	-34,0	34,0	
10	77	8	3 Hjerter	N 7 100	-34,0	34,0	
43	216	160	3 Hjerter	N 7 100	-34,0	34,0	

101	110	215	3 Hjerter	N 7	100	-34,0	34,0
53	167	112	3 Hjerter	N 7	100	-34,0	34,0
61	95	154	3 Hjerter	N 7	100	-34,0	34,0
64	135	182	3 Hjerter	N 7	100	-34,0	34,0
41	90	204	3 Hjerter	N 7	100	-34,0	34,0
24	84	61	3 Hjerter	N 7	100	-34,0	34,0
76	177	27	3 Hjerter	N 7	100	-34,0	34,0
81	50	83	1 Ruter	Ø 9	110	-54,0	54,0
29	229	174	2 Spar	Ø 8	110	-54,0	54,0
21	202	68	2 Spar	Ø 8	110	-54,0	54,0
78	94	82	3 Ruter	V 9	110	-54,0	54,0
36	14	44	3 Ruter	V 9	110	-54,0	54,0
28	129	128	3 Ruter	V 9	110	-54,0	54,0
102	145	143	3 Ruter	V 9	110	-54,0	54,0
103	152	104	3 Ruter	V 9	110	-54,0	54,0
115	234	57	1 NT	Ø 8	120	-77,0	77,0
16	34	41	1 NT	Ø 8	120	-77,0	77,0
105	168	38	1 NT	Ø 8	120	-77,0	77,0
96	65	18	1 NT	Ø 8	120	-77,0	77,0
99	4	60	1 NT	Ø 8	120	-77,0	77,0
118	199	51	1 NT	Ø 8	120	-77,0	77,0
46	25	109	1 NT	Ø 8	120	-77,0	77,0
13	236	119	1 NT	Ø 8	120	-77,0	77,0
97	197	114	1 NT	Ø 8	120	-77,0	77,0
34	223	30	1 NT	Ø 8	120	-77,0	77,0
12	35	235	1 NT	Ø 8	120	-77,0	77,0
92	180	123	1 NT	Ø 8	120	-77,0	77,0
3	71	233	1 NT	Ø 8	120	-77,0	77,0
106	55	59	1 NT	Ø 8	120	-77,0	77,0
87	66	195	1 NT	Ø 8	120	-77,0	77,0
31	131	80	3 Ruter	V 10	130	-93,0	93,0
60	37	127	1 NT	Ø 9	150	-101,0	101,0
30	85	148	1 NT	S 4	150	-101,0	101,0
14	137	69	1 NT	Ø 9	150	-101,0	101,0
95	76	20	1 NT	Ø 9	150	-101,0	101,0
93	54	93	2 Ruter	N 5	150	-101,0	101,0
56	24	1	3 Kløver	S 6	150	-101,0	101,0
17	116	159	3 Kløver	N 6	150	-101,0	101,0
86	105	213	1 NT	D Ø 7	180	-109,0	109,0
73	42	39	3 Spar	S 5	200	-111,0	111,0
44	16	181	1 NT	D Ø 8	280	-113,0	113,0
19	219	226	3 Ruter	D V 9	470	-116,0	116,0
94	7	155	3 Ruter	D V 9	470	-116,0	116,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
49	97	187	4 Kløver	D V	7	800	117,0 -117,0
65	19	108	1 NT	Ø	4	300	112,0 -112,0
73	42	39	1 NT	Ø	4	300	112,0 -112,0
16	34	41	3 Kløver	Ø	6	300	112,0 -112,0
82	12	186	4 Kløver	Ø	7	300	112,0 -112,0
44	16	181	1 NT	Ø	5	200	101,0 -101,0
78	94	82	1 NT	Ø	5	200	101,0 -101,0
102	145	143	1 NT	Ø	5	200	101,0 -101,0
55	166	23	1 NT	Ø	5	200	101,0 -101,0
105	168	38	1 NT	Ø	5	200	101,0 -101,0
98	46	162	1 NT	Ø	5	200	101,0 -101,0
96	65	18	3 NT	Ø	7	200	101,0 -101,0
54	11	89	2 Hjerter	S	10	170	89,0 -89,0
114	47	156	2 Hjerter	S	10	170	89,0 -89,0
35	185	40	2 Hjerter	N	10	170	89,0 -89,0
39	78	164	2 Hjerter	S	10	170	89,0 -89,0
31	131	80	2 Hjerter	N	10	170	89,0 -89,0
48	222	87	2 Hjerter	S	9	140	74,0 -74,0
36	14	44	2 Hjerter	N	9	140	74,0 -74,0
41	90	204	2 Hjerter	N	9	140	74,0 -74,0
58	29	165	2 Hjerter	S	9	140	74,0 -74,0
7	63	100	2 Hjerter	S	9	140	74,0 -74,0
24	84	61	2 Hjerter	S	9	140	74,0 -74,0
45	161	138	2 Hjerter	S	9	140	74,0 -74,0
86	105	213	2 Hjerter	S	9	140	74,0 -74,0
70	53	2	2 Hjerter	N	9	140	74,0 -74,0
14	137	69	3 Hjerter	N	9	140	74,0 -74,0
71	111	200	1 NT	N	8	120	63,0 -63,0
117	134	170	2 Hjerter	S	8	110	60,0 -60,0
107	208	102	2 Hjerter	S	8	110	60,0 -60,0
101	110	215	1 NT	Ø	6	100	20,0 -20,0
34	223	30	1 NT	Ø	6	100	20,0 -20,0
115	234	57	1 NT	Ø	6	100	20,0 -20,0
67	6	73	1 NT	Ø	6	100	20,0 -20,0
57	118	192	1 NT	Ø	6	100	20,0 -20,0
9	48	207	1 NT	Ø	6	100	20,0 -20,0
90	36	190	1 NT	Ø	6	100	20,0 -20,0
85	15	169	1 NT	Ø	6	100	20,0 -20,0
63	163	220	1 NT	Ø	6	100	20,0 -20,0
25	176	56	1 NT	Ø	6	100	20,0 -20,0
109	144	151	1 NT	Ø	6	100	20,0 -20,0
97	197	114	1 NT	Ø	6	100	20,0 -20,0
62	64	205	1 NT	Ø	6	100	20,0 -20,0
94	7	155	1 NT	Ø	6	100	20,0 -20,0
75	183	221	1 NT	Ø	6	100	20,0 -20,0
12	35	235	1 NT	Ø	6	100	20,0 -20,0
104	126	75	1 NT	Ø	6	100	20,0 -20,0
42	67	92	1 NT	Ø	6	100	20,0 -20,0
38	203	124	1 NT	Ø	6	100	20,0 -20,0
99	4	60	1 NT	Ø	6	100	20,0 -20,0
56	24	1	1 NT	Ø	6	100	20,0 -20,0
50	5	115	1 NT	Ø	6	100	20,0 -20,0
47	96	157	1 NT	Ø	6	100	20,0 -20,0
27	22	130	1 NT	Ø	6	100	20,0 -20,0
2	45	72	1 NT	Ø	6	100	20,0 -20,0
72	98	141	1 NT	Ø	6	100	20,0 -20,0
53	167	112	1 NT	Ø	6	100	20,0 -20,0
40	173	62	1 NT	Ø	6	100	20,0 -20,0
26	147	217	1 NT	Ø	6	100	20,0 -20,0
33	150	194	1 NT	Ø	6	100	20,0 -20,0
80	140	125	1 NT	Ø	6	100	20,0 -20,0
23	28	189	1 NT	Ø	6	100	20,0 -20,0
59	81	52	1 NT	Ø	6	100	20,0 -20,0
46	25	109	1 NT	Ø	6	100	20,0 -20,0
110	225	33	1 NT	Ø	6	100	20,0 -20,0
81	50	83	2 NT	Ø	7	100	20,0 -20,0
20	132	171	2 Spar	Ø	7	100	20,0 -20,0
87	66	195	3 Kløver	Ø	8	100	20,0 -20,0
113	230	231	1 NT	N	6	50	-25,0 25,0
79	91	158	2 Hjerter	S	7	50	-25,0 25,0
84	13	122	2 Hjerter	S	7	50	-25,0 25,0
108	106	120	2 Kløver	N	7	50	-25,0 25,0
77	218	26	2 Ruter	S	7	50	-25,0 25,0
111	74	107	3 Hjerter	S	8	50	-25,0 25,0
4	179	133	3 Hjerter	N	8	50	-25,0 25,0

32	9	58	1 NT	Ø	7	90	-68,0 68,0
116	209	43	1 NT	Ø	7	90	-68,0 68,0
52	214	212	1 NT	Ø	7	90	-68,0 68,0
92	180	123	1 NT	Ø	7	90	-68,0 68,0
61	95	154	1 NT	Ø	7	90	-68,0 68,0
106	55	59	1 NT	Ø	7	90	-68,0 68,0
19	219	226	1 NT	Ø	7	90	-68,0 68,0
103	152	104	1 NT	Ø	7	90	-68,0 68,0
11	153	196	1 NT	Ø	7	90	-68,0 68,0
112	113	32	1 NT	Ø	7	90	-68,0 68,0
66	224	198	1 NT	Ø	7	90	-68,0 68,0
64	135	182	1 NT	Ø	7	90	-68,0 68,0
21	202	68	1 NT	Ø	7	90	-68,0 68,0
1	206	149	1 NT	Ø	7	90	-68,0 68,0
8	99	201	1 NT	Ø	7	90	-68,0 68,0
76	177	27	1 NT	Ø	7	90	-68,0 68,0
43	216	160	1 NT	Ø	7	90	-68,0 68,0
60	37	127	1 NT	Ø	7	90	-68,0 68,0
28	129	128	1 NT	Ø	7	90	-68,0 68,0
37	79	88	1 NT	Ø	7	90	-68,0 68,0
3	71	233	1 NT	Ø	7	90	-68,0 68,0
93	54	93	1 NT	Ø	7	90	-68,0 68,0
88	101	232	1 NT	Ø	7	90	-68,0 68,0
17	116	159	1 NT	Ø	7	90	-68,0 68,0
29	229	174	1 NT	Ø	7	90	-68,0 68,0
30	85	148	1 NT	Ø	7	90	-68,0 68,0
22	3	136	1 NT	Ø	7	90	-68,0 68,0
15	228	211	1 NT	Ø	7	90	-68,0 68,0
68	70	191	1 NT	Ø	7	90	-68,0 68,0
5	103	142	1 NT	Ø	7	90	-68,0 68,0
13	236	119	1 NT	Ø	7	90	-68,0 68,0
118	199	51	1 NT	Ø	7	90	-68,0 68,0
95	76	20	1 NT	Ø	7	90	-68,0 68,0
6	121	146	1 NT	Ø	7	90	-68,0 68,0
83	10	21	1 NT	Ø	7	90	-68,0 68,0
10	77	8	1 NT	Ø	7	90	-68,0 68,0
51	49	227	2 Kløver	S	6	100	-106,0 106,0
18	210	86	2 Spar	N	6	100	-106,0 106,0
74	188	178	1 NT	Ø	8	120	-113,0 113,0
89	117	139	1 NT	Ø	8	120	-113,0 113,0
91	175	184	1 NT	Ø	8	120	-113,0 113,0
69	31	17	1 NT	Ø	8	120	-113,0 113,0
100	193	172	1 NT	Ø	8	120	-113,0 113,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ 53 Mappen: 26(58)
 ♥ QJ8 Rundennr: 20
 ♦ KT53 A (Ø)
 ♣ QJ63

♠ AKJ74
 ♥ 532
 ♦ Q74
 ♣ 95


♠ Q9862
 ♥ 7
 ♦ A986
 ♣ AT7

T
 ♥ AKT964
 ♦ J2
 ♣ K842

Bord	NS	ØV		NS	ØV	NS	ØV
19	8	202	4 Hjerter	D S 10	790	117,0	-117,0
57	37	95	4 Hjerter	S 10	620	110,0	-110,0
103	155	208	4 Hjerter	S 10	620	110,0	-110,0
112	113	225	4 Hjerter	S 10	620	110,0	-110,0
92	169	122	4 Hjerter	S 10	620	110,0	-110,0
45	187	214	4 Hjerter	S 10	620	110,0	-110,0
107	172	59	4 Hjerter	S 10	620	110,0	-110,0
51	16	167	4 Spar	D Ø 9	200	95,0	-95,0
23	41	22	4 Spar	D V 9	200	95,0	-95,0
36	150	90	4 Spar	D V 9	200	95,0	-95,0
14	207	228	4 Spar	D V 9	200	95,0	-95,0
22	196	119	4 Spar	D V 9	200	95,0	-95,0
5	233	103	4 Spar	D V 9	200	95,0	-95,0
48	164	92	4 Spar	D V 9	200	95,0	-95,0
87	104	20	4 Spar	D V 9	200	95,0	-95,0
66	224	188	4 Spar	D V 9	200	95,0	-95,0
64	220	192	2 Hjerter	S 10	170	83,0	-83,0
102	180	120	2 Hjerter	S 10	170	83,0	-83,0
37	40	203	3 Hjerter	S 10	170	83,0	-83,0
83	114	73	4 Hjerter	Ø 9	100	51,0	-51,0
6	63	121	4 Hjerter	V 9	100	51,0	-51,0
13	35	28	4 Hjerter	Ø 9	100	51,0	-51,0
12	142	99	4 Spar	V 9	100	51,0	-51,0
68	17	177	4 Spar	Ø 9	100	51,0	-51,0
34	219	85	4 Spar	V 9	100	51,0	-51,0
81	183	232	4 Spar	V 9	100	51,0	-51,0
55	87	49	4 Spar	V 9	100	51,0	-51,0
97	54	110	4 Spar	Ø 9	100	51,0	-51,0
53	19	157	4 Spar	V 9	100	51,0	-51,0
49	58	216	4 Spar	V 9	100	51,0	-51,0
27	194	30	4 Spar	V 9	100	51,0	-51,0
39	23	109	4 Spar	V 9	100	51,0	-51,0
8	236	77	4 Spar	V 9	100	51,0	-51,0
43	212	9	4 Spar	Ø 9	100	51,0	-51,0
114	33	234	4 Spar	V 9	100	51,0	-51,0
76	6	125	4 Spar	V 9	100	51,0	-51,0
40	78	14	4 Spar	Ø 9	100	51,0	-51,0
105	55	18	4 Spar	Ø 9	100	51,0	-51,0
31	148	132	4 Spar	V 9	100	51,0	-51,0
33	124	147	4 Spar	Ø 9	100	51,0	-51,0
59	108	166	4 Spar	Ø 9	100	51,0	-51,0
18	56	129	4 Spar	Ø 9	100	51,0	-51,0
4	133	71	4 Spar	Ø 9	100	51,0	-51,0
15	136	116	4 Spar	V 9	100	51,0	-51,0
1	206	179	4 Spar	V 9	100	51,0	-51,0
74	213	2	4 Spar	Ø 9	100	51,0	-51,0
2	146	72	4 Spar	V 9	100	51,0	-51,0
28	61	68	4 Spar	V 9	100	51,0	-51,0
104	231	106	Pass			21,0	-21,0
96	65	101	4 Hjerter	S 9	100	14,0	-14,0
109	32	75	4 Hjerter	S 9	100	14,0	-14,0
20	229	176	5 Hjerter	S 10	100	14,0	-14,0
63	182	127	5 Hjerter	S 10	100	14,0	-14,0
9	100	34	5 Hjerter	S 10	100	14,0	-14,0
80	205	26	5 Hjerter	S 10	100	14,0	-14,0
90	12	21	3 Spar	V 9	140	-5,0	5,0
77	221	175	3 Spar	Ø 9	140	-5,0	5,0
86	184	36	3 Spar	Ø 9	140	-5,0	5,0
75	53	222	3 Spar	Ø 9	140	-5,0	5,0
113	170	107	3 Spar	V 9	140	-5,0	5,0
110	74	47	3 Spar	V 9	140	-5,0	5,0
115	57	209	3 Spar	Ø 9	140	-5,0	5,0
89	4	158	3 Spar	V 9	140	-5,0	5,0
10	86	211	3 Spar	Ø 9	140	-5,0	5,0
118	134	199	3 Spar	V 9	140	-5,0	5,0
101	46	168	3 Spar	V 9	140	-5,0	5,0
88	60	13	3 Spar	Ø 9	140	-5,0	5,0
11	159	235	3 Spar	V 9	140	-5,0	5,0
85	50	15	2 Spar	Ø 10	170	-28,0	28,0
29	62	131	2 Spar	Ø 10	170	-28,0	28,0
44	115	161	3 Spar	V 10	170	-28,0	28,0
111	144	102	3 Spar	Ø 10	170	-28,0	28,0
94	162	139	3 Spar	Ø 10	170	-28,0	28,0
117	43	51	3 Spar	Ø 10	170	-28,0	28,0
17	171	153	3 Spar	V 10	170	-28,0	28,0

42	204	67	3 Spar	Ø 10	170	-28,0	28,0
65	200	82	3 Spar	V 10	170	-28,0	28,0
106	143	152	3 Spar	Ø 10	170	-28,0	28,0
60	165	70	3 Spar	Ø 11	200	-47,0	47,0
108	193	151	3 Spar	V 11	200	-47,0	47,0
61	1	118	5 Hjerter	D S 10	200	-47,0	47,0
30	130	3	5 Hjerter	D S 10	200	-47,0	47,0
47	128	154	5 Hjerter	D S 10	200	-47,0	47,0
70	111	10	5 Hjerter	D S 10	200	-47,0	47,0
62	52	5	5 Hjerter	D S 10	200	-47,0	47,0
52	112	88	5 Hjerter	D S 10	200	-47,0	47,0
41	181	80	5 Hjerter	D S 10	200	-47,0	47,0
71	91	42	5 Hjerter	D S 9	500	-59,0	59,0
24	226	174	5 Hjerter	D S 9	500	-59,0	59,0
21	137	223	5 Hjerter	D S 9	500	-59,0	59,0
35	160	84	4 Spar	V 10	620	-74,0	74,0
38	81	173	4 Spar	Ø 10	620	-74,0	74,0
95	215	123	4 Spar	Ø 10	620	-74,0	74,0
56	163	64	4 Spar	Ø 10	620	-74,0	74,0
78	141	94	4 Spar	Ø 10	620	-74,0	74,0
16	189	185	4 Spar	Ø 10	620	-74,0	74,0
72	31	218	4 Spar	V 10	620	-74,0	74,0
100	76	7	4 Spar	V 10	620	-74,0	74,0
69	27	178	4 Spar	Ø 10	620	-74,0	74,0
73	186	83	4 Spar	Ø 10	620	-74,0	74,0
54	89	198	4 Spar	Ø 10	620	-74,0	74,0
50	138	44	4 Spar	Ø 10	620	-74,0	74,0
3	45	149	4 Spar	Ø 11	650	-94,0	94,0
26	217	96	4 Spar	Ø 11	650	-94,0	94,0
99	197	93	4 Spar	Ø 11	650	-94,0	94,0
93	145	195	4 Spar	V 11	650	-94,0	94,0
58	29	97	4 Spar	Ø 11	650	-94,0	94,0
25	210	69	4 Spar	V 11	650	-94,0	94,0
91	66	105	4 Spar	Ø 11	650	-94,0	94,0
79	190	135	4 Spar	Ø 11	650	-94,0	94,0
32	79	25	4 Spar	D V 10	790	-105,0	105,0
82	117	98	4 Spar	D V 10	790	-105,0	105,0
98	38	126	4 Spar	D V 10	790	-105,0	105,0
67	227	191	4 Spar	D V 11	990	-111,0	111,0
84	39	140	4 Spar	D V 11	990	-111,0	111,0
46	11	24	4 Spar	D Ø 10	990	-111,0	111,0
116	230	156	2 Spar	D Ø 10	1070	-115,0	115,0
7	201	48	3 Spar	D Ø 11	1130	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
106	143	152	4 Spar	D S 11	690	117,0	-117,0
18	56	129	3 Spar	D S 10	630	111,0	-111,0
42	204	67	3 Spar	D S 10	630	111,0	-111,0
81	183	232	3 Spar	D S 10	630	111,0	-111,0
103	155	208	3 Spar	D S 10	630	111,0	-111,0
4	133	71	3 Spar	D N 10	630	111,0	-111,0
21	137	223	4 Spar	D S 10	590	101,0	-101,0
90	12	21	4 Spar	D S 10	590	101,0	-101,0
46	11	24	4 Spar	D S 10	590	101,0	-101,0
31	148	132	4 Spar	D S 10	590	101,0	-101,0
3	45	149	4 Spar	D S 10	590	101,0	-101,0
77	221	175	5 Ruter	D V 8	500	95,0	-95,0
114	33	234	4 Spar	S 11	450	89,0	-89,0
117	43	51	4 Spar	S 11	450	89,0	-89,0
75	53	222	4 Spar	S 11	450	89,0	-89,0
112	113	225	4 Spar	N 11	450	89,0	-89,0
118	134	199	4 Spar	S 11	450	89,0	-89,0
96	65	101	4 Spar	S 10	420	34,0	-34,0
39	23	109	4 Spar	S 10	420	34,0	-34,0
1	206	179	4 Spar	S 10	420	34,0	-34,0
25	210	69	4 Spar	S 10	420	34,0	-34,0
104	231	106	4 Spar	S 10	420	34,0	-34,0
55	87	49	4 Spar	S 10	420	34,0	-34,0
83	114	73	4 Spar	S 10	420	34,0	-34,0
64	220	192	4 Spar	S 10	420	34,0	-34,0
101	46	168	4 Spar	S 10	420	34,0	-34,0
8	236	77	4 Spar	S 10	420	34,0	-34,0
45	187	214	4 Spar	S 10	420	34,0	-34,0
10	86	211	4 Spar	S 10	420	34,0	-34,0
54	89	198	4 Spar	S 10	420	34,0	-34,0
9	100	34	4 Spar	S 10	420	34,0	-34,0
110	74	47	4 Spar	S 10	420	34,0	-34,0
11	159	235	4 Spar	S 10	420	34,0	-34,0
62	52	5	4 Spar	S 10	420	34,0	-34,0
73	186	83	4 Spar	S 10	420	34,0	-34,0
94	162	139	4 Spar	S 10	420	34,0	-34,0
100	76	7	4 Spar	S 10	420	34,0	-34,0
49	58	216	4 Spar	S 10	420	34,0	-34,0
115	57	209	4 Spar	S 10	420	34,0	-34,0
65	200	82	4 Spar	S 10	420	34,0	-34,0
74	213	2	4 Spar	S 10	420	34,0	-34,0
113	170	107	4 Spar	S 10	420	34,0	-34,0
109	32	75	4 Spar	N 10	420	34,0	-34,0
40	78	14	4 Spar	S 10	420	34,0	-34,0
111	144	102	4 Spar	S 10	420	34,0	-34,0
88	60	13	4 Spar	S 10	420	34,0	-34,0
43	212	9	4 Spar	S 10	420	34,0	-34,0
22	196	119	4 Spar	S 10	420	34,0	-34,0
32	79	25	4 Spar	S 10	420	34,0	-34,0
51	16	167	4 Spar	S 10	420	34,0	-34,0
78	141	94	4 Spar	N 10	420	34,0	-34,0
35	160	84	4 Spar	S 10	420	34,0	-34,0
61	1	118	4 Spar	S 10	420	34,0	-34,0
20	229	176	4 Spar	S 10	420	34,0	-34,0
72	31	218	4 Spar	S 10	420	34,0	-34,0
68	17	177	4 Spar	S 10	420	34,0	-34,0
86	184	36	4 Spar	S 10	420	34,0	-34,0
28	61	68	4 Spar	S 10	420	34,0	-34,0
36	150	90	4 Spar	S 10	420	34,0	-34,0
92	169	122	4 Spar	S 10	420	34,0	-34,0
24	226	174	4 Spar	S 10	420	34,0	-34,0
47	128	154	4 Spar	S 10	420	34,0	-34,0
60	165	70	4 Spar	S 10	420	34,0	-34,0
26	217	96	4 Spar	S 10	420	34,0	-34,0
12	142	99	4 Spar	S 10	420	34,0	-34,0
52	112	88	4 Spar	S 10	420	34,0	-34,0
102	180	120	4 Spar	S 10	420	34,0	-34,0
66	224	188	5 Hjertes	D Ø 9	300	-19,0	19,0
69	27	178	5 Ruter	D V 9	300	-19,0	19,0
71	91	42	5 Ruter	D V 9	300	-19,0	19,0
82	117	98	2 Spar	S 10	170	-31,0	31,0
29	62	131	3 Spar	S 10	170	-31,0	31,0
34	219	85	3 Spar	S 10	170	-31,0	31,0
97	54	110	3 Spar	S 10	170	-31,0	31,0
19	8	202	3 Spar	S 10	170	-31,0	31,0

33	124	147	3 Spar	S 10	170	-31,0	31,0
105	55	18	3 Spar	S 10	170	-31,0	31,0
23	41	22	3 Spar	N 10	170	-31,0	31,0
6	63	121	3 Spar	S 10	170	-31,0	31,0
85	50	15	5 Ruter	D V 10	100	-53,0	53,0
63	182	127	5 Ruter	D V 10	100	-53,0	53,0
57	37	95	5 Ruter	D V 10	100	-53,0	53,0
76	6	125	5 Ruter	D V 10	100	-53,0	53,0
41	181	80	5 Ruter	D V 10	100	-53,0	53,0
14	207	228	5 Ruter	D V 10	100	-53,0	53,0
59	108	166	5 Ruter	D V 10	100	-53,0	53,0
16	189	185	5 Ruter	D V 10	100	-53,0	53,0
44	115	161	5 Ruter	D V 10	100	-53,0	53,0
93	145	195	5 Ruter	D V 10	100	-53,0	53,0
67	227	191	5 Ruter	D Ø 10	100	-53,0	53,0
15	136	116	5 Ruter	D V 10	100	-53,0	53,0
58	29	97	5 Ruter	D V 10	100	-53,0	53,0
84	39	140	5 Ruter	V 10	50	-77,0	77,0
17	171	153	5 Ruter	V 10	50	-77,0	77,0
70	111	10	5 Ruter	V 10	50	-77,0	77,0
108	193	151	5 Ruter	V 10	50	-77,0	77,0
79	190	135	5 Ruter	V 10	50	-77,0	77,0
116	230	156	5 Ruter	V 10	50	-77,0	77,0
89	4	158	5 Ruter	Ø 10	50	-77,0	77,0
99	197	93	5 Ruter	V 10	50	-77,0	77,0
95	215	123	5 Ruter	V 10	50	-77,0	77,0
30	130	3	5 Ruter	V 10	50	-77,0	77,0
37	40	203	5 Ruter	V 10	50	-77,0	77,0
80	205	26	5 Spar	S 10	50	-93,0	93,0
107	172	59	5 Spar	S 10	50	-93,0	93,0
13	35	28	5 Spar	S 10	50	-93,0	93,0
27	194	30	5 Spar	S 10	50	-93,0	93,0
38	81	173	5 Spar	S 10	50	-93,0	93,0
56	163	64	5 Spar	D S 10	100	-100,0	100,0
7	201	48	5 Spar	D S 10	100	-100,0	100,0
98	38	126	4 Ruter	V 10	130	-109,0	109,0
5	233	103	4 Ruter	V 10	130	-109,0	109,0
50	138	44	4 Ruter	V 10	130	-109,0	109,0
91	66	105	4 Ruter	V 10	130	-109,0	109,0
87	104	20	4 Ruter	V 10	130	-109,0	109,0
2	146	72	4 Ruter	V 10	130	-109,0	109,0
48	164	92	4 Ruter	V 10	130	-109,0	109,0
53	19	157	5 Ruter	D V 11	550	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
69	27	178	6 Spar	Ø 8	200	117,0	-117,0
57	37	95	4 Hjerter	V 7	150	110,0	-110,0
3	45	149	4 Spar	Ø 7	150	110,0	-110,0
50	138	44	4 Spar	Ø 7	150	110,0	-110,0
117	43	51	4 Spar	Ø 7	150	110,0	-110,0
71	91	42	4 Spar	Ø 7	150	110,0	-110,0
114	33	234	4 Spar	Ø 7	150	110,0	-110,0
93	145	195	4 Spar	Ø 8	100	79,0	-79,0
85	50	15	4 Spar	Ø 8	100	79,0	-79,0
37	40	203	4 Spar	Ø 8	100	79,0	-79,0
63	182	127	4 Spar	Ø 8	100	79,0	-79,0
55	87	49	4 Spar	Ø 8	100	79,0	-79,0
33	124	147	4 Spar	Ø 8	100	79,0	-79,0
89	4	158	4 Spar	Ø 8	100	79,0	-79,0
24	226	174	4 Spar	Ø 8	100	79,0	-79,0
86	184	36	4 Spar	Ø 8	100	79,0	-79,0
26	217	96	4 Spar	Ø 8	100	79,0	-79,0
110	74	47	4 Spar	Ø 8	100	79,0	-79,0
75	53	222	4 Spar	Ø 8	100	79,0	-79,0
80	205	26	4 Spar	Ø 8	100	79,0	-79,0
11	159	235	4 Spar	Ø 8	100	79,0	-79,0
58	29	97	4 Spar	Ø 8	100	79,0	-79,0
64	220	192	4 Spar	Ø 8	100	79,0	-79,0
52	112	88	4 Spar	Ø 8	100	79,0	-79,0
1	206	179	4 Spar	Ø 8	100	79,0	-79,0
31	148	132	4 Spar	Ø 8	100	79,0	-79,0
116	230	156	4 Spar	Ø 8	100	79,0	-79,0
59	108	166	4 Spar	Ø 8	100	79,0	-79,0
72	31	218	4 Spar	Ø 8	100	79,0	-79,0
77	221	175	4 Spar	Ø 8	100	79,0	-79,0
60	165	70	4 Spar	Ø 8	100	79,0	-79,0
118	134	199	4 Spar	Ø 8	100	79,0	-79,0
35	160	84	3 NT	Ø 8	50	12,0	-12,0
41	181	80	3 NT	Ø 8	50	12,0	-12,0
21	137	223	3 NT	Ø 8	50	12,0	-12,0
25	210	69	4 Spar	Ø 9	50	12,0	-12,0
44	115	161	4 Spar	Ø 9	50	12,0	-12,0
98	38	126	4 Spar	Ø 9	50	12,0	-12,0
39	23	109	4 Spar	Ø 9	50	12,0	-12,0
30	130	3	4 Spar	Ø 9	50	12,0	-12,0
113	170	107	4 Spar	Ø 9	50	12,0	-12,0
4	133	71	4 Spar	Ø 9	50	12,0	-12,0
34	219	85	4 Spar	Ø 9	50	12,0	-12,0
10	86	211	4 Spar	Ø 9	50	12,0	-12,0
97	54	110	4 Spar	Ø 9	50	12,0	-12,0
65	200	82	4 Spar	Ø 9	50	12,0	-12,0
51	16	167	4 Spar	Ø 9	50	12,0	-12,0
67	227	191	4 Spar	Ø 9	50	12,0	-12,0
48	164	92	4 Spar	Ø 9	50	12,0	-12,0
8	236	77	4 Spar	Ø 9	50	12,0	-12,0
42	204	67	4 Spar	Ø 9	50	12,0	-12,0
99	197	93	4 Spar	Ø 9	50	12,0	-12,0
66	224	188	4 Spar	V 9	50	12,0	-12,0
101	46	168	4 Spar	Ø 9	50	12,0	-12,0
32	79	25	4 Spar	Ø 9	50	12,0	-12,0
76	6	125	4 Spar	Ø 9	50	12,0	-12,0
105	55	18	4 Spar	Ø 9	50	12,0	-12,0
9	100	34	4 Spar	Ø 9	50	12,0	-12,0
43	212	9	4 Spar	Ø 9	50	12,0	-12,0
53	19	157	4 Spar	Ø 9	50	12,0	-12,0
19	8	202	4 Spar	Ø 9	50	12,0	-12,0
12	142	99	4 Spar	Ø 9	50	12,0	-12,0
17	171	153	4 Spar	Ø 9	50	12,0	-12,0
90	12	21	4 Spar	Ø 9	50	12,0	-12,0
45	187	214	4 Spar	Ø 9	50	12,0	-12,0
103	155	208	4 Spar	Ø 9	50	12,0	-12,0
46	11	24	4 Spar	Ø 9	50	12,0	-12,0
49	58	216	4 Spar	Ø 9	50	12,0	-12,0
2	146	72	4 Spar	Ø 9	50	12,0	-12,0
36	150	90	4 Spar	Ø 9	50	12,0	-12,0
18	56	129	4 Spar	Ø 9	50	12,0	-12,0
20	229	176	4 Spar	Ø 9	50	12,0	-12,0
79	190	135	4 Spar	Ø 9	50	12,0	-12,0
38	81	173	4 Spar	Ø 9	50	12,0	-12,0
73	186	83	3 Ruter	D N 8	200	-31,0	31,0

96	65	101	3 NT	Ø 9	400	-41,0	41,0
56	163	64	3 NT	Ø 9	400	-41,0	41,0
81	183	232	3 NT	Ø 9	400	-41,0	41,0
68	17	177	3 NT	Ø 9	400	-41,0	41,0
15	136	116	3 NT	Ø 9	400	-41,0	41,0
106	143	152	3 NT	Ø 9	400	-41,0	41,0
61	1	118	3 NT	Ø 9	400	-41,0	41,0
95	215	123	3 NT	Ø 9	400	-41,0	41,0
47	128	154	3 NT	Ø 9	400	-41,0	41,0
109	32	75	4 Spar	Ø 10	420	-78,0	78,0
16	189	185	4 Spar	Ø 10	420	-78,0	78,0
28	61	68	4 Spar	Ø 10	420	-78,0	78,0
115	57	209	4 Spar	Ø 10	420	-78,0	78,0
22	196	119	4 Spar	Ø 10	420	-78,0	78,0
94	162	139	4 Spar	Ø 10	420	-78,0	78,0
40	78	14	4 Spar	Ø 10	420	-78,0	78,0
92	169	122	4 Spar	Ø 10	420	-78,0	78,0
54	89	198	4 Spar	Ø 10	420	-78,0	78,0
13	35	28	4 Spar	Ø 10	420	-78,0	78,0
112	113	225	4 Spar	Ø 10	420	-78,0	78,0
104	231	106	4 Spar	Ø 10	420	-78,0	78,0
70	111	10	4 Spar	Ø 10	420	-78,0	78,0
23	41	22	4 Spar	V 10	420	-78,0	78,0
5	233	103	4 Spar	Ø 10	420	-78,0	78,0
27	194	30	4 Spar	Ø 10	420	-78,0	78,0
107	172	59	4 Spar	Ø 10	420	-78,0	78,0
74	213	2	4 Spar	Ø 10	420	-78,0	78,0
100	76	7	4 Spar	Ø 10	420	-78,0	78,0
62	52	5	4 Spar	Ø 10	420	-78,0	78,0
78	141	94	4 Spar	V 10	420	-78,0	78,0
7	201	48	4 Spar	Ø 10	420	-78,0	78,0
6	63	121	4 Spar	Ø 10	420	-78,0	78,0
84	39	140	4 Spar	Ø 10	420	-78,0	78,0
29	62	131	4 Spar	Ø 10	420	-78,0	78,0
82	117	98	4 Spar	Ø 10	420	-78,0	78,0
108	193	151	4 Spar	Ø 10	420	-78,0	78,0
88	60	13	4 Spar	Ø 10	420	-78,0	78,0
83	114	73	3 NT	Ø 10	430	-108,0	108,0
102	180	120	3 NT	Ø 10	430	-108,0	108,0
14	207	228	4 Spar	Ø 11	450	-112,0	112,0
91	66	105	4 Spar	Ø 11	450	-112,0	112,0
111	144	102	3 NT	Ø 11	460	-116,0	116,0
87	104	20	3 NT	Ø 11	460	-116,0	116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
4	149	103	6 Kløver	N 12	1370	117,0 -117,0
74	26	91	4 Spar	D N 11	990	114,0 -114,0
34	128	81	4 Spar	D N 11	990	114,0 -114,0
24	203	194	3 NT	S 12	690	109,9 -109,9
56	198	118	3 NT	S 12	690	109,9 -109,9
112	113	107	3 NT	S 11	660	87,7 -87,7
59	227	92	3 NT	S 11	660	87,7 -87,7
32	97	41	3 NT	S 11	660	87,7 -87,7
103	197	76	3 NT	S 11	660	87,7 -87,7
86	158	2	3 NT	S 11	660	87,7 -87,7
71	89	187	3 NT	S 11	660	87,7 -87,7
69	82	10	3 NT	S 11	660	87,7 -87,7
37	79	161	3 NT	S 11	660	87,7 -87,7
109	18	144	3 NT	S 11	660	87,7 -87,7
10	100	185	3 NT	S 11	660	87,7 -87,7
79	190	39	3 NT	S 11	660	87,7 -87,7
3	48	45	3 NT	S 11	660	87,7 -87,7
23	196	148	3 NT	N 11	660	87,7 -87,7
30	131	11	3 NT	S 11	660	87,7 -87,7
114	234	43	3 NT	S 11	660	87,7 -87,7
43	1	163	3 NT	S 11	660	87,7 -87,7
6	159	71	3 NT	S 11	660	87,7 -87,7
26	56	96	3 NT	S 11	660	87,7 -87,7
88	205	13	3 NT	S 11	660	87,7 -87,7
13	142	236	3 NT	S 11	660	87,7 -87,7
85	15	66	60%-40%		23,4	-23,4
52	157	166	4 Spar	N 11	650	19,2 -19,2
107	7	54	4 Spar	N 11	650	19,2 -19,2
38	217	150	4 Spar	N 11	650	19,2 -19,2
94	155	50	4 Spar	N 11	650	19,2 -19,2
72	94	108	4 Spar	N 11	650	19,2 -19,2
25	223	160	4 Spar	N 11	650	19,2 -19,2
90	21	126	4 Spar	N 11	650	19,2 -19,2
22	22	229	4 Spar	N 11	650	19,2 -19,2
116	51	209	4 Spar	N 11	650	19,2 -19,2
2	72	179	4 Spar	N 11	650	19,2 -19,2
97	105	186	4 Spar	N 11	650	19,2 -19,2
105	151	55	4 Spar	N 11	650	19,2 -19,2
58	182	6	4 Spar	N 11	650	19,2 -19,2
78	123	175	4 Spar	N 11	650	19,2 -19,2
19	228	171	4 Spar	N 11	650	19,2 -19,2
42	49	16	4 Spar	N 11	650	19,2 -19,2
82	93	135	4 Spar	N 11	650	19,2 -19,2
5	133	86	4 Spar	N 11	650	19,2 -19,2
113	102	230	4 Spar	N 11	650	19,2 -19,2
89	183	36	4 Spar	N 11	650	19,2 -19,2
61	167	224	4 Spar	N 11	650	19,2 -19,2
87	184	65	4 Spar	N 11	650	19,2 -19,2
73	200	104	4 Spar	N 11	650	19,2 -19,2
50	124	14	4 Spar	N 11	650	19,2 -19,2
96	73	101	4 Spar	N 11	650	19,2 -19,2
48	88	23	4 Spar	N 11	650	19,2 -19,2
31	109	78	4 Spar	N 11	650	19,2 -19,2
27	116	132	4 Spar	N 11	650	19,2 -19,2
41	9	204	4 Spar	N 11	650	19,2 -19,2
35	154	130	4 Spar	N 11	650	19,2 -19,2
115	57	170	4 Spar	N 11	650	19,2 -19,2
33	129	202	4 Spar	N 11	650	19,2 -19,2
8	201	63	4 Spar	N 11	650	19,2 -19,2
17	8	189	4 Spar	N 11	650	19,2 -19,2
110	180	152	4 Spar	N 11	650	19,2 -19,2
15	226	153	4 Spar	N 11	650	19,2 -19,2
83	232	122	4 Spar	N 11	650	19,2 -19,2
36	61	67	4 Spar	N 11	650	19,2 -19,2
53	27	181	4 Spar	N 11	650	19,2 -19,2
16	119	68	4 Spar	N 11	650	19,2 -19,2
106	193	143	4 Spar	N 11	650	19,2 -19,2
29	62	3	4 Spar	N 11	650	19,2 -19,2
98	195	4	4 Spar	N 11	650	19,2 -19,2
102	172	38	4 Spar	N 11	650	19,2 -19,2
80	37	141	4 Spar	N 11	650	19,2 -19,2
75	191	42	4 Spar	N 11	650	19,2 -19,2
63	24	87	4 Spar	N 11	650	19,2 -19,2
66	192	221	4 Spar	N 11	650	19,2 -19,2
28	69	84	3 NT	S 10	630	-43,4 43,4

95	139	168	3 NT	S 10	630	-43,4 43,4
111	75	74	3 NT	S 10	630	-43,4 43,4
77	20	218	3 NT	S 10	630	-43,4 43,4
1	206	233	3 NT	S 10	630	-43,4 43,4
20	174	30	3 NT	S 10	630	-43,4 43,4
55	29	58	3 NT	S 10	630	-43,4 43,4
57	17	111	3 NT	S 10	630	-43,4 43,4
21	147	207	3 NT	S 10	630	-43,4 43,4
7	121	34	3 NT	S 10	630	-43,4 43,4
18	136	137	3 NT	S 10	630	-43,4 43,4
51	214	115	3 NT	S 10	630	-43,4 43,4
91	95	145	3 NT	S 10	630	-43,4 43,4
92	125	46	3 NT	S 10	630	-43,4 43,4
99	208	110	4 Spar	N 10	620	-58,5 58,5
44	212	112	3 NT	S 9	600	-71,6 71,6
108	231	32	3 NT	S 9	600	-71,6 71,6
12	176	28	3 NT	S 9	600	-71,6 71,6
76	60	220	3 NT	S 9	600	-71,6 71,6
11	77	35	3 NT	N 9	600	-71,6 71,6
60	138	165	3 NT	S 9	600	-71,6 71,6
46	44	80	3 NT	S 9	600	-71,6 71,6
14	235	99	3 NT	S 9	600	-71,6 71,6
47	19	70	3 NT	S 9	600	-71,6 71,6
64	140	216	3 NT	S 9	600	-71,6 71,6
93	215	169	3 NT	S 9	600	-71,6 71,6
81	98	31	3 NT	S 9	600	-71,6 71,6
54	40	5	3 Spar	N 11	200	-84,7 84,7
104	106	225	3 Ruter	N 11	150	-86,7 86,7
49	64	219	3 NT	S 8	100	-99,8 99,8
9	146	211	3 NT	S 8	100	-99,8 99,8
62	164	53	3 NT	S 8	100	-99,8 99,8
101	162	47	3 NT	S 8	100	-99,8 99,8
68	222	213	3 NT	S 8	100	-99,8 99,8
70	178	114	3 NT	S 8	100	-99,8 99,8
39	127	90	3 NT	S 8	100	-99,8 99,8
117	156	134	3 NT	S 8	100	-99,8 99,8
45	85	25	5 Ruter	N 10	100	-99,8 99,8
40	210	173	6 Spar	N 11	100	-99,8 99,8
84	177	117	6 Spar	N 11	100	-99,8 99,8
65	83	188	6 Spar	N 11	100	-99,8 99,8
100	120	59	3 NT	S 7	200	-113,0 113,0
118	199	33	3 NT	S 6	300	-116,0 116,0
67	12	52	6 Kløver	N 9	300	-116,0 116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
9	146	211	2 Spar	D N 8	470	117,0	-117,0
113	102	230	2 Spar	V 4	200	114,9	-114,9
28	69	84	2 Ruter	Ø 5	150	111,9	-111,9
33	129	202	3 Hjerter	Ø 6	150	111,9	-111,9
111	75	74	2 Ruter	N 10	130	108,8	-108,8
117	156	134	2 Kløver	S 9	110	104,8	-104,8
89	183	36	2 Ruter	N 9	110	104,8	-104,8
24	203	194	2 Ruter	N 9	110	104,8	-104,8
15	226	153	2 Hjerter	Ø 6	100	96,6	-96,6
5	133	86	2 Hjerter	Ø 6	100	96,6	-96,6
115	57	170	2 NT	V 6	100	96,6	-96,6
27	116	132	2 NT	V 6	100	96,6	-96,6
84	177	117	2 NT	V 6	100	96,6	-96,6
93	215	169	2 Ruter	S 8	90	90,5	-90,5
13	142	236	1 NT	V 6	50	60,0	-60,0
96	73	101	1 NT	V 6	50	60,0	-60,0
29	62	3	1 NT	V 6	50	60,0	-60,0
17	8	189	1 NT	V 6	50	60,0	-60,0
35	154	130	1 NT	V 6	50	60,0	-60,0
71	89	187	1 NT	V 6	50	60,0	-60,0
66	192	221	1 NT	V 6	50	60,0	-60,0
37	79	161	1 NT	V 6	50	60,0	-60,0
83	232	122	1 NT	V 6	50	60,0	-60,0
14	235	99	1 NT	V 6	50	60,0	-60,0
54	40	5	1 NT	V 6	50	60,0	-60,0
105	151	55	1 NT	V 6	50	60,0	-60,0
1	206	233	1 NT	V 6	50	60,0	-60,0
50	124	14	1 NT	V 6	50	60,0	-60,0
67	12	52	2 Hjerter	Ø 7	50	60,0	-60,0
7	121	34	2 Hjerter	Ø 7	50	60,0	-60,0
110	180	152	2 Hjerter	Ø 7	50	60,0	-60,0
73	200	104	2 Hjerter	Ø 7	50	60,0	-60,0
114	234	43	2 Hjerter	Ø 7	50	60,0	-60,0
31	109	78	2 NT	V 7	50	60,0	-60,0
25	223	160	2 NT	V 7	50	60,0	-60,0
30	131	11	2 NT	V 7	50	60,0	-60,0
98	195	4	2 NT	Ø 7	50	60,0	-60,0
70	178	114	2 NT	V 7	50	60,0	-60,0
57	17	111	2 NT	Ø 7	50	60,0	-60,0
26	56	96	2 NT	V 7	50	60,0	-60,0
108	231	32	2 NT	V 7	50	60,0	-60,0
59	227	92	2 Spar	V 7	50	60,0	-60,0
44	212	112	3 NT	V 8	50	60,0	-60,0
18	136	137	2 Ruter	S 7	50	25,4	-25,4
88	205	13	2 Ruter	S 7	50	25,4	-25,4
90	21	126	2 Spar	N 7	50	25,4	-25,4
69	82	10	2 Spar	N 7	50	25,4	-25,4
65	83	188	3 Kløver	N 8	50	25,4	-25,4
85	15	66	60%-40%			23,4	-23,4
76	60	220	1 NT	V 7	90	-17,3	17,3
2	72	179	1 NT	V 7	90	-17,3	17,3
116	51	209	1 NT	V 7	90	-17,3	17,3
61	167	224	1 NT	V 7	90	-17,3	17,3
52	157	166	1 NT	V 7	90	-17,3	17,3
6	159	71	1 NT	V 7	90	-17,3	17,3
78	123	175	1 NT	V 7	90	-17,3	17,3
51	214	115	1 NT	V 7	90	-17,3	17,3
77	20	218	1 NT	V 7	90	-17,3	17,3
104	106	225	1 NT	V 7	90	-17,3	17,3
75	191	42	1 NT	V 7	90	-17,3	17,3
21	147	207	1 NT	V 7	90	-17,3	17,3
112	113	107	1 NT	V 7	90	-17,3	17,3
103	197	76	1 NT	V 7	90	-17,3	17,3
60	138	165	1 NT	V 7	90	-17,3	17,3
82	93	135	1 NT	V 7	90	-17,3	17,3
109	18	144	1 NT	V 7	90	-17,3	17,3
68	222	213	1 NT	V 7	90	-17,3	17,3
22	22	229	1 NT	V 7	90	-17,3	17,3
118	199	33	1 NT	V 7	90	-17,3	17,3
55	29	58	1 NT	V 7	90	-17,3	17,3
86	158	2	1 NT	V 7	90	-17,3	17,3
20	174	30	1 NT	V 7	90	-17,3	17,3
39	127	90	1 NT	V 7	90	-17,3	17,3
64	140	216	1 NT	V 7	90	-17,3	17,3
11	77	35	1 NT	V 7	90	-17,3	17,3

100	120	59	1 NT	V 7	90	-17,3	17,3
91	95	145	1 NT	Ø 7	90	-17,3	17,3
19	228	171	1 NT	V 7	90	-17,3	17,3
94	155	50	1 NT	V 7	90	-17,3	17,3
80	37	141	1 NT	V 7	90	-17,3	17,3
53	27	181	1 NT	V 7	90	-17,3	17,3
41	9	204	1 NT	V 7	90	-17,3	17,3
46	44	80	1 NT	V 7	90	-17,3	17,3
45	85	25	1 NT	V 7	90	-17,3	17,3
12	176	28	1 NT	V 7	90	-17,3	17,3
47	19	70	1 NT	V 7	90	-17,3	17,3
49	64	219	40%-60%			-23,4	23,4
58	182	6	2 Hjerter	D S 7	100	-62,1	62,1
36	61	67	2 Ruter	D S 7	100	-62,1	62,1
8	201	63	2 Spar	D N 7	100	-62,1	62,1
97	105	186	2 Spar	N 6	100	-62,1	62,1
23	196	148	3 Kløver	D N 8	100	-62,1	62,1
4	149	103	3 Ruter	S 7	100	-62,1	62,1
106	193	143	3 Ruter	S 7	100	-62,1	62,1
62	164	53	1 Hjerter	Ø 8	110	-78,3	78,3
101	162	47	2 Hjerter	Ø 8	110	-78,3	78,3
107	7	54	2 Hjerter	Ø 8	110	-78,3	78,3
34	128	81	2 Hjerter	Ø 8	110	-78,3	78,3
16	119	68	2 Hjerter	Ø 8	110	-78,3	78,3
38	217	150	2 Hjerter	Ø 8	110	-78,3	78,3
48	88	23	2 Hjerter	Ø 8	110	-78,3	78,3
92	125	46	2 Spar	V 8	110	-78,3	78,3
10	100	185	2 Spar	V 8	110	-78,3	78,3
79	190	39	1 NT	V 8	120	-95,6	95,6
81	98	31	1 NT	V 8	120	-95,6	95,6
87	184	65	1 NT	V 8	120	-95,6	95,6
3	48	45	1 NT	V 8	120	-95,6	95,6
43	1	163	1 NT	V 8	120	-95,6	95,6
99	208	110	1 NT	V 8	120	-95,6	95,6
95	139	168	2 NT	V 8	120	-95,6	95,6
74	26	91	2 NT	V 8	120	-95,6	95,6
72	94	108	1 NT	V 9	150	-104,8	104,8
63	24	87	1 NT	D V 7	180	-106,8	106,8
56	198	118	2 Spar	D N 6	300	-110,9	110,9
40	210	173	3 Ruter	D S 7	300	-110,9	110,9
32	97	41	3 Ruter	D S 7	300	-110,9	110,9
102	172	38	3 NT	V 9	400	-114,9	114,9
42	49	16	2 Hjerter	D N 5	500	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



64	140	216	3 Hjerter	Ø 8	50	-31,5	31,5
25	223	160	3 Hjerter	Ø 8	50	-31,5	31,5
108	231	32	Pass			-49,8	49,8
29	62	3	Pass			-49,8	49,8
61	167	224	Pass			-49,8	49,8
31	109	78	Pass			-49,8	49,8
67	12	52	Pass			-49,8	49,8
40	210	173	Pass			-49,8	49,8
114	234	43	Pass			-49,8	49,8
26	56	96	Pass			-49,8	49,8
87	184	65	Pass			-49,8	49,8
118	199	33	Pass			-49,8	49,8
27	116	132	Pass			-49,8	49,8
107	7	54	Pass			-49,8	49,8
52	157	166	Pass			-49,8	49,8
28	69	84	Pass			-49,8	49,8
66	192	221	Pass			-49,8	49,8
16	119	68	1NT	V 7	90	-66,1	66,1
55	29	58	1NT	N 6	100	-85,4	85,4
3	48	45	1NT	N 6	100	-85,4	85,4
32	97	41	1NT	N 6	100	-85,4	85,4
73	200	104	1NT	N 6	100	-85,4	85,4
71	89	187	1NT	N 6	100	-85,4	85,4
101	162	47	1NT	S 6	100	-85,4	85,4
47	19	70	1NT	N 6	100	-85,4	85,4
24	203	194	1NT	N 6	100	-85,4	85,4
1	206	233	1NT	N 6	100	-85,4	85,4
39	127	90	1NT	N 6	100	-85,4	85,4
50	124	14	1NT	S 6	100	-85,4	85,4
22	22	229	1NT	N 6	100	-85,4	85,4
62	164	53	1NT	N 6	100	-85,4	85,4
34	128	81	1NT	N 6	100	-85,4	85,4
81	98	31	2 Kløver	S 7	100	-85,4	85,4
102	172	38	2 Spar	S 7	100	-85,4	85,4
7	121	34	2 Spar	S 7	100	-85,4	85,4
13	142	236	3NT	N 8	100	-85,4	85,4
23	196	148	2 Hjerter	V 8	110	-104,8	104,8
72	94	108	1NT	N 5	200	-111,9	111,9
69	82	10	1NT	N 5	200	-111,9	111,9
38	217	150	1NT	N 5	200	-111,9	111,9
19	228	171	1 Spar	S 5	200	-111,9	111,9
74	26	91	1 Spar	S 5	200	-111,9	111,9
37	79	161	2 Kløver	S 6	200	-111,9	111,9

Bord	NS	ØV		NS	ØV	NS	ØV
2	72	179	1NT	D S 7	180	116,0	-116,0
36	61	67	1NT	N 10	180	116,0	-116,0
44	212	112	1NT	N 9	150	108,8	-108,8
112	113	107	1NT	N 9	150	108,8	-108,8
98	195	4	1NT	N 9	150	108,8	-108,8
20	174	30	1NT	N 9	150	108,8	-108,8
42	49	16	1NT	N 9	150	108,8	-108,8
59	227	92	1NT	N 8	120	78,3	-78,3
65	83	188	1NT	N 8	120	78,3	-78,3
4	149	103	1NT	N 8	120	78,3	-78,3
18	136	137	1NT	N 8	120	78,3	-78,3
89	183	36	1NT	N 8	120	78,3	-78,3
80	37	141	1NT	N 8	120	78,3	-78,3
48	88	23	1NT	N 8	120	78,3	-78,3
43	1	163	1NT	N 8	120	78,3	-78,3
15	226	153	1NT	N 8	120	78,3	-78,3
57	17	111	1NT	N 8	120	78,3	-78,3
17	8	189	1NT	N 8	120	78,3	-78,3
68	222	213	1NT	N 8	120	78,3	-78,3
92	125	46	1NT	N 8	120	78,3	-78,3
46	44	80	1NT	N 8	120	78,3	-78,3
105	151	55	1NT	N 8	120	78,3	-78,3
97	105	186	1NT	N 8	120	78,3	-78,3
104	106	225	1NT	N 8	120	78,3	-78,3
90	21	126	1NT	S 8	120	78,3	-78,3
84	177	117	1NT	N 8	120	78,3	-78,3
117	156	134	1NT	N 8	120	78,3	-78,3
33	129	202	1NT	N 8	120	78,3	-78,3
103	197	76	1NT	N 8	120	78,3	-78,3
6	159	71	1NT	N 8	120	78,3	-78,3
113	102	230	1NT	N 8	120	78,3	-78,3
88	205	13	1NT	N 8	120	78,3	-78,3
11	77	35	1NT	D V 6	100	51,9	-51,9
85	15	66	60%-40%			23,4	-23,4
116	51	209	1NT	N 7	90	12,2	-12,2
12	176	28	1NT	N 7	90	12,2	-12,2
5	133	86	1NT	N 7	90	12,2	-12,2
53	27	181	1NT	N 7	90	12,2	-12,2
51	214	115	1NT	N 7	90	12,2	-12,2
8	201	63	1NT	N 7	90	12,2	-12,2
41	9	204	1NT	N 7	90	12,2	-12,2
63	24	87	1NT	N 7	90	12,2	-12,2
100	120	59	1NT	N 7	90	12,2	-12,2
83	232	122	1NT	N 7	90	12,2	-12,2
35	154	130	1NT	N 7	90	12,2	-12,2
45	85	25	1NT	N 7	90	12,2	-12,2
99	208	110	1NT	N 7	90	12,2	-12,2
30	131	11	1NT	N 7	90	12,2	-12,2
76	60	220	1NT	N 7	90	12,2	-12,2
78	123	175	1NT	N 7	90	12,2	-12,2
109	18	144	1NT	N 7	90	12,2	-12,2
60	138	165	1NT	N 7	90	12,2	-12,2
82	93	135	1NT	N 7	90	12,2	-12,2
86	158	2	1NT	S 7	90	12,2	-12,2
77	20	218	1NT	N 7	90	12,2	-12,2
54	40	5	1NT	N 7	90	12,2	-12,2
106	193	143	1NT	N 7	90	12,2	-12,2
10	100	185	1NT	N 7	90	12,2	-12,2
93	215	169	1NT	N 7	90	12,2	-12,2
58	182	6	1NT	N 7	90	12,2	-12,2
115	57	170	1NT	N 7	90	12,2	-12,2
96	73	101	1NT	N 7	90	12,2	-12,2
75	191	42	1NT	N 7	90	12,2	-12,2
79	190	39	1NT	N 7	90	12,2	-12,2
56	198	118	1NT	N 7	90	12,2	-12,2
94	155	50	1NT	N 7	90	12,2	-12,2
95	139	168	1NT	S 7	90	12,2	-12,2
9	146	211	1NT	N 7	90	12,2	-12,2
14	235	99	1NT	N 7	90	12,2	-12,2
91	95	145	1NT	S 7	90	12,2	-12,2
70	178	114	1NT	N 7	90	12,2	-12,2
21	147	207	1NT	N 7	90	12,2	-12,2
49	64	219	40%-60%			-23,4	23,4
111	75	74	1 Spar	S 7	80	-27,5	27,5
110	180	152	2 Kløver	V 7	50	-31,5	31,5


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
73	126	91	3 NT	D Ø 5	1100	117,0	-117,0
65	191	163	3 Hjerter	D Ø 6	800	115,0	-115,0
7	86	100	3 Hjerter	D Ø 7	500	106,9	-106,9
12	71	8	3 Hjerter	D Ø 7	500	106,9	-106,9
87	139	46	3 Hjerter	D Ø 7	500	106,9	-106,9
29	154	64	3 Hjerter	D Ø 7	500	106,9	-106,9
53	118	19	3 Hjerter	D Ø 7	500	106,9	-106,9
42	130	127	3 Hjerter	D Ø 7	500	106,9	-106,9
20	131	196	3 Hjerter	D Ø 7	500	106,9	-106,9
85	65	2	3 Hjerter	Ø 6	300	96,8	-96,8
114	134	193	3 Hjerter	Ø 6	300	96,8	-96,8
21	235	201	3 Ruter	V 6	300	96,8	-96,8
30	11	223	2 Hjerter	D Ø 7	200	69,6	-69,6
86	177	205	2 Hjerter	Ø 6	200	69,6	-69,6
5	179	149	2 Hjerter	D Ø 7	200	69,6	-69,6
63	123	29	2 Hjerter	D Ø 7	200	69,6	-69,6
71	188	105	2 Hjerter	D Ø 7	200	69,6	-69,6
81	218	222	2 Hjerter	D Ø 7	200	69,6	-69,6
64	181	164	2 Hjerter	D Ø 7	200	69,6	-69,6
47	132	53	2 Hjerter	D Ø 7	200	69,6	-69,6
17	56	35	2 Hjerter	D Ø 7	200	69,6	-69,6
34	204	194	3 Hjerter	Ø 7	200	69,6	-69,6
1	48	206	3 Hjerter	Ø 7	200	69,6	-69,6
6	233	121	3 Hjerter	D Ø 8	200	69,6	-69,6
96	39	4	3 Hjerter	Ø 7	200	69,6	-69,6
61	92	166	3 Hjerter	Ø 7	200	69,6	-69,6
99	120	110	3 Hjerter	Ø 7	200	69,6	-69,6
110	75	180	3 Hjerter	Ø 7	200	69,6	-69,6
69	213	135	3 Hjerter	Ø 7	200	69,6	-69,6
60	115	220	3 Hjerter	D Ø 8	200	69,6	-69,6
89	169	232	3 Hjerter	Ø 7	200	69,6	-69,6
35	61	212	3 Hjerter	Ø 7	200	69,6	-69,6
9	63	142	3 Hjerter	Ø 7	200	69,6	-69,6
95	151	168	3 Hjerter	Ø 7	200	69,6	-69,6
100	215	7	3 Hjerter	Ø 7	200	69,6	-69,6
33	161	41	3 Hjerter	Ø 7	200	69,6	-69,6
78	184	111	2 Spar	N 9	140	43,4	-43,4
2	72	159	3 Spar	N 9	140	43,4	-43,4
104	54	113	2 Spar	N 8	110	32,3	-32,3
46	40	129	2 Spar	N 8	110	32,3	-32,3
55	70	224	2 Spar	N 8	110	32,3	-32,3
37	80	109	2 Spar	N 8	110	32,3	-32,3
92	195	50	2 Spar	N 8	110	32,3	-32,3
11	153	146	2 Spar	N 8	110	32,3	-32,3
111	38	43	2 Spar	N 8	110	32,3	-32,3
27	150	147	2 Spar	N 8	110	32,3	-32,3
18	119	229	2 Spar	N 8	110	32,3	-32,3
36	128	217	2 Hjerter	Ø 7	100	13,1	-13,1
57	165	182	2 Hjerter	Ø 7	100	13,1	-13,1
112	152	144	2 Hjerter	Ø 7	100	13,1	-13,1
68	20	138	2 Hjerter	Ø 7	100	13,1	-13,1
82	192	89	2 Hjerter	Ø 7	100	13,1	-13,1
80	42	60	3 Hjerter	Ø 8	100	13,1	-13,1
24	84	174	3 Hjerter	Ø 8	100	13,1	-13,1
72	114	216	3 Hjerter	Ø 8	100	13,1	-13,1
98	186	95	3 Hjerter	Ø 8	100	13,1	-13,1
15	137	228	3 Hjerter	Ø 8	100	13,1	-13,1
75	178	200	2 NT	N 7	50	-11,1	11,1
62	187	98	2 Spar	N 7	50	-11,1	11,1
19	99	136	2 Spar	N 7	50	-11,1	11,1
45	5	198	2 Spar	N 7	50	-11,1	11,1
106	47	208	2 Spar	N 7	50	-11,1	11,1
28	173	160	2 Spar	N 7	50	-11,1	11,1
116	199	156	3 Kløver	S 8	50	-11,1	11,1
79	31	183	3 NT	N 8	50	-11,1	11,1
52	221	27	3 NT	N 8	50	-11,1	11,1
115	209	170	3 NT	N 8	50	-11,1	11,1
51	1	9	3 Spar	N 8	50	-11,1	11,1
59	6	83	3 Spar	N 8	50	-11,1	11,1
54	10	90	3 Spar	N 8	50	-11,1	11,1
38	112	23	4 Kløver	S 9	50	-11,1	11,1
101	66	55	40%-60%			-23,4	23,4
76	26	167	2 Ruter	D N 7	100	-52,4	52,4
48	87	58	2 Spar	N 6	100	-52,4	52,4
90	125	190	2 Spar	N 6	100	-52,4	52,4

67	37	214	2 Spar	S 6	100	-52,4	52,4
102	106	143	2 Spar	N 6	100	-52,4	52,4
58	12	49	2 Spar	N 6	100	-52,4	52,4
88	122	141	2 Spar	N 6	100	-52,4	52,4
117	51	57	2 Spar	N 6	100	-52,4	52,4
14	30	77	2 Spar	N 6	100	-52,4	52,4
77	52	155	2 Spar	N 6	100	-52,4	52,4
56	88	17	2 Spar	N 6	100	-52,4	52,4
94	101	21	2 Spar	N 6	100	-52,4	52,4
39	62	44	3 NT	N 7	100	-52,4	52,4
50	81	14	3 NT	N 7	100	-52,4	52,4
8	28	34	3 Spar	N 7	100	-52,4	52,4
32	16	203	3 Spar	N 7	100	-52,4	52,4
41	202	124	3 Spar	N 7	100	-52,4	52,4
74	93	227	3 Spar	N 7	100	-52,4	52,4
103	172	162	3 Spar	N 7	100	-52,4	52,4
97	59	117	3 Spar	N 7	100	-52,4	52,4
84	15	104	3 Spar	N 7	100	-52,4	52,4
66	24	94	3 Spar	S 7	100	-52,4	52,4
49	157	85	3 Spar	N 7	100	-52,4	52,4
109	32	18	3 Spar	N 7	100	-52,4	52,4
22	22	3	4 Spar	N 8	100	-52,4	52,4
113	107	33	4 Spar	N 8	100	-52,4	52,4
91	175	73	4 Spar	D N 9	100	-52,4	52,4
26	207	96	1 Hjerter	Ø 8	110	-83,7	83,7
83	13	158	2 Hjerter	Ø 8	110	-83,7	83,7
13	148	226	2 Hjerter	Ø 8	110	-83,7	83,7
23	69	116	2 Hjerter	Ø 8	110	-83,7	83,7
107	76	231	3 NT	N 6	150	-93,8	93,8
25	97	171	3 NT	N 6	150	-93,8	93,8
31	78	189	3 Spar	N 6	150	-93,8	93,8
10	211	236	3 Spar	N 6	150	-93,8	93,8
3	103	45	3 Spar	N 6	150	-93,8	93,8
4	185	133	4 Spar	N 7	150	-93,8	93,8
108	225	102	3 NT	N 5	200	-100,9	100,9
105	74	197	5 Ruter	S 6	250	-102,9	102,9
43	79	210	3 NT	D N 7	300	-105,9	105,9
40	140	25	4 Spar	D N 8	300	-105,9	105,9
118	230	234	4 Spar	D N 7	500	-110,9	110,9
93	36	145	5 Kløver	D S 8	500	-110,9	110,9
44	67	219	5 Kløver	D S 8	500	-110,9	110,9
70	108	82	2 Hjerter	D Ø 8	670	-115,0	115,0
16	68	176	2 Hjerter	D Ø 9	870	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
47	132	53	3 Hjerter	V 6	150	117,0	-117,0
19	99	136	1 Ruter	D S 7	140	115,0	-115,0
107	76	231	2 Hjerter	V 6	100	110,9	-110,9
109	32	18	2 Hjerter	Ø 6	100	110,9	-110,9
88	122	141	2 Hjerter	D V 7	100	110,9	-110,9
117	51	57	1 Spar	N 7	80	106,9	-106,9
10	211	236	1 NT	Ø 6	50	99,8	-99,8
87	139	46	2 Hjerter	V 7	50	99,8	-99,8
48	87	58	2 Hjerter	V 7	50	99,8	-99,8
99	120	110	2 Hjerter	V 7	50	99,8	-99,8
65	191	163	2 Hjerter	V 7	50	99,8	-99,8
113	107	33	3 Kløver	Ø 8	50	99,8	-99,8
58	12	49	2 Spar	N 7	50	85,7	-85,7
4	185	133	2 Spar	N 7	50	85,7	-85,7
16	68	176	2 Spar	N 7	50	85,7	-85,7
26	207	96	2 Spar	N 7	50	85,7	-85,7
51	1	9	2 Spar	N 7	50	85,7	-85,7
6	233	121	2 Spar	N 7	50	85,7	-85,7
25	97	171	2 Spar	N 7	50	85,7	-85,7
78	184	111	3 Ruter	S 8	50	85,7	-85,7
98	186	95	1 Hjerter	V 7	80	75,6	-75,6
36	128	217	1 Hjerter	V 7	80	75,6	-75,6
68	20	138	1 NT	Ø 7	90	58,5	-58,5
83	13	158	1 NT	Ø 7	90	58,5	-58,5
115	209	170	1 NT	Ø 7	90	58,5	-58,5
103	172	162	1 NT	Ø 7	90	58,5	-58,5
35	61	212	1 NT	V 7	90	58,5	-58,5
111	38	43	1 NT	Ø 7	90	58,5	-58,5
12	71	8	1 NT	V 7	90	58,5	-58,5
85	65	2	1 NT	Ø 7	90	58,5	-58,5
13	148	226	1 NT	V 7	90	58,5	-58,5
15	137	228	1 NT	Ø 7	90	58,5	-58,5
60	115	220	1 NT	Ø 7	90	58,5	-58,5
41	202	124	2 Kløver	Ø 8	90	58,5	-58,5
80	42	60	2 Kløver	Ø 8	90	58,5	-58,5
30	11	223	2 Kløver	Ø 8	90	58,5	-58,5
82	192	89	2 Kløver	Ø 8	90	58,5	-58,5
9	63	142	2 Spar	D N 7	100	41,4	-41,4
118	230	234	2 Spar	D N 7	100	41,4	-41,4
91	175	73	1 Hjerter	V 8	110	27,2	-27,2
54	10	90	1 Hjerter	V 8	110	27,2	-27,2
43	79	210	1 Hjerter	V 8	110	27,2	-27,2
102	106	143	2 Hjerter	V 8	110	27,2	-27,2
62	187	98	2 Kløver	Ø 9	110	27,2	-27,2
77	52	155	2 Kløver	Ø 9	110	27,2	-27,2
18	119	229	2 Kløver	Ø 9	110	27,2	-27,2
5	179	149	3 Kløver	Ø 9	110	27,2	-27,2
71	188	105	3 Kløver	Ø 9	110	27,2	-27,2
114	134	193	3 Kløver	Ø 9	110	27,2	-27,2
92	195	50	3 Kløver	Ø 9	110	27,2	-27,2
112	152	144	3 Kløver	Ø 9	110	27,2	-27,2
101	66	55	40%-60%			-23,4	23,4
66	24	94	1 NT	Ø 8	120	-42,4	42,4
100	215	7	1 NT	V 8	120	-42,4	42,4
1	48	206	1 NT	V 8	120	-42,4	42,4
74	93	227	1 NT	Ø 8	120	-42,4	42,4
44	67	219	1 NT	Ø 8	120	-42,4	42,4
11	153	146	1 NT	Ø 8	120	-42,4	42,4
73	126	91	1 NT	Ø 8	120	-42,4	42,4
95	151	168	1 NT	Ø 8	120	-42,4	42,4
64	181	164	1 NT	Ø 8	120	-42,4	42,4
70	108	82	1 NT	V 8	120	-42,4	42,4
46	40	129	1 NT	Ø 8	120	-42,4	42,4
90	125	190	1 NT	Ø 8	120	-42,4	42,4
42	130	127	1 NT	Ø 8	120	-42,4	42,4
37	80	109	1 NT	Ø 8	120	-42,4	42,4
79	31	183	1 NT	Ø 8	120	-42,4	42,4
105	74	197	1 NT	Ø 8	120	-42,4	42,4
57	165	182	1 NT	Ø 8	120	-42,4	42,4
53	118	19	1 NT	Ø 8	120	-42,4	42,4
110	75	180	1 NT	Ø 8	120	-42,4	42,4
93	36	145	1 NT	Ø 8	120	-42,4	42,4
2	72	159	1 NT	V 8	120	-42,4	42,4
50	81	14	1 NT	Ø 8	120	-42,4	42,4
89	169	232	1 NT	Ø 8	120	-42,4	42,4

75	178	200	1 NT	Ø 8	120	-42,4	42,4
86	177	205	1 NT	V 8	120	-42,4	42,4
61	92	166	1 NT	Ø 8	120	-42,4	42,4
3	103	45	1 NT	Ø 8	120	-42,4	42,4
8	28	34	1 NT	Ø 8	120	-42,4	42,4
23	69	116	1 NT	Ø 8	120	-42,4	42,4
32	16	203	1 NT	Ø 8	120	-42,4	42,4
59	6	83	1 NT	Ø 8	120	-42,4	42,4
56	88	17	1 NT	Ø 8	120	-42,4	42,4
104	54	113	1 NT	Ø 8	120	-42,4	42,4
72	114	216	1 NT	Ø 8	120	-42,4	42,4
69	213	135	1 NT	V 8	120	-42,4	42,4
67	37	214	1 NT	Ø 8	120	-42,4	42,4
45	5	198	1 NT	Ø 8	120	-42,4	42,4
34	204	194	1 NT	Ø 8	120	-42,4	42,4
40	140	25	1 NT	Ø 8	120	-42,4	42,4
97	59	117	1 NT	Ø 8	120	-42,4	42,4
17	56	35	1 NT	Ø 8	120	-42,4	42,4
31	78	189	1 NT	Ø 8	120	-42,4	42,4
29	154	64	1 NT	Ø 8	120	-42,4	42,4
96	39	4	1 NT	Ø 8	120	-42,4	42,4
20	131	196	1 NT	Ø 8	120	-42,4	42,4
33	161	41	1 NT	V 8	120	-42,4	42,4
28	173	160	1 NT	V 8	120	-42,4	42,4
24	84	174	1 NT	V 8	120	-42,4	42,4
63	123	29	1 NT	Ø 8	120	-42,4	42,4
52	221	27	1 NT	Ø 8	120	-42,4	42,4
22	22	3	1 NT	Ø 8	120	-42,4	42,4
94	101	21	1 NT	Ø 8	120	-42,4	42,4
84	15	104	1 NT	Ø 8	120	-42,4	42,4
108	225	102	2 NT	Ø 8	120	-42,4	42,4
49	157	85	2 NT	Ø 8	120	-42,4	42,4
27	150	147	2 NT	Ø 8	120	-42,4	42,4
39	62	44	2 NT	Ø 8	120	-42,4	42,4
106	47	208	2 Kløver	Ø 10	130	-100,9	100,9
38	112	23	1 NT	Ø 9	150	-108,9	108,9
116	199	156	1 NT	Ø 9	150	-108,9	108,9
7	86	100	1 NT	V 9	150	-108,9	108,9
55	70	224	1 NT	Ø 9	150	-108,9	108,9
21	235	201	1 NT	Ø 9	150	-108,9	108,9
81	218	222	1 NT	Ø 9	150	-108,9	108,9
76	26	167	1 NT	Ø 9	150	-108,9	108,9
14	30	77	1 NT	D Ø 8	280	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
39	62	44	6 Spar	Ø 10	100	117,0	-117,0
83	13	158	3 NT	V 8	50	113,0	-113,0
11	153	146	5 Ruter	V 10	50	113,0	-113,0
46	40	129	6 Kløver	Ø 11	50	113,0	-113,0
110	75	180	2 Ruter	V 10	130	106,9	-106,9
112	152	144	2 Ruter	V 10	130	106,9	-106,9
65	191	163	3 Ruter	V 10	130	106,9	-106,9
64	181	164	2 Ruter	V 11	150	102,9	-102,9
109	32	18	1 NT	V 10	180	100,9	-100,9
77	52	155	3 NT	V 9	400	94,8	-94,8
81	218	222	3 NT	V 9	400	94,8	-94,8
20	131	196	5 Kløver	Ø 11	400	94,8	-94,8
3	103	45	5 Ruter	V 11	400	94,8	-94,8
85	65	2	5 Ruter	V 11	400	94,8	-94,8
43	79	210	4 Spar	V 10	420	87,7	-87,7
53	118	19	4 Spar	Ø 10	420	87,7	-87,7
31	78	189	3 NT	V 10	430	0,0	0,0
98	186	95	3 NT	V 10	430	0,0	0,0
89	169	232	3 NT	V 10	430	0,0	0,0
57	165	182	3 NT	V 10	430	0,0	0,0
105	74	197	3 NT	V 10	430	0,0	0,0
100	215	7	3 NT	V 10	430	0,0	0,0
75	178	200	3 NT	Ø 10	430	0,0	0,0
49	157	85	3 NT	V 10	430	0,0	0,0
74	93	227	3 NT	V 10	430	0,0	0,0
87	139	46	3 NT	Ø 10	430	0,0	0,0
18	119	229	3 NT	V 10	430	0,0	0,0
33	161	41	3 NT	V 10	430	0,0	0,0
42	130	127	3 NT	Ø 10	430	0,0	0,0
35	61	212	3 NT	V 10	430	0,0	0,0
66	24	94	3 NT	V 10	430	0,0	0,0
63	123	29	3 NT	V 10	430	0,0	0,0
23	69	116	3 NT	V 10	430	0,0	0,0
113	107	33	3 NT	V 10	430	0,0	0,0
59	6	83	3 NT	V 10	430	0,0	0,0
16	68	176	3 NT	V 10	430	0,0	0,0
19	99	136	3 NT	V 10	430	0,0	0,0
102	106	143	3 NT	V 10	430	0,0	0,0
9	63	142	3 NT	V 10	430	0,0	0,0
5	179	149	3 NT	Ø 10	430	0,0	0,0
8	28	34	3 NT	V 10	430	0,0	0,0
4	185	133	3 NT	V 10	430	0,0	0,0
92	195	50	3 NT	Ø 10	430	0,0	0,0
52	221	27	3 NT	V 10	430	0,0	0,0
2	72	159	3 NT	V 10	430	0,0	0,0
41	202	124	3 NT	V 10	430	0,0	0,0
7	86	100	3 NT	Ø 10	430	0,0	0,0
93	36	145	3 NT	V 10	430	0,0	0,0
37	80	109	3 NT	V 10	430	0,0	0,0
70	108	82	3 NT	V 10	430	0,0	0,0
26	207	96	3 NT	Ø 10	430	0,0	0,0
115	209	170	3 NT	V 10	430	0,0	0,0
29	154	64	3 NT	V 10	430	0,0	0,0
14	30	77	3 NT	V 10	430	0,0	0,0
72	114	216	3 NT	V 10	430	0,0	0,0
106	47	208	3 NT	Ø 10	430	0,0	0,0
90	125	190	3 NT	V 10	430	0,0	0,0
118	230	234	3 NT	V 10	430	0,0	0,0
32	16	203	3 NT	V 10	430	0,0	0,0
69	213	135	3 NT	V 10	430	0,0	0,0
12	71	8	3 NT	V 10	430	0,0	0,0
25	97	171	3 NT	V 10	430	0,0	0,0
60	115	220	3 NT	V 10	430	0,0	0,0
76	26	167	3 NT	V 10	430	0,0	0,0
78	184	111	3 NT	V 10	430	0,0	0,0
61	92	166	3 NT	V 10	430	0,0	0,0
99	120	110	3 NT	V 10	430	0,0	0,0
84	15	104	3 NT	Ø 10	430	0,0	0,0
80	42	60	3 NT	V 10	430	0,0	0,0
27	150	147	3 NT	V 10	430	0,0	0,0
55	70	224	3 NT	V 10	430	0,0	0,0
30	11	223	3 NT	V 10	430	0,0	0,0
82	192	89	3 NT	Ø 10	430	0,0	0,0
97	59	117	3 NT	V 10	430	0,0	0,0
68	20	138	3 NT	V 10	430	0,0	0,0

48	87	58	3 NT	V 10	430	0,0	0,0
114	134	193	3 NT	V 10	430	0,0	0,0
62	187	98	3 NT	V 10	430	0,0	0,0
36	128	217	3 NT	V 10	430	0,0	0,0
94	101	21	3 NT	V 10	430	0,0	0,0
22	22	3	3 NT	V 10	430	0,0	0,0
28	173	160	3 NT	V 10	430	0,0	0,0
13	148	226	3 NT	V 10	430	0,0	0,0
6	233	121	3 NT	V 10	430	0,0	0,0
51	1	9	3 NT	V 10	430	0,0	0,0
86	177	205	3 NT	V 10	430	0,0	0,0
116	199	156	3 NT	V 10	430	0,0	0,0
96	39	4	3 NT	V 10	430	0,0	0,0
67	37	214	3 NT	V 10	430	0,0	0,0
34	204	194	3 NT	V 10	430	0,0	0,0
56	88	17	3 NT	V 10	430	0,0	0,0
17	56	35	3 NT	V 10	430	0,0	0,0
71	188	105	3 NT	Ø 10	430	0,0	0,0
15	137	228	3 NT	V 10	430	0,0	0,0
45	5	198	3 NT	V 10	430	0,0	0,0
44	67	219	3 NT	V 10	430	0,0	0,0
10	211	236	3 NT	V 10	430	0,0	0,0
47	132	53	3 NT	V 10	430	0,0	0,0
79	31	183	3 NT	Ø 10	430	0,0	0,0
108	225	102	3 NT	Ø 10	430	0,0	0,0
24	84	174	4 NT	V 10	430	0,0	0,0
101	66	55	40%-60%		-23,4	23,4	
38	112	23	4 Spar	Ø 11	450	-88,8	88,8
58	12	49	4 Spar	Ø 11	450	-88,8	88,8
104	54	113	4 Spar	Ø 11	450	-88,8	88,8
73	126	91	3 NT	Ø 11	460	-104,9	104,9
21	235	201	3 NT	V 11	460	-104,9	104,9
88	122	141	3 NT	V 11	460	-104,9	104,9
40	140	25	3 NT	V 11	460	-104,9	104,9
50	81	14	3 NT	Ø 11	460	-104,9	104,9
1	48	206	3 NT	V 11	460	-104,9	104,9
117	51	57	3 NT	V 11	460	-104,9	104,9
54	10	90	3 NT	V 11	460	-104,9	104,9
103	172	162	3 NT	V 11	460	-104,9	104,9
91	175	73	3 NT	V 11	460	-104,9	104,9
95	151	168	3 NT	V 11	460	-104,9	104,9
111	38	43	3 NT	V 11	460	-104,9	104,9
107	76	231	3 NT	V 11	460	-104,9	104,9


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
108	180	74	5 Hjerter	D S 11	650	116,0	-116,0
57	221	31	5 Hjerter	D S 11	650	116,0	-116,0
81	26	177	4 Hjerter	S 11	450	113,0	-113,0
39	124	87	3 NT	Ø 6	300	110,9	-110,9
65	91	93	3 Hjerter	S 11	200	108,9	-108,9
36	204	62	2 Hjerter	N 9	140	99,8	-99,8
14	236	173	2 Hjerter	S 9	140	99,8	-99,8
17	30	150	2 Hjerter	S 9	140	99,8	-99,8
21	228	116	3 Hjerter	S 9	140	99,8	-99,8
25	69	207	3 Hjerter	S 9	140	99,8	-99,8
88	21	195	3 Hjerter	S 9	140	99,8	-99,8
97	113	215	3 Hjerter	S 9	140	99,8	-99,8
116	107	134	3 Hjerter	S 9	140	99,8	-99,8
84	164	151	2 Hjerter	S 8	110	90,8	-90,8
50	27	108	4 Spar	V 9	100	86,7	-86,7
47	129	165	4 Spar	V 9	100	86,7	-86,7
29	84	212	5 Spar	V 10	100	86,7	-86,7
76	178	218	4 Hjerter	S 9	50	81,7	-81,7
26	3	196	4 Hjerter	N 9	50	81,7	-81,7
53	220	227	4 Hjerter	D S 9	100	76,6	-76,6
11	146	56	4 Hjerter	D S 9	100	76,6	-76,6
69	135	214	4 Hjerter	S 8	100	76,6	-76,6
43	189	11	4 Ruter	Ø 10	130	67,6	-67,6
45	194	5	4 Ruter	V 10	130	67,6	-67,6
55	118	132	4 Ruter	Ø 10	130	67,6	-67,6
77	167	89	4 Ruter	Ø 10	130	67,6	-67,6
31	25	16	4 Ruter	Ø 10	130	67,6	-67,6
3	45	233	4 Ruter	Ø 10	130	67,6	-67,6
94	122	50	2 Spar	V 9	140	58,5	-58,5
4	149	185	3 Spar	Ø 9	140	58,5	-58,5
24	201	154	3 Spar	V 9	140	58,5	-58,5
105	33	66	60%-40%			23,4	-23,4
91	59	2	2 Spar	V 10	170	9,1	-9,1
78	158	15	2 Spar	V 10	170	9,1	-9,1
30	147	61	2 Spar	V 10	170	9,1	-9,1
5	133	226	2 Spar	Ø 10	170	9,1	-9,1
23	153	203	2 Spar	V 10	170	9,1	-9,1
41	23	41	2 Spar	V 10	170	9,1	-9,1
74	200	155	2 Spar	V 10	170	9,1	-9,1
106	18	7	2 Spar	V 10	170	9,1	-9,1
75	65	29	2 Spar	V 10	170	9,1	-9,1
42	64	1	3 Spar	V 10	170	9,1	-9,1
86	73	111	3 Spar	V 10	170	9,1	-9,1
19	176	97	3 Spar	V 10	170	9,1	-9,1
101	95	231	3 Spar	V 10	170	9,1	-9,1
117	170	51	3 Spar	V 10	170	9,1	-9,1
38	44	79	3 Spar	V 10	170	9,1	-9,1
85	46	104	3 Spar	V 10	170	9,1	-9,1
20	171	99	3 Spar	V 10	170	9,1	-9,1
73	188	138	3 Spar	V 10	170	9,1	-9,1
96	13	39	3 Spar	V 10	170	9,1	-9,1
16	136	35	3 Spar	Ø 10	170	9,1	-9,1
68	19	210	3 Spar	V 10	170	9,1	-9,1
32	160	219	3 Spar	V 10	170	9,1	-9,1
71	114	24	3 Spar	V 10	170	9,1	-9,1
99	102	4	3 Spar	V 10	170	9,1	-9,1
112	152	57	3 Spar	V 10	170	9,1	-9,1
87	60	184	3 Spar	V 10	170	9,1	-9,1
12	148	211	3 Spar	V 10	170	9,1	-9,1
107	43	32	3 Spar	V 10	170	9,1	-9,1
46	198	40	3 Spar	V 10	170	9,1	-9,1
63	127	181	3 Spar	V 10	170	9,1	-9,1
98	101	117	3 Spar	V 10	170	9,1	-9,1
8	121	8	3 Spar	V 10	170	9,1	-9,1
93	141	125	3 Spar	Ø 10	170	9,1	-9,1
89	168	190	3 Spar	V 10	170	9,1	-9,1
60	85	37	3 Spar	V 10	170	9,1	-9,1
113	193	162	3 Spar	V 10	170	9,1	-9,1
27	53	119	3 Spar	V 10	170	9,1	-9,1
35	90	109	3 Spar	V 10	170	9,1	-9,1
6	86	28	3 Spar	V 10	170	9,1	-9,1
28	223	22	3 Spar	V 10	170	9,1	-9,1
34	96	161	3 Spar	V 10	170	9,1	-9,1
92	110	175	3 Spar	V 10	170	9,1	-9,1
118	230	199	3 Spar	V 10	170	9,1	-9,1

9	100	142	3 Spar	V 10	170	9,1	-9,1
70	163	20	3 Spar	V 10	170	9,1	-9,1
79	92	192	3 Spar	V 10	170	9,1	-9,1
104	36	120	2 Spar	V 11	200	-40,3	40,3
44	17	81	2 Spar	V 11	200	-40,3	40,3
22	235	174	2 Spar	V 11	200	-40,3	40,3
115	209	234	4 Hjerter	D S 8	300	-48,4	48,4
109	75	225	4 Hjerter	D S 8	300	-48,4	48,4
66	52	187	5 Hjerter	D S 9	300	-48,4	48,4
58	166	6	5 Hjerter	D S 9	300	-48,4	48,4
59	49	83	5 Hjerter	D S 9	300	-48,4	48,4
56	10	115	4 Spar	V 10	620	-83,7	83,7
61	182	183	4 Spar	Ø 10	620	-83,7	83,7
90	169	145	4 Spar	V 10	620	-83,7	83,7
72	82	205	4 Spar	V 10	620	-83,7	83,7
49	224	14	4 Spar	V 10	620	-83,7	83,7
64	216	213	4 Spar	V 10	620	-83,7	83,7
37	80	70	4 Spar	V 10	620	-83,7	83,7
100	186	54	4 Spar	V 10	620	-83,7	83,7
80	42	94	4 Spar	V 10	620	-83,7	83,7
82	98	126	4 Spar	V 10	620	-83,7	83,7
18	137	71	4 Spar	V 10	620	-83,7	83,7
13	68	131	4 Spar	V 10	620	-83,7	83,7
103	197	106	4 Spar	V 10	620	-83,7	83,7
111	172	76	4 Spar	V 10	620	-83,7	83,7
67	105	12	4 Spar	V 10	620	-83,7	83,7
54	67	217	4 Spar	V 10	620	-83,7	83,7
51	140	130	4 Spar	V 10	620	-83,7	83,7
95	47	139	4 Spar	Ø 10	620	-83,7	83,7
114	156	144	4 Spar	V 10	620	-83,7	83,7
2	72	48	4 Spar	V 10	620	-83,7	83,7
102	143	38	4 Spar	V 10	620	-83,7	83,7
83	232	222	4 Spar	V 10	620	-83,7	83,7
7	34	103	4 Spar	V 10	620	-83,7	83,7
1	159	206	4 Spar	V 10	620	-83,7	83,7
15	229	77	4 Spar	V 10	620	-83,7	83,7
52	157	88	4 Spar	V 10	620	-83,7	83,7
40	202	128	4 Spar	V 10	620	-83,7	83,7
62	123	191	4 Spar	V 10	620	-83,7	83,7
48	112	9	4 Spar	V 10	620	-83,7	83,7
33	78	58	4 Spar	V 10	620	-83,7	83,7
10	179	63	4 Spar	V 11	650	-116,0	116,0
110	55	208	4 Spar	V 11	650	-116,0	116,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
94	122	50	3 Hjerter	Ø 11	200	117,0	-117,0
10	179	63	1 NT	V 12	240	115,0	-115,0
4	149	185	3 NT	V 10	630	113,0	-113,0
50	27	108	4 Hjerter	Ø 11	650	94,8	-94,8
46	198	40	4 Hjerter	Ø 11	650	94,8	-94,8
18	137	71	4 Hjerter	Ø 11	650	94,8	-94,8
61	182	183	4 Hjerter	Ø 11	650	94,8	-94,8
99	102	4	4 Hjerter	Ø 11	650	94,8	-94,8
101	95	231	4 Hjerter	Ø 11	650	94,8	-94,8
59	49	83	4 Hjerter	Ø 11	650	94,8	-94,8
31	25	16	4 Hjerter	Ø 11	650	94,8	-94,8
39	124	87	4 Hjerter	Ø 11	650	94,8	-94,8
100	186	54	4 Hjerter	Ø 11	650	94,8	-94,8
38	44	79	4 Hjerter	Ø 11	650	94,8	-94,8
97	113	215	4 Hjerter	Ø 11	650	94,8	-94,8
42	64	1	4 Hjerter	Ø 11	650	94,8	-94,8
80	42	94	4 Hjerter	Ø 11	650	94,8	-94,8
75	65	29	4 Hjerter	Ø 11	650	94,8	-94,8
73	188	138	4 Hjerter	Ø 11	650	94,8	-94,8
7	34	103	4 Hjerter	Ø 11	650	94,8	-94,8
15	229	77	3 NT	Ø 11	660	74,6	-74,6
90	169	145	3 NT	Ø 11	660	74,6	-74,6
107	43	32	3 NT	V 11	660	74,6	-74,6
105	33	66	60%-40%			23,4	-23,4
8	121	8	4 Hjerter	Ø 12	680	-9,1	9,1
113	193	162	4 Hjerter	Ø 12	680	-9,1	9,1
54	67	217	4 Hjerter	Ø 12	680	-9,1	9,1
34	96	161	4 Hjerter	Ø 12	680	-9,1	9,1
23	153	203	4 Hjerter	Ø 12	680	-9,1	9,1
103	197	106	4 Hjerter	Ø 12	680	-9,1	9,1
52	157	88	4 Hjerter	Ø 12	680	-9,1	9,1
51	140	130	4 Hjerter	Ø 12	680	-9,1	9,1
83	232	222	4 Hjerter	Ø 12	680	-9,1	9,1
37	80	70	4 Hjerter	Ø 12	680	-9,1	9,1
58	166	6	4 Hjerter	Ø 12	680	-9,1	9,1
85	46	104	4 Hjerter	Ø 12	680	-9,1	9,1
3	45	233	4 Hjerter	Ø 12	680	-9,1	9,1
78	158	15	4 Hjerter	Ø 12	680	-9,1	9,1
12	148	211	4 Hjerter	Ø 12	680	-9,1	9,1
48	112	9	4 Hjerter	Ø 12	680	-9,1	9,1
14	236	173	4 Hjerter	Ø 12	680	-9,1	9,1
109	75	225	4 Hjerter	Ø 12	680	-9,1	9,1
22	235	174	4 Hjerter	Ø 12	680	-9,1	9,1
112	152	57	4 Hjerter	Ø 12	680	-9,1	9,1
43	189	11	4 Hjerter	Ø 12	680	-9,1	9,1
5	133	226	4 Hjerter	Ø 12	680	-9,1	9,1
71	114	24	4 Hjerter	Ø 12	680	-9,1	9,1
28	223	22	4 Hjerter	Ø 12	680	-9,1	9,1
91	59	2	4 Hjerter	Ø 12	680	-9,1	9,1
25	69	207	4 Hjerter	Ø 12	680	-9,1	9,1
9	100	142	4 Hjerter	Ø 12	680	-9,1	9,1
82	98	126	4 Hjerter	Ø 12	680	-9,1	9,1
1	159	206	4 Hjerter	Ø 12	680	-9,1	9,1
55	118	132	4 Hjerter	Ø 12	680	-9,1	9,1
53	220	227	4 Hjerter	Ø 12	680	-9,1	9,1
76	178	218	4 Hjerter	Ø 12	680	-9,1	9,1
29	84	212	4 Hjerter	Ø 12	680	-9,1	9,1
68	19	210	4 Hjerter	Ø 12	680	-9,1	9,1
110	55	208	4 Hjerter	Ø 12	680	-9,1	9,1
36	204	62	4 Hjerter	Ø 12	680	-9,1	9,1
117	170	51	4 Hjerter	Ø 12	680	-9,1	9,1
79	92	192	4 Hjerter	Ø 12	680	-9,1	9,1
56	10	115	4 Hjerter	Ø 12	680	-9,1	9,1
57	221	31	4 Hjerter	Ø 12	680	-9,1	9,1
93	141	125	4 Hjerter	Ø 12	680	-9,1	9,1
27	53	119	4 Hjerter	Ø 12	680	-9,1	9,1
19	176	97	4 Hjerter	Ø 12	680	-9,1	9,1
66	52	187	4 Hjerter	Ø 12	680	-9,1	9,1
45	194	5	4 Hjerter	Ø 12	680	-9,1	9,1
41	23	41	4 Hjerter	Ø 12	680	-9,1	9,1
114	156	144	4 Hjerter	Ø 12	680	-9,1	9,1
13	68	131	4 Hjerter	Ø 12	680	-9,1	9,1
72	82	205	4 Hjerter	Ø 12	680	-9,1	9,1
20	171	99	4 Hjerter	Ø 12	680	-9,1	9,1
60	85	37	4 Hjerter	Ø 12	680	-9,1	9,1

116	107	134	4 Hjerter	Ø 12	680	-9,1	9,1
95	47	139	4 Hjerter	V 12	680	-9,1	9,1
74	200	155	4 Hjerter	Ø 12	680	-9,1	9,1
118	230	199	4 Hjerter	Ø 12	680	-9,1	9,1
64	216	213	4 Hjerter	Ø 12	680	-9,1	9,1
98	101	117	4 Hjerter	Ø 12	680	-9,1	9,1
47	129	165	4 Hjerter	Ø 12	680	-9,1	9,1
35	90	109	4 Hjerter	Ø 12	680	-9,1	9,1
65	91	93	4 Hjerter	Ø 12	680	-9,1	9,1
81	26	177	4 Hjerter	Ø 12	680	-9,1	9,1
111	172	76	4 Hjerter	Ø 12	680	-9,1	9,1
84	164	151	4 Hjerter	Ø 12	680	-9,1	9,1
92	110	175	4 Hjerter	Ø 12	680	-9,1	9,1
44	17	81	4 Hjerter	Ø 12	680	-9,1	9,1
2	72	48	4 Hjerter	Ø 12	680	-9,1	9,1
63	127	181	4 Hjerter	Ø 12	680	-9,1	9,1
30	147	61	4 Hjerter	Ø 12	680	-9,1	9,1
17	30	150	4 Hjerter	Ø 12	680	-9,1	9,1
96	13	39	4 Hjerter	Ø 12	680	-9,1	9,1
106	18	7	4 Hjerter	Ø 12	680	-9,1	9,1
40	202	128	4 Hjerter	Ø 12	680	-9,1	9,1
24	201	154	4 Hjerter	Ø 12	680	-9,1	9,1
21	228	116	4 Hjerter	Ø 12	680	-9,1	9,1
32	160	219	4 Hjerter	Ø 12	680	-9,1	9,1
115	209	234	4 Hjerter	Ø 12	680	-9,1	9,1
69	135	214	4 Hjerter	Ø 12	680	-9,1	9,1
11	146	56	4 Hjerter	Ø 12	680	-9,1	9,1
104	36	120	4 Hjerter	Ø 12	680	-9,1	9,1
49	224	14	5 Hjerter	Ø 12	680	-9,1	9,1
62	123	191	3 NT	Ø 12	690	-103,9	103,9
26	3	196	3 NT	Ø 12	690	-103,9	103,9
88	21	195	3 NT	Ø 12	690	-103,9	103,9
77	167	89	3 NT	V 12	690	-103,9	103,9
102	143	38	3 NT	V 12	690	-103,9	103,9
67	105	12	3 NT	V 12	690	-103,9	103,9
33	78	58	3 NT	Ø 12	690	-103,9	103,9
87	60	184	3 NT	V 12	690	-103,9	103,9
70	163	20	3 NT	Ø 12	690	-103,9	103,9
16	136	35	3 NT	V 12	690	-103,9	103,9
89	168	190	3 NT	V 12	690	-103,9	103,9
6	86	28	3 NT	V 12	690	-103,9	103,9
86	73	111	3 NT	V 12	690	-103,9	103,9
108	180	74	3 NT	V 12	690	-103,9	103,9


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
86	73	111	3NT	N 10	630	115,0 -115,0
106	18	7	3NT	N 10	630	115,0 -115,0
36	204	62	3NT	N 10	630	115,0 -115,0
61	182	183	3NT	N 9	600	101,9 -101,9
69	135	214	3NT	N 9	600	101,9 -101,9
9	100	142	3NT	N 9	600	101,9 -101,9
45	194	5	3NT	N 9	600	101,9 -101,9
87	60	184	3NT	N 9	600	101,9 -101,9
111	172	76	3NT	N 9	600	101,9 -101,9
34	96	161	3NT	N 9	600	101,9 -101,9
67	105	12	3NT	N 9	600	101,9 -101,9
97	113	215	3NT	N 9	600	101,9 -101,9
75	65	29	3NT	N 9	600	101,9 -101,9
40	202	128	2NT	N 11	210	90,8 -90,8
13	68	131	2NT	N 10	180	78,7 -78,7
108	180	74	2NT	N 10	180	78,7 -78,7
54	67	217	2NT	N 10	180	78,7 -78,7
38	44	79	2NT	N 10	180	78,7 -78,7
60	85	37	2NT	N 10	180	78,7 -78,7
6	86	28	2NT	N 10	180	78,7 -78,7
35	90	109	2NT	N 10	180	78,7 -78,7
80	42	94	2NT	S 10	180	78,7 -78,7
115	209	234	2NT	N 10	180	78,7 -78,7
39	124	87	2NT	N 10	180	78,7 -78,7
25	69	207	2NT	N 10	180	78,7 -78,7
105	33	66	60%-40%		23,4	-23,4
68	19	210	2NT	N 9	150	15,1 -15,1
14	236	173	2NT	N 9	150	15,1 -15,1
29	84	212	2NT	N 9	150	15,1 -15,1
1	159	206	2NT	N 9	150	15,1 -15,1
62	123	191	2NT	N 9	150	15,1 -15,1
99	102	4	2NT	N 9	150	15,1 -15,1
101	95	231	2NT	N 9	150	15,1 -15,1
112	152	57	2NT	N 9	150	15,1 -15,1
96	13	39	2NT	N 9	150	15,1 -15,1
16	136	35	2NT	N 9	150	15,1 -15,1
65	91	93	2NT	N 9	150	15,1 -15,1
84	164	151	2NT	N 9	150	15,1 -15,1
23	153	203	2NT	N 9	150	15,1 -15,1
103	197	106	2NT	N 9	150	15,1 -15,1
37	80	70	2NT	N 9	150	15,1 -15,1
49	224	14	2NT	N 9	150	15,1 -15,1
22	235	174	2NT	N 9	150	15,1 -15,1
15	229	77	2NT	N 9	150	15,1 -15,1
85	46	104	2NT	N 9	150	15,1 -15,1
28	223	22	2NT	N 9	150	15,1 -15,1
90	169	145	2NT	N 9	150	15,1 -15,1
71	114	24	2NT	N 9	150	15,1 -15,1
3	45	233	2NT	N 9	150	15,1 -15,1
24	201	154	2NT	N 9	150	15,1 -15,1
41	23	41	2NT	N 9	150	15,1 -15,1
11	146	56	2NT	N 9	150	15,1 -15,1
59	49	83	2NT	N 9	150	15,1 -15,1
79	92	192	2NT	N 9	150	15,1 -15,1
89	168	190	2NT	N 9	150	15,1 -15,1
52	157	88	2NT	N 9	150	15,1 -15,1
98	101	117	2NT	N 9	150	15,1 -15,1
31	25	16	2NT	N 9	150	15,1 -15,1
48	112	9	2NT	N 9	150	15,1 -15,1
93	141	125	2NT	N 9	150	15,1 -15,1
50	27	108	2NT	N 9	150	15,1 -15,1
72	82	205	2NT	N 9	150	15,1 -15,1
77	167	89	2NT	N 9	150	15,1 -15,1
114	156	144	2NT	N 9	150	15,1 -15,1
57	221	31	2NT	N 9	150	15,1 -15,1
19	176	97	2NT	N 9	150	15,1 -15,1
21	228	116	2NT	N 9	150	15,1 -15,1
74	200	155	2NT	N 9	150	15,1 -15,1
51	140	130	2NT	N 9	150	15,1 -15,1
32	160	219	2NT	N 9	150	15,1 -15,1
17	30	150	2NT	N 9	150	15,1 -15,1
102	143	38	2NT	N 9	150	15,1 -15,1
88	21	195	2NT	N 9	150	15,1 -15,1
20	171	99	2NT	N 9	150	15,1 -15,1
2	72	48	2NT	N 9	150	15,1 -15,1

81	26	177	2NT	N 9	150	15,1 -15,1
116	107	134	2NT	N 9	150	15,1 -15,1
64	216	213	2 Ruter	V 5	150	15,1 -15,1
7	34	103	1NT	N 8	120	-61,5 61,5
30	147	61	2NT	N 8	120	-61,5 61,5
55	118	132	2NT	N 8	120	-61,5 61,5
47	129	165	2NT	N 8	120	-61,5 61,5
46	198	40	2NT	N 8	120	-61,5 61,5
100	186	54	2NT	N 8	120	-61,5 61,5
8	121	8	2NT	N 8	120	-61,5 61,5
78	158	15	2NT	N 8	120	-61,5 61,5
82	98	126	2NT	N 8	120	-61,5 61,5
4	149	185	2NT	N 8	120	-61,5 61,5
42	64	1	2NT	N 8	120	-61,5 61,5
91	59	2	2NT	N 8	120	-61,5 61,5
110	55	208	2NT	N 8	120	-61,5 61,5
5	133	226	2NT	N 8	120	-61,5 61,5
58	166	6	2NT	N 8	120	-61,5 61,5
66	52	187	2NT	N 8	120	-61,5 61,5
18	137	71	2NT	N 8	120	-61,5 61,5
92	110	175	2NT	N 8	120	-61,5 61,5
113	193	162	2NT	N 8	120	-61,5 61,5
26	3	196	2NT	N 8	120	-61,5 61,5
56	10	115	2NT	N 8	120	-61,5 61,5
44	17	81	2NT	N 8	120	-61,5 61,5
94	122	50	2NT	N 8	120	-61,5 61,5
107	43	32	2NT	N 8	120	-61,5 61,5
118	230	199	2 Hjerter	N 8	110	-86,7 86,7
63	127	181	1 Ruter	N 8	90	-88,8 88,8
43	189	11	1 Ruter	N 7	70	-90,8 90,8
53	220	227	2NT	N 7	100	-100,9 100,9
109	75	225	2NT	N 7	100	-100,9 100,9
76	178	218	2NT	N 7	100	-100,9 100,9
33	78	58	2NT	N 7	100	-100,9 100,9
95	47	139	3NT	S 8	100	-100,9 100,9
73	188	138	3NT	N 8	100	-100,9 100,9
104	36	120	3NT	N 8	100	-100,9 100,9
70	163	20	3NT	N 8	100	-100,9 100,9
10	179	63	3 Spar	N 8	100	-100,9 100,9
83	232	222	3NT	N 7	200	-114,0 114,0
117	170	51	3NT	N 7	200	-114,0 114,0
12	148	211	3NT	N 7	200	-114,0 114,0
27	53	119	4 Hjerter	S 8	200	-114,0 114,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
78	24	177	3NT	S 12	490	117,0 -117,0
42	80	118	3NT	N 11	460	111,9 -111,9
37	132	87	3NT	N 11	460	111,9 -111,9
110	43	57	3NT	N 11	460	111,9 -111,9
65	20	167	3NT	N 11	460	111,9 -111,9
32	189	161	3NT	N 10	430	82,7 -82,7
57	216	221	3NT	N 10	430	82,7 -82,7
74	192	93	3NT	N 10	430	82,7 -82,7
9	77	86	3NT	N 10	430	82,7 -82,7
104	38	106	3NT	N 10	430	82,7 -82,7
36	97	109	3NT	N 10	430	82,7 -82,7
20	203	150	3NT	N 10	430	82,7 -82,7
1	103	206	3NT	N 10	430	82,7 -82,7
30	14	84	3NT	N 10	430	82,7 -82,7
72	94	140	3NT	S 10	430	82,7 -82,7
76	105	29	3NT	N 10	430	82,7 -82,7
107	208	152	3NT	N 10	430	82,7 -82,7
50	194	165	3NT	S 10	430	82,7 -82,7
67	37	67	3NT	N 10	430	82,7 -82,7
45	124	44	3NT	S 10	430	82,7 -82,7
46	115	224	3NT	N 10	430	82,7 -82,7
12	142	56	3NT	N 10	430	82,7 -82,7
22	154	171	3NT	N 10	430	82,7 -82,7
29	235	147	3NT	N 10	430	82,7 -82,7
35	22	96	3NT	S 10	430	82,7 -82,7
24	219	136	3NT	N 10	430	82,7 -82,7
111	18	180	3NT	N 10	430	82,7 -82,7
10	28	148	3NT	N 10	430	82,7 -82,7
15	146	137	3NT	N 10	430	82,7 -82,7
103	2	95	3NT	N 10	430	82,7 -82,7
70	135	218	3NT	N 9	400	18,2 -18,2
8	100	131	3NT	N 9	400	18,2 -18,2
91	102	164	3NT	N 9	400	18,2 -18,2
89	50	13	3NT	N 9	400	18,2 -18,2
102	75	101	3NT	N 9	400	18,2 -18,2
63	81	91	3NT	N 9	400	18,2 -18,2
80	155	21	3NT	N 9	400	18,2 -18,2
68	127	112	3NT	N 9	400	18,2 -18,2
3	45	159	3NT	S 9	400	18,2 -18,2
94	39	59	3NT	N 9	400	18,2 -18,2
33	11	204	3NT	N 9	400	18,2 -18,2
98	175	215	3NT	N 9	400	18,2 -18,2
93	26	163	3NT	S 9	400	18,2 -18,2
112	74	172	3NT	S 9	400	18,2 -18,2
13	68	121	3NT	N 9	400	18,2 -18,2
59	214	31	3NT	N 9	400	18,2 -18,2
96	120	197	3NT	N 9	400	18,2 -18,2
114	134	144	3NT	N 9	400	18,2 -18,2
48	70	78	3NT	N 9	400	18,2 -18,2
58	202	52	3NT	N 9	400	18,2 -18,2
84	98	15	3NT	N 9	400	18,2 -18,2
47	227	130	3NT	N 9	400	18,2 -18,2
99	125	32	3NT	N 9	400	18,2 -18,2
79	138	145	3NT	N 9	400	18,2 -18,2
53	83	65	3NT	N 9	400	18,2 -18,2
55	82	182	3NT	N 9	400	18,2 -18,2
85	126	158	3NT	S 9	400	18,2 -18,2
116	51	193	3NT	N 9	400	18,2 -18,2
52	181	49	3NT	N 9	400	18,2 -18,2
54	183	9	3NT	S 9	400	18,2 -18,2
25	119	207	3NT	N 9	400	18,2 -18,2
34	128	62	3NT	N 9	400	18,2 -18,2
18	35	201	3NT	S 9	400	18,2 -18,2
82	139	190	3NT	N 9	400	18,2 -18,2
73	205	42	3NT	N 9	400	18,2 -18,2
109	162	36	3NT	N 9	400	18,2 -18,2
81	178	19	3NT	N 9	400	18,2 -18,2
26	23	228	3NT	N 9	400	18,2 -18,2
95	122	186	3NT	N 9	400	18,2 -18,2
83	168	89	2NT	N 10	180	-22,2 22,2
108	66	156	40%-60%			-23,4 23,4
118	170	230	1NT	N 8	120	-24,2 24,2
92	111	117	2NT	N 7	50	-53,5 53,5
44	198	53	3Hjerter	S 8	50	-53,5 53,5
77	104	92	3NT	N 8	50	-53,5 53,5

6	226	149	3NT	N 8	50	-53,5 53,5
31	191	69	3NT	N 8	50	-53,5 53,5
106	7	33	3NT	N 8	50	-53,5 53,5
28	90	30	3NT	N 8	50	-53,5 53,5
40	196	40	3NT	N 8	50	-53,5 53,5
97	231	46	3NT	N 8	50	-53,5 53,5
87	222	169	3NT	N 8	50	-53,5 53,5
21	229	3	3NT	S 8	50	-53,5 53,5
115	209	107	3NT	N 8	50	-53,5 53,5
86	232	195	3NT	N 8	50	-53,5 53,5
51	5	85	3NT	N 8	50	-53,5 53,5
11	211	71	3NT	N 8	50	-53,5 53,5
19	176	153	3NT	N 8	50	-53,5 53,5
41	212	58	3NT	S 8	50	-53,5 53,5
43	79	16	3NT	S 8	50	-53,5 53,5
69	210	200	3NT	N 8	50	-53,5 53,5
17	99	173	3NT	N 8	50	-53,5 53,5
38	223	1	3NT	N 8	50	-53,5 53,5
61	217	10	3NT	N 8	50	-53,5 53,5
4	133	48	3NT	N 8	50	-53,5 53,5
100	4	47	3NT	S 8	50	-53,5 53,5
14	8	236	3NT	S 8	50	-53,5 53,5
117	234	199	3NT	S 8	50	-53,5 53,5
2	34	72	3NT	N 8	50	-53,5 53,5
7	185	63	3NT	N 8	50	-53,5 53,5
101	110	143	3NT	N 7	100	-95,8 95,8
105	55	54	3NT	N 7	100	-95,8 95,8
23	174	61	3NT	N 7	100	-95,8 95,8
66	108	187	3NT	N 7	100	-95,8 95,8
16	116	25	3NT	N 7	100	-95,8 95,8
62	213	157	3NT	N 7	100	-95,8 95,8
60	6	88	3NT	N 7	100	-95,8 95,8
39	17	129	3NT	S 7	100	-95,8 95,8
75	73	184	3NT	N 7	100	-95,8 95,8
27	41	160	3NT	N 7	100	-95,8 95,8
5	233	179	3NT	N 7	100	-95,8 95,8
113	225	76	3NT	N 7	100	-95,8 95,8
64	220	188	3NT	N 7	100	-95,8 95,8
88	151	141	3NT	N 7	100	-95,8 95,8
71	12	114	3NT	N 6	150	-114,0 114,0
90	60	113	3NT	N 6	150	-114,0 114,0
56	166	123	3NT	N 6	150	-114,0 114,0
49	27	64	3NT	N 6	150	-114,0 114,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
95	122	186	3 Hjerter	D S 10	930	117,0	-117,0
38	223	1	2 Hjerter	D S 8	670	114,0	-114,0
11	211	71	2 Hjerter	D S 8	670	114,0	-114,0
101	110	143	2 NT	V 5	300	110,9	-110,9
71	12	114	2 NT	V 6	200	106,9	-106,9
27	41	160	2 Ruter	V 6	200	106,9	-106,9
59	214	31	3 Ruter	D V 8	200	106,9	-106,9
98	175	215	1 Hjerter	S 10	170	100,9	-100,9
103	2	95	1 Hjerter	S 10	170	100,9	-100,9
85	126	158	3 Hjerter	S 10	170	100,9	-100,9
113	225	76	1 Hjerter	S 9	140	76,6	-76,6
44	198	53	1 Hjerter	S 9	140	76,6	-76,6
90	60	113	1 Hjerter	N 9	140	76,6	-76,6
112	74	172	1 Hjerter	S 9	140	76,6	-76,6
32	189	161	1 Hjerter	S 9	140	76,6	-76,6
55	82	182	1 Hjerter	S 9	140	76,6	-76,6
62	213	157	1 Hjerter	S 9	140	76,6	-76,6
88	151	141	1 Hjerter	S 9	140	76,6	-76,6
9	77	86	1 Hjerter	N 9	140	76,6	-76,6
83	168	89	1 Hjerter	S 9	140	76,6	-76,6
42	80	118	2 Hjerter	S 9	140	76,6	-76,6
67	37	67	2 Hjerter	S 9	140	76,6	-76,6
28	90	30	2 Spar	S 9	140	76,6	-76,6
68	127	112	3 Hjerter	S 9	140	76,6	-76,6
54	183	9	3 Hjerter	S 9	140	76,6	-76,6
92	111	117	3 Hjerter	S 9	140	76,6	-76,6
99	125	32	3 Hjerter	S 9	140	76,6	-76,6
56	166	123	3 Hjerter	S 9	140	76,6	-76,6
87	222	169	3 Hjerter	S 9	140	76,6	-76,6
65	20	167	3 Hjerter	S 9	140	76,6	-76,6
29	235	147	3 Hjerter	S 9	140	76,6	-76,6
82	139	190	1 Hjerter	S 8	110	24,2	-24,2
7	185	63	1 Hjerter	S 8	110	24,2	-24,2
76	105	29	1 Hjerter	S 8	110	24,2	-24,2
24	219	136	1 Hjerter	S 8	110	24,2	-24,2
51	5	85	1 Hjerter	S 8	110	24,2	-24,2
111	18	180	1 Hjerter	S 8	110	24,2	-24,2
61	217	10	1 Hjerter	S 8	110	24,2	-24,2
74	192	93	1 Hjerter	S 8	110	24,2	-24,2
64	220	188	1 Hjerter	S 8	110	24,2	-24,2
18	35	201	1 Hjerter	S 8	110	24,2	-24,2
106	7	33	1 Hjerter	S 8	110	24,2	-24,2
75	73	184	1 Hjerter	S 8	110	24,2	-24,2
39	17	129	1 Hjerter	S 8	110	24,2	-24,2
116	51	193	2 Hjerter	S 8	110	24,2	-24,2
50	194	165	2 Hjerter	S 8	110	24,2	-24,2
17	99	173	2 Hjerter	S 8	110	24,2	-24,2
100	4	47	2 Hjerter	S 8	110	24,2	-24,2
45	124	44	2 Hjerter	S 8	110	24,2	-24,2
91	102	164	2 Hjerter	S 8	110	24,2	-24,2
80	155	21	2 Hjerter	S 8	110	24,2	-24,2
73	205	42	2 Hjerter	S 8	110	24,2	-24,2
34	128	62	2 Hjerter	S 8	110	24,2	-24,2
36	97	109	2 Hjerter	S 8	110	24,2	-24,2
53	83	65	2 Hjerter	S 8	110	24,2	-24,2
13	68	121	2 Spar	N 8	110	24,2	-24,2
66	108	187	2 Spar	S 8	110	24,2	-24,2
14	8	236	2 Spar	N 8	110	24,2	-24,2
33	11	204	2 Spar	S 8	110	24,2	-24,2
57	216	221	2 Spar	N 8	110	24,2	-24,2
5	233	179	2 Spar	N 8	110	24,2	-24,2
43	79	16	2 Spar	N 8	110	24,2	-24,2
78	24	177	3 Kløver	Ø 8	100	-13,1	13,1
8	100	131	3 Kløver	Ø 8	100	-13,1	13,1
72	94	140	3 Kløver	Ø 8	100	-13,1	13,1
110	43	57	3 Kløver	Ø 8	100	-13,1	13,1
114	134	144	3 Ruter	V 8	100	-13,1	13,1
97	231	46	3 Ruter	V 8	100	-13,1	13,1
89	50	13	1 Hjerter	S 7	80	-21,2	21,2
102	75	101	1 Hjerter	S 7	80	-21,2	21,2
108	66	156	40%-60%			-23,4	23,4
10	28	148	2 Hjerter	S 7	100	-49,4	49,4
15	146	137	3 Hjerter	S 8	100	-49,4	49,4
84	98	15	3 Hjerter	S 8	100	-49,4	49,4
117	234	199	3 Hjerter	S 8	100	-49,4	49,4

30	14	84	3 Hjerter	S 8	100	-49,4	49,4
58	202	52	3 Hjerter	S 8	100	-49,4	49,4
6	226	149	3 Hjerter	S 8	100	-49,4	49,4
118	170	230	3 Hjerter	S 8	100	-49,4	49,4
23	174	61	3 Hjerter	S 8	100	-49,4	49,4
96	120	197	3 Hjerter	S 8	100	-49,4	49,4
46	115	224	3 Hjerter	S 8	100	-49,4	49,4
35	22	96	3 Hjerter	S 8	100	-49,4	49,4
60	6	88	3 Hjerter	S 8	100	-49,4	49,4
41	212	58	3 Spar	S 8	100	-49,4	49,4
49	27	64	4 Hjerter	S 9	100	-49,4	49,4
37	132	87	4 Hjerter	S 9	100	-49,4	49,4
52	181	49	4 Hjerter	S 9	100	-49,4	49,4
25	119	207	4 Hjerter	S 9	100	-49,4	49,4
63	81	91	4 Hjerter	S 9	100	-49,4	49,4
40	196	40	4 Hjerter	S 9	100	-49,4	49,4
77	104	92	4 Hjerter	S 9	100	-49,4	49,4
2	34	72	4 Hjerter	S 9	100	-49,4	49,4
109	162	36	4 Hjerter	S 9	100	-49,4	49,4
79	138	145	4 Hjerter	S 9	100	-49,4	49,4
94	39	59	4 Hjerter	S 9	100	-49,4	49,4
70	135	218	4 Hjerter	S 9	100	-49,4	49,4
26	23	228	2 Kløver	Ø 9	110	-76,6	76,6
22	154	171	3 Kløver	Ø 10	130	-78,7	78,7
20	203	150	2 Hjerter	D S 7	200	-94,8	94,8
115	209	107	3 Hjerter	D S 8	200	-94,8	94,8
21	229	3	3 Hjerter	S 7	200	-94,8	94,8
93	26	163	3 Hjerter	S 7	200	-94,8	94,8
19	176	153	3 Hjerter	S 7	200	-94,8	94,8
105	55	54	4 Hjerter	S 8	200	-94,8	94,8
81	178	19	4 Hjerter	S 8	200	-94,8	94,8
48	70	78	4 Hjerter	S 8	200	-94,8	94,8
16	116	25	4 Hjerter	S 8	200	-94,8	94,8
86	232	195	4 Hjerter	S 8	200	-94,8	94,8
104	38	106	4 Hjerter	S 8	200	-94,8	94,8
3	45	159	4 Hjerter	S 8	200	-94,8	94,8
1	103	206	4 Hjerter	S 8	200	-94,8	94,8
31	191	69	4 Hjerter	S 8	200	-94,8	94,8
4	133	48	4 Spar	N 8	200	-94,8	94,8
47	227	130	3 Spar	N 6	300	-111,9	111,9
12	142	56	4 Hjerter	S 7	300	-111,9	111,9
69	210	200	4 Spar	S 6	400	-115,0	115,0
107	208	152	3 Kløver	D Ø 9	670	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
112	74	172	6NT	N 13	1020	116,0 -116,0
73	205	42	6NT	N 13	1020	116,0 -116,0
71	12	114	6NT	S 12	990	113,0 -113,0
107	208	152	6 Kløver	N 12	920	110,9 -110,9
86	232	195	3NT	N 12	490	105,9 -105,9
27	41	160	3NT	N 12	490	105,9 -105,9
35	22	96	3NT	S 12	490	105,9 -105,9
110	43	57	3NT	N 12	490	105,9 -105,9
18	35	201	4 Hjerter	N 12	480	99,8 -99,8
77	104	92	4 Hjerter	N 12	480	99,8 -99,8
29	235	147	3NT	S 11	460	96,8 -96,8
11	211	71	4 Hjerter	N 11	450	88,8 -88,8
49	27	64	4 Hjerter	N 11	450	88,8 -88,8
48	70	78	4 Hjerter	N 11	450	88,8 -88,8
88	151	141	4 Hjerter	N 11	450	88,8 -88,8
12	142	56	4 Hjerter	N 11	450	88,8 -88,8
1	103	206	4 Hjerter	N 11	450	88,8 -88,8
9	77	86	4 Hjerter	N 11	450	88,8 -88,8
68	127	112	3NT	N 10	430	64,5 -64,5
96	120	197	3NT	S 10	430	64,5 -64,5
66	108	187	3NT	N 10	430	64,5 -64,5
109	162	36	3NT	S 10	430	64,5 -64,5
106	7	33	3NT	S 10	430	64,5 -64,5
38	223	1	3NT	S 10	430	64,5 -64,5
2	34	72	3NT	N 10	430	64,5 -64,5
13	68	121	3NT	S 10	430	64,5 -64,5
91	102	164	3NT	N 10	430	64,5 -64,5
37	132	87	3NT	S 10	430	64,5 -64,5
8	100	131	3NT	S 10	430	64,5 -64,5
25	119	207	3NT	N 10	430	64,5 -64,5
24	219	136	3NT	S 10	430	64,5 -64,5
28	90	30	3NT	N 10	430	64,5 -64,5
99	125	32	3NT	S 10	430	64,5 -64,5
78	24	177	3NT	S 10	430	64,5 -64,5
7	185	63	4NT	S 10	430	64,5 -64,5
75	73	184	4 Hjerter	N 10	420	46,4 -46,4
30	14	84	3NT	N 9	400	20,2 -20,2
93	26	163	3NT	S 9	400	20,2 -20,2
41	212	58	3NT	S 9	400	20,2 -20,2
104	38	106	3NT	S 9	400	20,2 -20,2
39	17	129	3NT	S 9	400	20,2 -20,2
92	111	117	3NT	S 9	400	20,2 -20,2
95	122	186	3NT	N 9	400	20,2 -20,2
84	98	15	3NT	N 9	400	20,2 -20,2
64	220	188	3NT	S 9	400	20,2 -20,2
111	18	180	3NT	S 9	400	20,2 -20,2
6	226	149	3NT	N 9	400	20,2 -20,2
83	168	89	3NT	S 9	400	20,2 -20,2
67	37	67	3NT	S 9	400	20,2 -20,2
16	116	25	3NT	N 9	400	20,2 -20,2
10	28	148	3NT	S 9	400	20,2 -20,2
23	174	61	3NT	S 9	400	20,2 -20,2
45	124	44	3NT	S 9	400	20,2 -20,2
19	176	153	3NT	S 9	400	20,2 -20,2
85	126	158	5 Kløver	N 11	400	20,2 -20,2
100	4	47	5 Kløver	N 11	400	20,2 -20,2
5	233	179	5 Kløver	N 11	400	20,2 -20,2
42	80	118	5 Kløver	N 11	400	20,2 -20,2
79	138	145	5 Kløver	N 11	400	20,2 -20,2
102	75	101	5 Kløver	N 11	400	20,2 -20,2
76	105	29	5 Kløver	N 11	400	20,2 -20,2
57	216	221	4 Kløver	N 12	170	-6,1 6,1
17	99	173	4 Kløver	N 11	150	-10,1 10,1
69	210	200	4 Kløver	N 11	150	-10,1 10,1
47	227	130	4 Kløver	N 11	150	-10,1 10,1
70	135	218	3 Hjerter	N 9	140	-14,1 14,1
108	66	156	40%-60%			-23,4 23,4
118	170	230	3NT	N 8	50	-50,4 50,4
63	81	91	3NT	N 8	50	-50,4 50,4
101	110	143	3NT	S 8	50	-50,4 50,4
56	166	123	3NT	N 8	50	-50,4 50,4
62	213	157	3NT	N 8	50	-50,4 50,4
94	39	59	3NT	S 8	50	-50,4 50,4
21	229	3	3NT	S 8	50	-50,4 50,4
34	128	62	3NT	N 8	50	-50,4 50,4

22	154	171	3NT	N 8	50	-50,4 50,4
114	134	144	4 Hjerter	N 9	50	-50,4 50,4
117	234	199	4NT	S 9	50	-50,4 50,4
74	192	93	5 Hjerter	N 10	50	-50,4 50,4
89	50	13	5 Hjerter	N 10	50	-50,4 50,4
59	214	31	5 Ruter	S 10	50	-50,4 50,4
14	8	236	5 Ruter	S 10	50	-50,4 50,4
65	20	167	6 Hjerter	N 11	50	-50,4 50,4
40	196	40	6 Hjerter	N 11	50	-50,4 50,4
103	2	95	6 Kløver	N 11	50	-50,4 50,4
90	60	113	6 Kløver	N 11	50	-50,4 50,4
58	202	52	6 Kløver	N 11	50	-50,4 50,4
113	225	76	6 Kløver	N 11	50	-50,4 50,4
33	11	204	6 Kløver	N 11	50	-50,4 50,4
98	175	215	6 Kløver	N 11	50	-50,4 50,4
51	5	85	6 Kløver	N 11	50	-50,4 50,4
46	115	224	6 Kløver	N 11	50	-50,4 50,4
3	45	159	6 Kløver	N 11	50	-50,4 50,4
52	181	49	6 Kløver	N 11	50	-50,4 50,4
15	146	137	6 Kløver	N 11	50	-50,4 50,4
54	183	9	6 Kløver	N 11	50	-50,4 50,4
115	209	107	6 Kløver	N 11	50	-50,4 50,4
60	6	88	6 Kløver	N 11	50	-50,4 50,4
43	79	16	6 Kløver	N 11	50	-50,4 50,4
20	203	150	6 Kløver	N 11	50	-50,4 50,4
116	51	193	6 Kløver	N 11	50	-50,4 50,4
61	217	10	6 Kløver	N 11	50	-50,4 50,4
4	133	48	4 Hjerter	N 8	100	-93,8 93,8
72	94	140	4NT	S 8	100	-93,8 93,8
44	198	53	5 Ruter	S 9	100	-93,8 93,8
53	83	65	5 Ruter	S 9	100	-93,8 93,8
97	231	46	6 Kløver	N 10	100	-93,8 93,8
50	194	165	6NT	S 10	100	-93,8 93,8
105	55	54	6NT	N 10	100	-93,8 93,8
82	139	190	6NT	N 10	100	-93,8 93,8
87	222	169	6NT	N 9	150	-104,9 104,9
80	155	21	6NT	N 9	150	-104,9 104,9
26	23	228	6NT	N 9	150	-104,9 104,9
32	189	161	6NT	N 8	200	-110,9 110,9
36	97	109	6NT	N 8	200	-110,9 110,9
55	82	182	6NT	N 8	200	-110,9 110,9
31	191	69	6NT	S 7	250	-115,0 115,0
81	178	19	6 Kløver	D S 10	300	-117,0 117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
64	220	205	6 Ruter	D V 9 800	117,0	-117,0
101	54	163	4 Spar	D N 10 590	111,9	-111,9
60	82	12	4 Spar	D N 10 590	111,9	-111,9
7	34	131	4 Spar	D N 10 590	111,9	-111,9
84	93	26	4 Spar	D N 10 590	111,9	-111,9
57	16	83	5 Kløver	D Ø 9 500	106,9	-106,9
38	189	129	4 Spar	N 11 450	102,9	-102,9
87	168	169	4 Spar	N 11 450	102,9	-102,9
19	176	137	4 Spar	N 11 450	102,9	-102,9
29	150	23	3 NT	N 10 430	97,8	-97,8
99	32	208	3 NT	N 10 430	97,8	-97,8
115	172	230	4 Hjerter	S 10 420	30,3	-30,3
91	111	60	4 Spar	N 10 420	30,3	-30,3
51	224	6	4 Spar	N 10 420	30,3	-30,3
10	236	28	4 Spar	N 10 420	30,3	-30,3
114	51	74	4 Spar	N 10 420	30,3	-30,3
20	229	203	4 Spar	N 10 420	30,3	-30,3
68	218	52	4 Spar	N 10 420	30,3	-30,3
14	56	201	4 Spar	N 10 420	30,3	-30,3
112	55	209	4 Spar	N 10 420	30,3	-30,3
104	4	225	4 Spar	N 10 420	30,3	-30,3
54	62	88	4 Spar	N 10 420	30,3	-30,3
15	35	99	4 Spar	N 10 420	30,3	-30,3
23	228	124	4 Spar	N 10 420	30,3	-30,3
95	46	50	4 Spar	N 10 420	30,3	-30,3
22	171	204	4 Spar	N 10 420	30,3	-30,3
89	13	195	4 Spar	N 10 420	30,3	-30,3
102	101	231	4 Spar	N 10 420	30,3	-30,3
21	174	58	4 Spar	N 10 420	30,3	-30,3
8	211	179	4 Spar	N 10 420	30,3	-30,3
18	119	61	4 Spar	N 10 420	30,3	-30,3
26	173	219	4 Spar	N 10 420	30,3	-30,3
72	123	73	4 Spar	N 10 420	30,3	-30,3
65	67	200	4 Spar	N 10 420	30,3	-30,3
42	130	118	4 Spar	N 10 420	30,3	-30,3
56	135	79	4 Spar	N 10 420	30,3	-30,3
6	159	233	4 Spar	N 10 420	30,3	-30,3
2	72	100	4 Spar	N 10 420	30,3	-30,3
45	109	40	4 Spar	N 10 420	30,3	-30,3
4	149	48	4 Spar	N 10 420	30,3	-30,3
79	145	140	4 Spar	N 10 420	30,3	-30,3
31	96	136	4 Spar	N 10 420	30,3	-30,3
40	207	97	4 Spar	N 10 420	30,3	-30,3
75	192	184	4 Spar	N 10 420	30,3	-30,3
86	164	120	4 Spar	N 10 420	30,3	-30,3
39	22	132	4 Spar	N 10 420	30,3	-30,3
35	235	128	4 Spar	N 10 420	30,3	-30,3
111	156	107	4 Spar	N 10 420	30,3	-30,3
108	180	43	4 Spar	N 10 420	30,3	-30,3
37	147	223	4 Spar	N 10 420	30,3	-30,3
47	182	49	4 Spar	N 10 420	30,3	-30,3
77	104	21	4 Spar	N 10 420	30,3	-30,3
55	187	213	4 Spar	N 10 420	30,3	-30,3
78	138	24	4 Spar	N 10 420	30,3	-30,3
41	198	70	4 Spar	N 10 420	30,3	-30,3
13	8	68	4 Spar	N 10 420	30,3	-30,3
117	234	170	4 Spar	N 10 420	30,3	-30,3
61	5	139	4 Spar	N 10 420	30,3	-30,3
69	31	114	4 Spar	N 10 420	30,3	-30,3
80	19	94	4 Spar	N 10 420	30,3	-30,3
90	122	29	4 Spar	N 10 420	30,3	-30,3
71	126	37	4 Spar	N 10 420	30,3	-30,3
28	3	84	4 Spar	N 10 420	30,3	-30,3
93	117	38	4 Spar	N 10 420	30,3	-30,3
24	116	191	4 Spar	N 10 420	30,3	-30,3
85	177	102	4 Spar	N 10 420	30,3	-30,3
118	199	193	4 Spar	N 10 420	30,3	-30,3
32	44	27	4 Spar	N 10 420	30,3	-30,3
81	15	155	4 Spar	N 10 420	30,3	-30,3
76	190	92	4 Spar	N 10 420	30,3	-30,3
25	69	30	4 Spar	N 10 420	30,3	-30,3
11	71	77	4 Spar	N 10 420	30,3	-30,3
103	33	110	4 Spar	N 10 420	30,3	-30,3
33	41	115	4 Spar	N 10 420	30,3	-30,3
110	57	7	4 Spar	N 10 420	30,3	-30,3

59	87	188	4 Spar	N 10	420	30,3	-30,3
109	215	66	60%-40%			23,4	-23,4
73	112	10	3 NT	S 9	400	-36,3	36,3
9	25	185	2 Spar	N 9	140	-38,3	38,3
3	63	45	4 Spar	N 9	50	-53,5	53,5
82	89	108	4 Spar	N 9	50	-53,5	53,5
46	181	64	4 Spar	N 9	50	-53,5	53,5
12	86	146	4 Spar	N 9	50	-53,5	53,5
83	178	105	4 Spar	N 9	50	-53,5	53,5
16	121	153	4 Spar	N 9	50	-53,5	53,5
43	1	227	4 Spar	N 9	50	-53,5	53,5
92	175	98	4 Spar	N 9	50	-53,5	53,5
48	80	20	4 Spar	N 9	50	-53,5	53,5
116	76	134	4 Spar	N 9	50	-53,5	53,5
113	144	36	4 Spar	N 9	50	-53,5	53,5
5	103	133	4 Spar	N 9	50	-53,5	53,5
30	160	14	4 Spar	N 9	50	-53,5	53,5
34	11	196	4 Spar	N 9	50	-53,5	53,5
106	162	18	4 Spar	N 8	100	-82,7	82,7
96	59	232	4 Spar	N 8	100	-82,7	82,7
53	165	81	4 Spar	N 8	100	-82,7	82,7
94	151	39	4 Spar	D N 9	100	-82,7	82,7
105	152	47	4 Spar	S 8	100	-82,7	82,7
27	90	154	4 Spar	N 8	100	-82,7	82,7
67	166	210	4 Spar	N 8	100	-82,7	82,7
1	206	226	4 Spar	N 8	100	-82,7	82,7
98	95	197	4 Spar	N 8	100	-82,7	82,7
97	125	186	4 Spar	N 8	100	-82,7	82,7
100	2	106	5 Spar	N 9	100	-82,7	82,7
17	148	142	5 Spar	D N 10	100	-82,7	82,7
107	143	75	5 Spar	N 9	100	-82,7	82,7
36	194	65	6 Spar	N 10	100	-82,7	82,7
88	141	158	6 Spar	N 10	100	-82,7	82,7
58	217	202	5 Spar	N 8	150	-101,9	101,9
62	183	42	5 Spar	N 8	150	-101,9	101,9
66	157	113	5 Spar	N 8	150	-101,9	101,9
74	127	214	5 Spar	N 8	150	-101,9	101,9
49	212	17	6 Hjerter	S 8	200	-107,9	107,9
70	78	222	6 Spar	N 8	200	-107,9	107,9
63	167	216	6 NT	D N 10	300	-113,0	113,0
50	9	221	6 Spar	D N 10	300	-113,0	113,0
44	161	85	6 Spar	D N 10	300	-113,0	113,0
52	53	91	6 NT	D S 9	500	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ 63 Mappen: 10(74)
 ♥ AQJ65 Rundennr: 25
 ♦ Q4 A (Ø)
 ♣ AT85

♠ JT742
 ♥ KT7
 ♦ AT98
 ♣ 4


♠ AK85
 ♥ 32
 ♦ KJ2
 ♣ KQJ9

♠ Q9
 ♥ 984
 ♦ 7653
 ♣ 7632

Bord	NS	ØV	NS	ØV	NS	ØV
89	13	195	2NT	Ø 7	100	103,9 -103,9
117	234	170	3NT	Ø 8	100	103,9 -103,9
97	125	186	4 Spar	Ø 9	100	103,9 -103,9
17	148	142	4 Spar	Ø 9	100	103,9 -103,9
20	229	203	4 Spar	Ø 9	100	103,9 -103,9
5	103	133	4 Spar	Ø 9	100	103,9 -103,9
105	152	47	4 Spar	Ø 9	100	103,9 -103,9
108	180	43	4 Spar	Ø 9	100	103,9 -103,9
6	159	233	4 Spar	Ø 9	100	103,9 -103,9
13	8	68	4 Spar	Ø 9	100	103,9 -103,9
88	141	158	4 Spar	Ø 9	100	103,9 -103,9
36	194	65	4 Spar	Ø 9	100	103,9 -103,9
53	165	81	4 Spar	Ø 9	100	103,9 -103,9
38	189	129	4 Spar	Ø 9	100	103,9 -103,9
98	95	197	4 Spar	N 9	100	88,8 -88,8
115	172	230	2 Spar	Ø 9	140	85,7 -85,7
84	93	26	2 Spar	Ø 9	140	85,7 -85,7
64	220	205	3 Spar	Ø 10	170	82,7 -82,7
87	168	169	2 Spar	Ø 12	230	80,7 -80,7
44	161	85	2 Hjertes	N 5	300	78,7 -78,7
107	143	75	3NT	Ø 9	600	76,6 -76,6
109	215	66	60%-40%			23,4 -23,4
114	51	74	4 Hjertes	Ø 10	620	7,1 -7,1
45	109	40	4 Spar	Ø 10	620	7,1 -7,1
70	78	222	4 Spar	Ø 10	620	7,1 -7,1
83	178	105	4 Spar	Ø 10	620	7,1 -7,1
12	86	146	4 Spar	Ø 10	620	7,1 -7,1
72	123	73	4 Spar	Ø 10	620	7,1 -7,1
76	190	92	4 Spar	Ø 10	620	7,1 -7,1
39	22	132	4 Spar	Ø 10	620	7,1 -7,1
110	57	7	4 Spar	Ø 10	620	7,1 -7,1
46	181	64	4 Spar	Ø 10	620	7,1 -7,1
50	9	221	4 Spar	Ø 10	620	7,1 -7,1
111	156	107	4 Spar	Ø 10	620	7,1 -7,1
94	151	39	4 Spar	Ø 10	620	7,1 -7,1
31	96	136	4 Spar	Ø 10	620	7,1 -7,1
104	4	225	4 Spar	Ø 10	620	7,1 -7,1
51	224	6	4 Spar	Ø 10	620	7,1 -7,1
47	182	49	4 Spar	Ø 10	620	7,1 -7,1
22	171	204	4 Spar	Ø 10	620	7,1 -7,1
112	55	209	4 Spar	Ø 10	620	7,1 -7,1
23	228	124	4 Spar	Ø 10	620	7,1 -7,1
113	144	36	4 Spar	Ø 10	620	7,1 -7,1
18	119	61	4 Spar	Ø 10	620	7,1 -7,1
68	218	52	4 Spar	Ø 10	620	7,1 -7,1
54	62	88	4 Spar	Ø 10	620	7,1 -7,1
43	1	227	4 Spar	Ø 10	620	7,1 -7,1
37	147	223	4 Spar	Ø 10	620	7,1 -7,1
34	11	196	4 Spar	Ø 10	620	7,1 -7,1
116	76	134	4 Spar	Ø 10	620	7,1 -7,1
77	104	21	4 Spar	Ø 10	620	7,1 -7,1
48	80	20	4 Spar	Ø 10	620	7,1 -7,1
67	166	210	4 Spar	Ø 10	620	7,1 -7,1
63	167	216	4 Spar	Ø 10	620	7,1 -7,1
32	44	27	4 Spar	Ø 10	620	7,1 -7,1
25	69	30	4 Spar	Ø 10	620	7,1 -7,1
56	135	79	4 Spar	Ø 10	620	7,1 -7,1
2	72	100	4 Spar	Ø 10	620	7,1 -7,1
42	130	118	4 Spar	V 10	620	7,1 -7,1
90	122	29	4 Spar	Ø 10	620	7,1 -7,1
27	90	154	4 Spar	Ø 10	620	7,1 -7,1
99	32	208	4 Spar	Ø 10	620	7,1 -7,1
95	46	50	4 Spar	V 10	620	7,1 -7,1
24	116	191	4 Spar	Ø 10	620	7,1 -7,1
82	89	108	4 Spar	Ø 10	620	7,1 -7,1
28	3	84	4 Spar	V 10	620	7,1 -7,1
19	176	137	4 Spar	Ø 10	620	7,1 -7,1
59	87	188	4 Spar	Ø 10	620	7,1 -7,1
33	41	115	4 Spar	Ø 10	620	7,1 -7,1
58	217	202	4 Spar	Ø 10	620	7,1 -7,1
29	150	23	4 Spar	Ø 10	620	7,1 -7,1
41	198	70	4 Spar	Ø 10	620	7,1 -7,1
7	34	131	4 Spar	Ø 10	620	7,1 -7,1
62	183	42	4 Spar	Ø 10	620	7,1 -7,1
101	54	163	4 Spar	Ø 10	620	7,1 -7,1

91	111	60	4 Spar	Ø 10	620	7,1 -7,1
4	149	48	4 Spar	Ø 10	620	7,1 -7,1
93	117	38	4 Spar	Ø 10	620	7,1 -7,1
49	212	17	4 Spar	V 10	620	7,1 -7,1
55	187	213	4 Spar	Ø 10	620	7,1 -7,1
71	126	37	4 Spar	Ø 10	620	7,1 -7,1
35	235	128	4 Spar	V 10	620	7,1 -7,1
69	31	114	4 Spar	Ø 10	620	7,1 -7,1
86	164	120	4 Spar	Ø 10	620	7,1 -7,1
85	177	102	4 Spar	Ø 10	620	7,1 -7,1
1	206	226	4 Spar	Ø 10	620	7,1 -7,1
118	199	193	4 Spar	Ø 10	620	7,1 -7,1
81	15	155	4 Spar	Ø 10	620	7,1 -7,1
40	207	97	4 Spar	Ø 10	620	7,1 -7,1
100	2	106	4 Spar	Ø 10	620	7,1 -7,1
26	173	219	4 Spar	V 11	650	-81,7 81,7
102	101	231	4 Spar	Ø 11	650	-81,7 81,7
92	175	98	4 Spar	Ø 11	650	-81,7 81,7
65	67	200	4 Spar	Ø 11	650	-81,7 81,7
16	121	153	4 Spar	V 11	650	-81,7 81,7
11	71	77	4 Spar	V 11	650	-81,7 81,7
61	5	139	4 Spar	V 11	650	-81,7 81,7
103	33	110	4 Spar	Ø 11	650	-81,7 81,7
106	162	18	4 Spar	Ø 11	650	-81,7 81,7
14	56	201	4 Spar	V 11	650	-81,7 81,7
52	53	91	4 Spar	Ø 11	650	-81,7 81,7
78	138	24	4 Spar	V 11	650	-81,7 81,7
57	16	83	4 Spar	V 11	650	-81,7 81,7
10	236	28	4 Spar	Ø 11	650	-81,7 81,7
80	19	94	4 Spar	V 11	650	-81,7 81,7
3	63	45	4 Spar	V 11	650	-81,7 81,7
30	160	14	4 Spar	V 11	650	-81,7 81,7
66	157	113	4 Spar	Ø 11	650	-81,7 81,7
8	211	179	4 Spar	V 11	650	-81,7 81,7
60	82	12	4 Spar	Ø 11	650	-81,7 81,7
9	25	185	4 Spar	Ø 12	680	-109,9 109,9
21	174	58	4 Spar	V 12	680	-109,9 109,9
96	59	232	4 Spar	Ø 12	680	-109,9 109,9
74	127	214	4 Spar	V 12	680	-109,9 109,9
75	192	184	4 Spar	Ø 12	680	-109,9 109,9
15	35	99	4 Spar	Ø 12	680	-109,9 109,9
73	112	10	4 Spar	Ø 12	680	-109,9 109,9
79	145	140	4 Spar	Ø 12	680	-109,9 109,9


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
97	125	186	3NT	S 11	460	116,0 -116,0
40	207	97	3NT	S 11	460	116,0 -116,0
59	87	188	3NT	S 10	430	111,9 -111,9
70	78	222	3NT	S 10	430	111,9 -111,9
38	189	129	3NT	S 9	400	88,5 -88,5
74	127	214	3NT	S 9	400	88,5 -88,5
30	160	14	3NT	N 9	400	88,5 -88,5
113	144	36	3NT	S 9	400	88,5 -88,5
35	235	128	3NT	S 9	400	88,5 -88,5
79	145	140	3NT	S 9	400	88,5 -88,5
43	1	227	3NT	S 9	400	88,5 -88,5
50	9	221	3NT	S 9	400	88,5 -88,5
3	63	45	3NT	N 9	400	88,5 -88,5
9	25	185	3NT	S 9	400	88,5 -88,5
95	46	50	3NT	S 9	400	88,5 -88,5
11	71	77	3NT	S 9	400	88,5 -88,5
96	59	232	3NT	S 9	400	88,5 -88,5
90	122	29	3NT	S 9	400	88,5 -88,5
115	172	230	3NT	N 9	400	88,5 -88,5
75	192	184	3NT	S 9	400	88,5 -88,5
93	117	38	3NT	S 9	400	88,5 -88,5
37	147	223	3NT	S 9	400	88,5 -88,5
83	178	105	3NT	N 9	400	88,5 -88,5
53	165	81	3NT	S 9	400	88,5 -88,5
26	173	219	3NT	S 9	400	88,5 -88,5
46	181	64	1NT	S 10	180	62,1 -62,1
61	5	139	2NT	S 10	180	62,1 -62,1
89	13	195	2NT	S 10	180	62,1 -62,1
41	198	70	2NT	S 10	180	62,1 -62,1
100	2	106	2NT	S 10	180	62,1 -62,1
101	54	163	1NT	S 9	150	30,5 -30,5
56	135	79	1NT	S 9	150	30,5 -30,5
15	35	99	1NT	S 9	150	30,5 -30,5
14	56	201	1NT	S 9	150	30,5 -30,5
77	104	21	1NT	S 9	150	30,5 -30,5
44	161	85	1NT	S 9	150	30,5 -30,5
21	174	58	2NT	S 9	150	30,5 -30,5
92	175	98	2NT	S 9	150	30,5 -30,5
98	95	197	2NT	S 9	150	30,5 -30,5
57	16	83	2NT	S 9	150	30,5 -30,5
116	76	134	2NT	S 9	150	30,5 -30,5
106	162	18	2NT	S 9	150	30,5 -30,5
68	218	52	2NT	S 9	150	30,5 -30,5
47	182	49	2NT	S 9	150	30,5 -30,5
16	121	153	2NT	S 9	150	30,5 -30,5
6	159	233	2NT	S 9	150	30,5 -30,5
51	224	6	2NT	S 9	150	30,5 -30,5
65	67	200	2NT	S 9	150	30,5 -30,5
67	166	210	2NT	S 9	150	30,5 -30,5
22	171	204	2NT	S 9	150	30,5 -30,5
32	44	27	2NT	S 9	150	30,5 -30,5
81	15	155	2NT	S 9	150	30,5 -30,5
28	3	84	2NT	S 9	150	30,5 -30,5
23	228	124	2NT	S 9	150	30,5 -30,5
27	90	154	2NT	S 9	150	30,5 -30,5
117	234	170	2NT	S 9	150	30,5 -30,5
109	215	66	60%-40%			23,4 -23,4
69	31	114	60%-50%			23,4 0,0
112	55	209	2Hjarter	N 9	140	3,1 -3,1
107	143	75	1NT	S 8	120	-16,3 16,3
85	177	102	1NT	S 8	120	-16,3 16,3
105	152	47	1NT	S 8	120	-16,3 16,3
18	119	61	2NT	S 8	120	-16,3 16,3
42	130	118	2NT	S 8	120	-16,3 16,3
91	111	60	2NT	S 8	120	-16,3 16,3
82	89	108	2NT	S 8	120	-16,3 16,3
20	229	203	2NT	S 8	120	-16,3 16,3
111	156	107	2NT	S 8	120	-16,3 16,3
29	150	23	2NT	S 8	120	-16,3 16,3
114	51	74	2NT	S 8	120	-16,3 16,3
19	176	137	2NT	S 8	120	-16,3 16,3
2	72	100	2NT	S 8	120	-16,3 16,3
31	96	136	2NT	S 8	120	-16,3 16,3
88	141	158	2NT	S 8	120	-16,3 16,3
110	57	7	2NT	S 8	120	-16,3 16,3

72	123	73	2NT	S 8	120	-16,3 16,3
8	211	179	2NT	S 8	120	-16,3 16,3
12	86	146	2Hjarter	N 8	110	-36,6 36,6
71	126	37	2Spar	N 8	110	-36,6 36,6
45	109	40	1NT	S 7	90	-40,7 40,7
13	8	68	1NT	S 7	90	-40,7 40,7
104	4	225	2NT	S 7	50	-74,3 74,3
36	194	65	2NT	S 7	50	-74,3 74,3
17	148	142	2NT	S 7	50	-74,3 74,3
78	138	24	2NT	S 7	50	-74,3 74,3
54	62	88	2NT	S 7	50	-74,3 74,3
99	32	208	2NT	S 7	50	-74,3 74,3
1	206	226	2NT	S 7	50	-74,3 74,3
48	80	20	2NT	S 7	50	-74,3 74,3
4	149	48	3NT	S 8	50	-74,3 74,3
102	101	231	3NT	S 8	50	-74,3 74,3
64	220	205	3NT	S 8	50	-74,3 74,3
87	168	169	3NT	S 8	50	-74,3 74,3
10	236	28	3NT	S 8	50	-74,3 74,3
86	164	120	3NT	S 8	50	-74,3 74,3
55	187	213	3NT	S 8	50	-74,3 74,3
24	116	191	3NT	S 8	50	-74,3 74,3
94	151	39	3NT	S 8	50	-74,3 74,3
63	167	216	3NT	S 8	50	-74,3 74,3
25	69	30	3NT	S 8	50	-74,3 74,3
5	103	133	3NT	S 8	50	-74,3 74,3
108	180	43	3NT	S 8	50	-74,3 74,3
103	33	110	3NT	S 8	50	-74,3 74,3
58	217	202	3NT	S 8	50	-74,3 74,3
118	199	193	3NT	S 8	50	-74,3 74,3
34	11	196	3NT	S 8	50	-74,3 74,3
84	93	26	3NT	S 8	50	-74,3 74,3
73	112	10	3NT	S 8	50	-74,3 74,3
39	22	132	3NT	S 8	50	-74,3 74,3
76	190	92	3NT	S 8	50	-74,3 74,3
49	212	17	3NT	S 8	50	-74,3 74,3
33	41	115	3NT	S 8	50	-74,3 74,3
7	34	131	2NT	S 6	100	-110,9 110,9
52	53	91	2NT	S 6	100	-110,9 110,9
60	82	12	3NT	S 7	100	-110,9 110,9
66	157	113	3NT	S 7	100	-110,9 110,9
80	19	94	4Hjarter	N 8	100	-110,9 110,9
62	183	42	3NT	S 6	150	-117,0 117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
92	2	98	3NT	Ø 8	50	107,9 -107,9
29	154	132	3NT	Ø 8	50	107,9 -107,9
1	77	206	3NT	Ø 8	50	107,9 -107,9
27	176	22	3NT	Ø 8	50	107,9 -107,9
55	221	37	3NT	Ø 8	50	107,9 -107,9
66	6	202	3NT	Ø 8	50	107,9 -107,9
115	193	234	3NT	Ø 8	50	107,9 -107,9
31	40	80	3NT	Ø 8	50	107,9 -107,9
82	94	169	3NT	Ø 8	50	107,9 -107,9
67	214	217	3NT	Ø 8	50	107,9 -107,9
74	92	73	1NT	Ø 8	120	90,8 -90,8
106	47	143	1NT	Ø 8	120	90,8 -90,8
15	3	142	1NT	Ø 8	120	90,8 -90,8
45	109	198	1NT	Ø 8	120	90,8 -90,8
117	172	51	1NT	Ø 8	120	90,8 -90,8
104	33	4	1NT	Ø 8	120	90,8 -90,8
90	111	151	1NT	Ø 8	120	90,8 -90,8
9	179	185	1NT	Ø 9	150	77,7 -77,7
81	108	138	1NT	Ø 9	150	77,7 -77,7
8	103	236	1NT	Ø 9	150	77,7 -77,7
71	190	105	1NT	Ø 9	150	77,7 -77,7
110	152	215	2NT	Ø 9	150	77,7 -77,7
54	165	12	3Klover	Ø 11	150	77,7 -77,7
32	130	116	1NT	Ø 10	180	56,5 -56,5
94	60	178	1NT	Ø 10	180	56,5 -56,5
86	112	46	1NT	Ø 10	180	56,5 -56,5
105	32	162	1NT	Ø 10	180	56,5 -56,5
14	61	146	1NT	Ø 10	180	56,5 -56,5
37	128	27	1NT	Ø 10	180	56,5 -56,5
99	106	18	1NT	Ø 10	180	56,5 -56,5
63	79	19	1NT	Ø 10	180	56,5 -56,5
58	126	135	1NT	Ø 10	180	56,5 -56,5
77	122	104	1NT	Ø 10	180	56,5 -56,5
114	57	134	1NT	Ø 10	180	56,5 -56,5
95	208	158	1NT	Ø 10	180	56,5 -56,5
51	200	1	1NT	Ø 10	180	56,5 -56,5
12	68	69	1NT	Ø 10	180	56,5 -56,5
68	10	139	2NT	Ø 10	180	56,5 -56,5
26	14	58	1NT	D N 6	200	39,3 -39,3
10	34	35	1Ruter	N 5	200	39,3 -39,3
93	59	38	1NT	Ø 11	210	24,2 -24,2
5	25	149	1NT	Ø 11	210	24,2 -24,2
109	225	7	1NT	Ø 11	210	24,2 -24,2
64	24	123	1NT	Ø 11	210	24,2 -24,2
98	232	163	1NT	Ø 11	210	24,2 -24,2
89	26	175	1NT	Ø 11	210	24,2 -24,2
101	50	43	1NT	Ø 11	210	24,2 -24,2
72	21	87	1NT	Ø 11	210	24,2 -24,2
73	184	102	1NT	Ø 11	210	24,2 -24,2
97	117	39	1NT	Ø 11	210	24,2 -24,2
85	155	13	1NT	Ø 11	210	24,2 -24,2
52	205	62	1NT	Ø 11	210	24,2 -24,2
22	204	173	1NT	Ø 11	210	24,2 -24,2
118	199	55	1NT	Ø 12	240	2,0 -2,0
69	192	5	1NT	Ø 12	240	2,0 -2,0
61	127	157	1NT	Ø 12	240	2,0 -2,0
38	85	23	1NT	Ø 12	240	2,0 -2,0
112	144	76	1NT	Ø 12	240	2,0 -2,0
41	64	44	1NT	Ø 12	240	2,0 -2,0
39	160	88	1NT	Ø 12	240	2,0 -2,0
75	166	31	2NT	Ø 12	240	2,0 -2,0
18	71	235	2NT	Ø 12	240	2,0 -2,0
13	153	228	1NT	N 3	400	-13,1 13,1
20	99	56	3NT	Ø 9	400	-13,1 13,1
102	110	95	3NT	Ø 9	400	-13,1 13,1
79	42	15	3NT	Ø 9	400	-13,1 13,1
108	231	74	3NT	Ø 9	400	-13,1 13,1
47	196	53	3NT	V 9	400	-13,1 13,1
111	66	180	40%-60%			-23,4 23,4
21	90	148	3NT	Ø 10	430	-38,3 38,3
30	84	30	3NT	Ø 10	430	-38,3 38,3
65	218	82	3NT	Ø 10	430	-38,3 38,3
84	210	120	3NT	Ø 10	430	-38,3 38,3
35	189	194	3NT	Ø 10	430	-38,3 38,3
3	45	100	3NT	Ø 10	430	-38,3 38,3


11	28	131	3NT	Ø 10	430	-38,3 38,3
83	168	67	3NT	Ø 10	430	-38,3 38,3
50	181	17	3NT	Ø 10	430	-38,3 38,3
36	129	20	3NT	Ø 10	430	-38,3 38,3
4	48	159	3NT	Ø 10	430	-38,3 38,3
16	8	124	3NT	Ø 10	430	-38,3 38,3
6	226	233	3NT	Ø 10	430	-38,3 38,3
60	113	183	3NT	Ø 10	430	-38,3 38,3
28	174	223	3NT	Ø 10	430	-38,3 38,3
23	201	41	3NT	Ø 10	430	-38,3 38,3
70	220	78	3NT	Ø 10	430	-38,3 38,3
34	115	11	3NT	Ø 10	430	-38,3 38,3
78	222	145	3NT	Ø 10	430	-38,3 38,3
87	89	54	3NT	Ø 11	460	-77,7 77,7
48	161	227	3NT	Ø 11	460	-77,7 77,7
25	203	121	3NT	Ø 11	460	-77,7 77,7
17	219	119	3NT	Ø 11	460	-77,7 77,7
59	81	213	3NT	Ø 11	460	-77,7 77,7
91	141	164	3NT	Ø 11	460	-77,7 77,7
2	211	72	3NT	Ø 11	460	-77,7 77,7
116	230	209	3NT	Ø 11	460	-77,7 77,7
96	177	29	3NT	Ø 11	460	-77,7 77,7
53	9	187	3NT	Ø 11	460	-77,7 77,7
88	93	125	3NT	Ø 11	460	-77,7 77,7
103	107	186	3NT	Ø 11	460	-77,7 77,7
42	49	96	3NT	Ø 11	460	-77,7 77,7
56	216	118	3NT	V 11	460	-77,7 77,7
100	197	101	3NT	Ø 11	460	-77,7 77,7
40	97	70	3NT	Ø 11	460	-77,7 77,7
19	171	137	3NT	Ø 11	460	-77,7 77,7
33	65	229	3NT	Ø 11	460	-77,7 77,7
24	150	86	3NT	Ø 11	460	-77,7 77,7
46	91	182	3NT	Ø 11	460	-77,7 77,7
107	75	156	3NT	Ø 12	490	-103,9 103,9
57	188	147	3NT	Ø 12	490	-103,9 103,9
76	140	167	3NT	Ø 12	490	-103,9 103,9
44	191	136	3NT	Ø 12	490	-103,9 103,9
49	224	16	3NT	Ø 12	490	-103,9 103,9
7	63	133	3NT	Ø 12	490	-103,9 103,9
80	114	195	1Ruter	D N 5	500	-110,9 110,9
62	83	52	1NT	D N 4	800	-113,0 113,0
43	207	212	2Ruter	D N 4	1100	-116,0 116,0
113	36	170	3Spar	D N 5	1100	-116,0 116,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
55	221	37	4 Hjerter	N 10	620	117,0	-117,0
103	107	186	3 NT	Ø 7	200	109,9	-109,9
25	203	121	4 Spar	V 8	200	109,9	-109,9
61	127	157	5 Hjerter	Ø 9	200	109,9	-109,9
32	130	116	6 Hjerter	Ø 10	200	109,9	-109,9
17	219	119	6 Hjerter	Ø 10	200	109,9	-109,9
13	153	228	6 NT	V 10	200	109,9	-109,9
98	232	163	3 NT	Ø 8	100	91,8	-91,8
92	2	98	3 NT	Ø 8	100	91,8	-91,8
116	230	209	3 NT	Ø 8	100	91,8	-91,8
76	140	167	4 Hjerter	Ø 9	100	91,8	-91,8
73	184	102	4 Hjerter	Ø 9	100	91,8	-91,8
93	59	38	4 Hjerter	Ø 9	100	91,8	-91,8
102	110	95	4 Hjerter	Ø 9	100	91,8	-91,8
33	65	229	4 Hjerter	Ø 9	100	91,8	-91,8
24	150	86	4 Hjerter	V 9	100	91,8	-91,8
12	68	69	6 Hjerter	Ø 11	100	91,8	-91,8
64	24	123	6 Hjerter	Ø 11	100	91,8	-91,8
14	61	146	6 Hjerter	Ø 11	100	91,8	-91,8
96	177	29	4 Hjerter	N 9	100	78,7	-78,7
47	196	53	2 Hjerter	V 10	170	75,6	-75,6
86	112	46	3 Hjerter	V 10	170	75,6	-75,6
62	83	52	3 Ruter	D S 7	500	72,6	-72,6
118	199	55	3 NT	Ø 9	600	59,5	-59,5
88	93	125	3 NT	Ø 9	600	59,5	-59,5
19	171	137	3 NT	Ø 9	600	59,5	-59,5
49	224	16	3 NT	Ø 9	600	59,5	-59,5
67	214	217	3 NT	Ø 9	600	59,5	-59,5
15	3	142	3 NT	Ø 9	600	59,5	-59,5
113	36	170	3 NT	Ø 9	600	59,5	-59,5
101	50	43	3 NT	Ø 9	600	59,5	-59,5
59	81	213	3 NT	Ø 9	600	59,5	-59,5
16	8	124	3 NT	Ø 9	600	59,5	-59,5
68	10	139	3 NT	Ø 9	600	59,5	-59,5
38	85	23	3 NT	Ø 9	600	59,5	-59,5
100	197	101	4 Hjerter	Ø 10	620	-9,1	9,1
4	48	159	4 Hjerter	Ø 10	620	-9,1	9,1
2	211	72	4 Hjerter	Ø 10	620	-9,1	9,1
40	97	70	4 Hjerter	Ø 10	620	-9,1	9,1
31	40	80	4 Hjerter	Ø 10	620	-9,1	9,1
82	94	169	4 Hjerter	Ø 10	620	-9,1	9,1
22	204	173	4 Hjerter	Ø 10	620	-9,1	9,1
43	207	212	4 Hjerter	V 10	620	-9,1	9,1
8	103	236	4 Hjerter	Ø 10	620	-9,1	9,1
108	231	74	4 Hjerter	Ø 10	620	-9,1	9,1
94	60	178	4 Hjerter	Ø 10	620	-9,1	9,1
1	77	206	4 Hjerter	V 10	620	-9,1	9,1
41	64	44	4 Hjerter	Ø 10	620	-9,1	9,1
74	92	73	4 Hjerter	Ø 10	620	-9,1	9,1
117	172	51	4 Hjerter	V 10	620	-9,1	9,1
78	222	145	4 Hjerter	Ø 10	620	-9,1	9,1
87	89	54	4 Hjerter	Ø 10	620	-9,1	9,1
3	45	100	4 Hjerter	Ø 10	620	-9,1	9,1
114	57	134	4 Hjerter	Ø 10	620	-9,1	9,1
53	9	187	4 Hjerter	Ø 10	620	-9,1	9,1
81	108	138	4 Hjerter	Ø 10	620	-9,1	9,1
44	191	136	4 Hjerter	Ø 10	620	-9,1	9,1
77	122	104	4 Hjerter	Ø 10	620	-9,1	9,1
104	33	4	4 Hjerter	V 10	620	-9,1	9,1
90	111	151	4 Hjerter	Ø 10	620	-9,1	9,1
42	49	96	4 Hjerter	Ø 10	620	-9,1	9,1
85	155	13	4 Hjerter	Ø 10	620	-9,1	9,1
60	113	183	4 Hjerter	Ø 10	620	-9,1	9,1
54	165	12	4 Hjerter	Ø 10	620	-9,1	9,1
21	90	148	4 Hjerter	V 10	620	-9,1	9,1
115	193	234	4 Hjerter	V 10	620	-9,1	9,1
107	75	156	4 Hjerter	Ø 10	620	-9,1	9,1
35	189	194	4 Hjerter	V 10	620	-9,1	9,1
5	25	149	4 Hjerter	Ø 10	620	-9,1	9,1
11	28	131	4 Hjerter	Ø 10	620	-9,1	9,1
91	141	164	4 Hjerter	Ø 10	620	-9,1	9,1
65	218	82	4 Hjerter	V 10	620	-9,1	9,1
84	210	120	4 Hjerter	Ø 10	620	-9,1	9,1
23	201	41	4 Hjerter	Ø 10	620	-9,1	9,1
105	32	162	4 Hjerter	V 10	620	-9,1	9,1
56	216	118	4 Hjerter	Ø 10	620	-9,1	9,1
66	6	202	4 Hjerter	Ø 10	620	-9,1	9,1
58	126	135	4 Hjerter	V 10	620	-9,1	9,1
20	99	56	4 Hjerter	Ø 10	620	-9,1	9,1
27	176	22	4 Hjerter	Ø 10	620	-9,1	9,1
57	188	147	4 Hjerter	Ø 10	620	-9,1	9,1
75	166	31	4 Hjerter	Ø 10	620	-9,1	9,1
28	174	223	4 Hjerter	Ø 10	620	-9,1	9,1
26	14	58	4 Hjerter	V 10	620	-9,1	9,1
110	152	215	4 Hjerter	V 10	620	-9,1	9,1
97	117	39	4 Hjerter	V 10	620	-9,1	9,1
6	226	233	4 Hjerter	Ø 10	620	-9,1	9,1
10	34	35	4 Hjerter	V 10	620	-9,1	9,1
50	181	17	4 Spar	V 10	620	-9,1	9,1
39	160	88	4 Spar	Ø 10	620	-9,1	9,1
36	129	20	4 Spar	V 10	620	-9,1	9,1
111	66	180	40%-60%			-23,4	23,4
99	106	18	3 NT	Ø 10	630	-73,6	73,6
95	208	158	3 NT	Ø 10	630	-73,6	73,6
79	42	15	3 NT	Ø 10	630	-73,6	73,6
80	114	195	3 NT	Ø 10	630	-73,6	73,6
69	192	5	3 NT	Ø 10	630	-73,6	73,6
112	144	76	3 NT	Ø 10	630	-73,6	73,6
45	109	198	3 NT	Ø 10	630	-73,6	73,6
46	91	182	3 NT	Ø 10	630	-73,6	73,6
48	161	227	4 Hjerter	Ø 11	650	-90,8	90,8
18	71	235	4 Hjerter	V 11	650	-90,8	90,8
51	200	1	4 Hjerter	Ø 11	650	-90,8	90,8
30	84	30	4 Hjerter	Ø 11	650	-90,8	90,8
7	63	133	4 Hjerter	Ø 11	650	-90,8	90,8
34	115	11	4 Hjerter	Ø 11	650	-90,8	90,8
71	190	105	4 Hjerter	Ø 11	650	-90,8	90,8
83	168	67	4 Hjerter	Ø 11	650	-90,8	90,8
37	128	27	5 Hjerter	Ø 11	650	-90,8	90,8
106	47	143	3 NT	Ø 11	660	-106,9	106,9
72	21	87	3 NT	Ø 11	660	-106,9	106,9
70	220	78	3 NT	Ø 11	660	-106,9	106,9
52	205	62	3 NT	Ø 11	660	-106,9	106,9
63	79	19	3 NT	Ø 11	660	-106,9	106,9
109	225	7	3 NT	Ø 11	660	-106,9	106,9
29	154	132	3 NT	Ø 11	660	-106,9	106,9
89	26	175	3 NT	Ø 12	690	-115,0	115,0
9	179	185	2 Spar	D S 4	1100	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
4	48	159	3 Ruter	D Ø 6 500	116,0	-116,0
95	208	158	4 Ruter	D Ø 7 500	116,0	-116,0
22	204	173	4 Spar	D Ø 8 300	111,9	-111,9
86	112	46	5 Kløver	D Ø 9 300	111,9	-111,9
62	83	52	4 Ruter	Ø 6 200	108,9	-108,9
70	220	78	2 Hjerter	V 5 150	104,9	-104,9
32	130	116	4 Spar	Ø 7 150	104,9	-104,9
110	152	215	4 Spar	Ø 7 150	104,9	-104,9
77	122	104	2 Hjerter	N 9 140	97,8	-97,8
96	177	29	3 Hjerter	N 9 140	97,8	-97,8
78	222	145	3 Hjerter	N 9 140	97,8	-97,8
7	63	133	3 Hjerter	N 9 140	97,8	-97,8
118	199	55	2 Hjerter	N 8 110	87,7	-87,7
64	24	123	2 Hjerter	S 8 110	87,7	-87,7
68	10	139	2 Hjerter	S 8 110	87,7	-87,7
15	3	142	2 Hjerter	N 8 110	87,7	-87,7
90	111	151	2 Hjerter	N 8 110	87,7	-87,7
58	126	135	2 Hjerter	N 8 110	87,7	-87,7
92	2	98	1 NT	V 5 100	70,6	-70,6
114	57	134	2 Ruter	V 6 100	70,6	-70,6
50	181	17	3 Kløver	Ø 7 100	70,6	-70,6
75	166	31	3 NT	Ø 7 100	70,6	-70,6
60	113	183	3 NT	Ø 7 100	70,6	-70,6
74	92	73	3 Ruter	Ø 7 100	70,6	-70,6
16	8	124	3 Ruter	Ø 7 100	70,6	-70,6
82	94	169	3 Spar	V 7 100	70,6	-70,6
91	141	164	4 Kløver	Ø 8 100	70,6	-70,6
25	203	121	4 Kløver	Ø 8 100	70,6	-70,6
57	188	147	4 Kløver	Ø 8 100	70,6	-70,6
98	232	163	1 NT	V 6 50	46,4	-46,4
23	201	41	3 Kløver	Ø 8 50	46,4	-46,4
28	174	223	3 Kløver	Ø 8 50	46,4	-46,4
100	197	101	3 Kløver	Ø 8 50	46,4	-46,4
37	128	27	3 Kløver	Ø 8 50	46,4	-46,4
93	59	38	3 Kløver	Ø 8 50	46,4	-46,4
83	168	67	3 Kløver	Ø 8 50	46,4	-46,4
69	192	5	3 Kløver	Ø 8 50	46,4	-46,4
10	34	35	3 Kløver	V 8 50	46,4	-46,4
76	140	167	3 Kløver	Ø 8 50	46,4	-46,4
13	153	228	3 Kløver	Ø 8 50	46,4	-46,4
46	91	182	3 NT	Ø 8 50	46,4	-46,4
67	214	217	4 Kløver	Ø 9 50	46,4	-46,4
18	71	235	3 Hjerter	N 8 50	5,0	-5,0
116	230	209	3 Hjerter	S 8 50	5,0	-5,0
39	160	88	3 Hjerter	N 8 50	5,0	-5,0
55	221	37	3 Hjerter	N 8 50	5,0	-5,0
65	218	82	3 Hjerter	N 8 50	5,0	-5,0
11	28	131	3 Hjerter	N 8 50	5,0	-5,0
71	190	105	3 Hjerter	N 8 50	5,0	-5,0
61	127	157	3 Hjerter	N 8 50	5,0	-5,0
113	36	170	3 Hjerter	N 8 50	5,0	-5,0
94	60	178	3 Hjerter	N 8 50	5,0	-5,0
102	110	95	3 Hjerter	N 8 50	5,0	-5,0
59	81	213	3 Hjerter	N 8 50	5,0	-5,0
103	107	186	3 Hjerter	N 8 50	5,0	-5,0
112	144	76	3 Hjerter	N 8 50	5,0	-5,0
105	32	162	3 Hjerter	N 8 50	5,0	-5,0
80	114	195	3 Hjerter	N 8 50	5,0	-5,0
35	189	194	3 Hjerter	N 8 50	5,0	-5,0
115	193	234	3 Hjerter	S 8 50	5,0	-5,0
24	150	86	3 Hjerter	N 8 50	5,0	-5,0
9	179	185	3 Hjerter	N 8 50	5,0	-5,0
27	176	22	3 Hjerter	N 8 50	5,0	-5,0
117	172	51	3 Hjerter	N 8 50	5,0	-5,0
54	165	12	3 Hjerter	N 8 50	5,0	-5,0
48	161	227	3 Hjerter	N 8 50	5,0	-5,0
101	50	43	3 Hjerter	N 8 50	5,0	-5,0
2	211	72	3 Hjerter	N 8 50	5,0	-5,0
31	40	80	3 Hjerter	N 8 50	5,0	-5,0
66	6	202	4 Hjerter	N 9 50	5,0	-5,0
111	66	180	40%-60%		-23,4	23,4
41	64	44	1 NT	Ø 7 90	-24,2	24,2
73	184	102	3 Hjerter	N 7 100	-37,3	37,3
56	216	118	3 Hjerter	D N 8 100	-37,3	37,3
107	75	156	3 Hjerter	S 7 100	-37,3	37,3

19	171	137	3 Hjerter	D N 8 100	-37,3	37,3
17	219	119	4 Hjerter	N 8 100	-37,3	37,3
88	93	125	4 Hjerter	N 8 100	-37,3	37,3
53	9	187	4 Hjerter	N 8 100	-37,3	37,3
85	155	13	4 Hjerter	N 8 100	-37,3	37,3
20	99	56	4 Hjerter	N 8 100	-37,3	37,3
99	106	18	4 Hjerter	D N 9 100	-37,3	37,3
52	205	62	4 Hjerter	S 8 100	-37,3	37,3
42	49	96	4 Hjerter	N 8 100	-37,3	37,3
8	103	236	2 Spar	Ø 8 110	-57,5	57,5
45	109	198	2 Spar	Ø 8 110	-57,5	57,5
33	65	229	3 Kløver	V 9 110	-57,5	57,5
5	25	149	3 Kløver	V 9 110	-57,5	57,5
1	77	206	3 Kløver	Ø 9 110	-57,5	57,5
30	84	30	3 Kløver	Ø 9 110	-57,5	57,5
51	200	1	3 Kløver	Ø 9 110	-57,5	57,5
87	89	54	3 Kløver	Ø 9 110	-57,5	57,5
49	224	16	3 Spar	Ø 9 140	-66,6	66,6
6	226	233	1 NT	V 9 150	-69,6	69,6
29	154	132	1 NT	V 9 150	-69,6	69,6
43	207	212	1 NT	D V 7 180	-73,6	73,6
12	68	69	2 Ruter	D Ø 8 180	-73,6	73,6
84	210	120	2 Kløver	N 4 200	-76,6	76,6
44	191	136	4 Hjerter	D N 8 300	-93,8	93,8
36	129	20	4 Hjerter	D S 8 300	-93,8	93,8
72	21	87	4 Hjerter	D N 8 300	-93,8	93,8
106	47	143	4 Hjerter	D N 8 300	-93,8	93,8
40	97	70	4 Hjerter	D S 8 300	-93,8	93,8
109	225	7	4 Hjerter	D S 8 300	-93,8	93,8
63	79	19	4 Hjerter	D S 8 300	-93,8	93,8
38	85	23	4 Hjerter	D N 8 300	-93,8	93,8
79	42	15	4 Hjerter	D S 8 300	-93,8	93,8
3	45	100	4 Hjerter	D N 8 300	-93,8	93,8
104	33	4	4 Hjerter	D N 8 300	-93,8	93,8
47	196	53	4 Hjerter	D N 8 300	-93,8	93,8
89	26	175	4 Hjerter	D N 8 300	-93,8	93,8
26	14	58	4 Hjerter	D N 8 300	-93,8	93,8
81	108	138	4 Hjerter	D N 8 300	-93,8	93,8
14	61	146	4 Hjerter	D N 8 300	-93,8	93,8
97	117	39	3 NT	Ø 9 400	-113,0	113,0
21	90	148	3 NT	V 9 400	-113,0	113,0
108	231	74	3 NT	Ø 9 400	-113,0	113,0
34	115	11	4 Hjerter	D N 7 500	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Mappenr: 15(79)
Rundrenn: 27
NS (S)

Bord	NS	ØV	NS	ØV	NS	ØV	NS	ØV		
84	114	67	6 Hjerter	S 12 1430	115,0	-115,0	50	1 147 4 Hjerter S 11 650 -21,2 21,2		
31	207	130	6 Hjerter	S 12 1430	115,0	-115,0	102	163 32 4 Hjerter S 11 650 -21,2 21,2		
86	169	98	6 Hjerter	S 12 1430	115,0	-115,0	29	41 20 4 Hjerter S 11 650 -21,2 21,2		
106	74	156	5 Spar	D V 6 1100	110,9	-110,9	108	186 215 4 Hjerter S 11 650 -21,2 21,2		
49	88	12	4 Hjerter	D V 6 800	103,9	-103,9	78	73 145 4 Hjerter S 11 650 -21,2 21,2		
89	167	178	4 Spar	D V 6 800	103,9	-103,9	4	48 28 4 Hjerter S 11 650 -21,2 21,2		
118	209	199	4 Spar	D V 6 800	103,9	-103,9	14	3 8 5 Hjerter N 11 650 -21,2 21,2		
5	159	149	4 Spar	D Ø 6 800	103,9	-103,9	99	38 197 5 Hjerter S 11 650 -21,2 21,2		
67	5	81	4 Spar	D V 6 800	103,9	-103,9	115	36 234 5 Hjerter S 11 650 -21,2 21,2		
41	194	64	4 Spar	D V 6 800	103,9	-103,9	80	21 183 5 Hjerter S 11 650 -21,2 21,2		
81	222	166	5 Ruter	D S 11 750	96,8	-96,8	42	160 27 3 NT S 10 630 -52,4 52,4		
7	179	25	4 Hjerter	N 12 680	52,4	-52,4	96	208 112 4 Hjerter S 10 620 -59,5 59,5		
61	118	42	4 Hjerter	S 12 680	52,4	-52,4	113	134 172 4 Hjerter N 10 620 -59,5 59,5		
8	133	34	4 Hjerter	N 12 680	52,4	-52,4	23	201 176 4 Hjerter S 10 620 -59,5 59,5		
19	219	189	4 Hjerter	S 12 680	52,4	-52,4	75	190 108 4 Hjerter S 10 620 -59,5 59,5		
93	177	60	4 Hjerter	S 12 680	52,4	-52,4	48	70 161 4 Hjerter S 10 620 -59,5 59,5		
66	212	192	4 Hjerter	S 12 680	52,4	-52,4	117	55 51 4 Hjerter S 10 620 -59,5 59,5		
53	202	135	4 Hjerter	S 12 680	52,4	-52,4	105	143 101 3 NT S 9 600 -75,6 75,6		
88	117	155	4 Hjerter	N 12 680	52,4	-52,4	90	39 89 3 NT S 9 600 -75,6 75,6		
73	15	168	4 Hjerter	S 12 680	52,4	-52,4	46	23 16 5 Ruter S 11 600 -75,6 75,6		
20	99	124	4 Hjerter	S 12 680	52,4	-52,4	21	173 150 5 Ruter S 11 600 -75,6 75,6		
38	113	17	4 Hjerter	S 12 680	52,4	-52,4	37	85 198 5 Ruter S 11 600 -75,6 75,6		
65	13	79	4 Hjerter	S 12 680	52,4	-52,4	101	231 107 5 Ruter S 11 600 -75,6 75,6		
112	76	193	4 Hjerter	S 12 680	52,4	-52,4	35	84 44 5 Ruter S 11 600 -75,6 75,6		
98	59	106	4 Hjerter	S 12 680	52,4	-52,4	2	226 72 5 Ruter S 11 600 -75,6 75,6		
52	200	97	4 Hjerter	S 12 680	52,4	-52,4	16	142 68 5 Ruter S 11 600 -75,6 75,6		
63	83	122	4 Hjerter	S 12 680	52,4	-52,4	3	77 45 5 Ruter S 11 600 -75,6 75,6		
15	58	235	4 Hjerter	S 12 680	52,4	-52,4	103	43 75 4 Spar D V 7 500 -93,8 93,8		
71	92	82	4 Hjerter	S 12 680	52,4	-52,4	68	139 78 4 Spar D Ø 7 500 -93,8 93,8		
40	182	80	4 Hjerter	S 12 680	52,4	-52,4	60	87 220 4 Spar D V 7 500 -93,8 93,8		
72	104	6	4 Hjerter	S 12 680	52,4	-52,4	77	102 19 4 Spar D V 7 500 -93,8 93,8		
58	129	214	4 Hjerter	S 12 680	52,4	-52,4	43	216 224 4 Spar D V 7 500 -93,8 93,8		
100	95	29	4 Hjerter	S 12 680	52,4	-52,4	9	185 103 4 Spar D V 7 500 -93,8 93,8		
59	218	126	4 Hjerter	S 12 680	52,4	-52,4	44	11 109 4 Spar D V 7 500 -93,8 93,8		
13	35	69	4 Hjerter	S 12 680	52,4	-52,4	26	229 204 4 Spar D V 7 500 -93,8 93,8		
18	119	71	4 Hjerter	S 12 680	52,4	-52,4	82	125 210 3 Spar D V 7 300 -102,9 102,9		
22	56	14	4 Hjerter	S 12 680	52,4	-52,4	116	57 230 4 Ruter S 11 150 -105,9 105,9		
70	188	127	4 Hjerter	S 12 680	52,4	-52,4	97	151 110 4 Spar V 7 150 -105,9 105,9		
25	137	148	4 Hjerter	S 12 680	52,4	-52,4	56	221 62 4 Ruter S 10 130 -109,9 109,9		
110	7	180	4 Hjerter	S 12 680	52,4	-52,4	107	50 152 4 Ruter S 10 130 -109,9 109,9		
109	33	162	4 Hjerter	S 12 680	52,4	-52,4	30	65 86 3 Spar V 7 100 -113,0 113,0		
74	54	184	4 Hjerter	N 12 680	52,4	-52,4	6	63 211 2 Kløver N 8 90 -115,0 115,0		
47	49	128	4 Hjerter	S 12 680	52,4	-52,4	33	40 174 5 Hjerter S 10 100 -117,0 117,0		
36	116	196	4 Hjerter	N 12 680	52,4	-52,4				
104	47	225	4 Hjerter	S 12 680	52,4	-52,4				
34	115	203	4 Hjerter	S 12 680	52,4	-52,4				
17	61	171	4 Hjerter	S 12 680	52,4	-52,4				
39	96	191	4 Hjerter	S 12 680	52,4	-52,4				
54	227	24	4 Hjerter	S 12 680	52,4	-52,4				
45	136	165	4 Hjerter	S 12 680	52,4	-52,4				
32	121	22	4 Hjerter	S 12 680	52,4	-52,4				
85	195	157	5 Hjerter	N 12 680	52,4	-52,4				
27	154	223	5 Hjerter	S 12 680	52,4	-52,4				
10	233	153	5 Hjerter	S 12 680	52,4	-52,4				
114	170	66	60%-40%		23,4	-23,4				
69	31	53	4 Hjerter	N 11 650	-21,2	21,2				
24	91	90	4 Hjerter	S 11 650	-21,2	21,2				
87	138	111	4 Hjerter	S 11 650	-21,2	21,2				
92	2	164	4 Hjerter	S 11 650	-21,2	21,2				
55	213	9	4 Hjerter	S 11 650	-21,2	21,2				
94	158	26	4 Hjerter	S 11 650	-21,2	21,2				
83	120	217	4 Hjerter	S 11 650	-21,2	21,2				
91	141	232	4 Hjerter	N 11 650	-21,2	21,2				
57	187	37	4 Hjerter	S 11 650	-21,2	21,2				
76	105	46	4 Hjerter	S 11 650	-21,2	21,2				
1	206	100	4 Hjerter	S 11 650	-21,2	21,2				
11	146	228	4 Hjerter	S 11 650	-21,2	21,2				
12	131	236	4 Hjerter	S 11 650	-21,2	21,2				
28	132	30	4 Hjerter	S 11 650	-21,2	21,2				
79	140	93	4 Hjerter	S 11 650	-21,2	21,2				
51	10	181	4 Hjerter	S 11 650	-21,2	21,2				
95	18	175	4 Hjerter	S 11 650	-21,2	21,2				
62	123	205	4 Hjerter	S 11 650	-21,2	21,2				
64	52	94	4 Hjerter	S 11 650	-21,2	21,2				
111	4	144	4 Hjerter	S 11 650	-21,2	21,2				


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
95	18	175	6NT	S 12	990	110,9	-110,9
19	219	189	6NT	S 12	990	110,9	-110,9
50	1	147	6NT	S 12	990	110,9	-110,9
5	159	149	6NT	N 12	990	110,9	-110,9
53	202	135	6NT	S 12	990	110,9	-110,9
86	169	98	6NT	S 12	990	110,9	-110,9
57	187	37	6NT	S 12	990	110,9	-110,9
18	119	71	6Ruter	S 12	920	54,9	-54,9
51	10	181	6Ruter	S 12	920	54,9	-54,9
67	5	81	6Ruter	S 12	920	54,9	-54,9
26	229	204	6Ruter	S 12	920	54,9	-54,9
44	11	109	6Ruter	S 12	920	54,9	-54,9
34	115	203	6Ruter	S 12	920	54,9	-54,9
61	118	42	6Ruter	S 12	920	54,9	-54,9
4	48	28	6Ruter	S 12	920	54,9	-54,9
17	61	171	6Ruter	S 12	920	54,9	-54,9
47	49	128	6Ruter	S 12	920	54,9	-54,9
3	77	45	6Ruter	S 12	920	54,9	-54,9
68	139	78	6Ruter	S 12	920	54,9	-54,9
99	38	197	6Ruter	S 12	920	54,9	-54,9
49	88	12	6Ruter	S 12	920	54,9	-54,9
21	173	150	6Ruter	S 12	920	54,9	-54,9
40	182	80	6Ruter	S 12	920	54,9	-54,9
110	7	180	6Ruter	N 12	920	54,9	-54,9
59	218	126	6Ruter	S 12	920	54,9	-54,9
82	125	210	6Ruter	S 12	920	54,9	-54,9
58	129	214	6Ruter	S 12	920	54,9	-54,9
54	227	24	6Ruter	S 12	920	54,9	-54,9
62	123	205	6Ruter	S 12	920	54,9	-54,9
78	73	145	6Ruter	S 12	920	54,9	-54,9
55	213	9	6Ruter	S 12	920	54,9	-54,9
76	105	46	6Ruter	S 12	920	54,9	-54,9
15	58	235	6Ruter	S 12	920	54,9	-54,9
72	104	6	6Ruter	S 12	920	54,9	-54,9
113	134	172	6Ruter	S 12	920	54,9	-54,9
37	85	198	6Ruter	S 12	920	54,9	-54,9
100	95	29	6Ruter	S 12	920	54,9	-54,9
118	209	199	6Ruter	S 12	920	54,9	-54,9
92	2	164	6Ruter	S 12	920	54,9	-54,9
24	91	90	6Ruter	N 12	920	54,9	-54,9
14	3	8	6Ruter	S 12	920	54,9	-54,9
84	114	67	6Ruter	S 12	920	54,9	-54,9
116	57	230	6Ruter	S 12	920	54,9	-54,9
74	54	184	6Ruter	S 12	920	54,9	-54,9
33	40	174	6Ruter	S 12	920	54,9	-54,9
2	226	72	6Ruter	S 12	920	54,9	-54,9
48	70	161	6Ruter	S 12	920	54,9	-54,9
104	47	225	6Ruter	N 12	920	54,9	-54,9
106	74	156	6Ruter	S 12	920	54,9	-54,9
70	188	127	6Ruter	S 12	920	54,9	-54,9
46	23	16	6Ruter	S 12	920	54,9	-54,9
89	167	178	6Ruter	S 12	920	54,9	-54,9
13	35	69	6Ruter	S 12	920	54,9	-54,9
87	138	111	6Ruter	S 12	920	54,9	-54,9
63	83	122	6Ruter	S 12	920	54,9	-54,9
114	170	66	60%-40%			23,4	-23,4
10	233	153	60%-60%			23,4	23,4
69	31	53	5Ruter	D S 12	650	4,1	-4,1
90	39	89	5Ruter	D S 12	650	4,1	-4,1
98	59	106	3NT	S 12	490	-2,0	2,0
94	158	26	3NT	S 12	490	-2,0	2,0
42	160	27	3NT	S 12	490	-2,0	2,0
30	65	86	5NT	S 12	490	-2,0	2,0
23	201	176	3NT	S 11	460	-9,2	9,2
108	186	215	3NT	S 11	460	-9,2	9,2
52	200	97	3NT	S 11	460	-9,2	9,2
11	146	228	4Spar	N 11	450	-41,7	41,7
80	21	183	4Spar	N 11	450	-41,7	41,7
38	113	17	4Spar	N 11	450	-41,7	41,7
71	92	82	4Spar	N 11	450	-41,7	41,7
77	102	19	4Spar	N 11	450	-41,7	41,7
111	4	144	4Spar	N 11	450	-41,7	41,7
43	216	224	4Spar	N 11	450	-41,7	41,7
81	222	166	4Spar	N 11	450	-41,7	41,7
102	163	32	4Spar	N 11	450	-41,7	41,7

117	55	51	4 Spar	N 11	450	-41,7	41,7
85	195	157	4 Spar	N 11	450	-41,7	41,7
31	207	130	4 Spar	N 11	450	-41,7	41,7
20	99	124	4 Spar	N 11	450	-41,7	41,7
101	231	107	4 Spar	N 11	450	-41,7	41,7
7	179	25	4 Spar	S 11	450	-41,7	41,7
66	212	192	4 Spar	N 11	450	-41,7	41,7
22	56	14	4 Spar	N 11	450	-41,7	41,7
107	50	152	4 Spar	N 11	450	-41,7	41,7
79	140	93	4 Spar	N 11	450	-41,7	41,7
6	63	211	4 Spar	N 11	450	-41,7	41,7
8	133	34	5 Spar	N 11	450	-41,7	41,7
16	142	68	5 Spar	N 11	450	-41,7	41,7
105	143	101	5 Spar	N 11	450	-41,7	41,7
29	41	20	5 Spar	N 11	450	-41,7	41,7
27	154	223	5 Spar	N 11	450	-41,7	41,7
65	13	79	5 Spar	N 11	450	-41,7	41,7
25	137	148	5 Spar	N 11	450	-41,7	41,7
41	194	64	5 Spar	N 11	450	-41,7	41,7
91	141	232	5 Spar	N 11	450	-41,7	41,7
56	221	62	5 Ruter	S 12	420	-75,3	75,3
12	131	236	5 Ruter	N 12	420	-75,3	75,3
115	36	234	5 Ruter	S 12	420	-75,3	75,3
45	136	165	5 Ruter	N 12	420	-75,3	75,3
64	52	94	6 NT	S 11	50	-95,6	95,6
83	120	217	6 NT	S 11	50	-95,6	95,6
60	87	220	6 NT	S 11	50	-95,6	95,6
109	33	162	6 NT	N 11	50	-95,6	95,6
28	132	30	6 NT	S 11	50	-95,6	95,6
32	121	22	6 NT	S 11	50	-95,6	95,6
73	15	168	6 Spar	N 11	50	-95,6	95,6
88	117	155	6 Spar	S 11	50	-95,6	95,6
36	116	196	6 Spar	N 11	50	-95,6	95,6
97	151	110	6 Spar	N 11	50	-95,6	95,6
39	96	191	6 Spar	N 11	50	-95,6	95,6
96	208	112	6 Spar	N 11	50	-95,6	95,6
112	76	193	6 Spar	N 11	50	-95,6	95,6
103	43	75	6 Spar	N 11	50	-95,6	95,6
93	177	60	6 Spar	N 11	50	-95,6	95,6
35	84	44	6 Spar	N 11	50	-95,6	95,6
1	206	100	4 Hjerter	S 8	100	-113,9	113,9
9	185	103	7 Ruter	D S 12	100	-113,9	113,9
75	190	108	7 NT	D N 11	300	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
116	57	230	Pass			117,0	-117,0
15	58	235	2 Ruter	S 7	50	115,0	-115,0
45	136	165	2 Hjerter	S 6	100	107,9	-107,9
101	231	107	2 Hjerter	N 6	100	107,9	-107,9
62	123	205	2 Hjerter	S 6	100	107,9	-107,9
66	212	192	2 Hjerter	N 6	100	107,9	-107,9
58	129	214	2 Spar	N 6	100	107,9	-107,9
48	70	161	2 Spar	S 6	100	107,9	-107,9
4	48	28	2 Spar	Ø 8	110	100,9	-100,9
90	39	89	2 Kløver	Ø 10	130	96,8	-96,8
32	121	22	3 Kløver	Ø 10	130	96,8	-96,8
12	131	236	3 Kløver	Ø 10	130	96,8	-96,8
114	170	66	60%-40%			23,4	-23,4
107	50	152	1 NT	Ø 9	150	20,2	-20,2
78	73	145	1 NT	Ø 9	150	20,2	-20,2
44	11	109	1 NT	Ø 9	150	20,2	-20,2
102	163	32	1 NT	V 9	150	20,2	-20,2
86	169	98	1 NT	V 9	150	20,2	-20,2
87	138	111	1 NT	Ø 9	150	20,2	-20,2
84	114	67	1 NT	Ø 9	150	20,2	-20,2
42	160	27	1 NT	Ø 9	150	20,2	-20,2
113	134	172	1 NT	Ø 9	150	20,2	-20,2
10	233	153	1 NT	Ø 9	150	20,2	-20,2
33	40	174	1 NT	Ø 9	150	20,2	-20,2
13	35	69	1 NT	Ø 9	150	20,2	-20,2
80	21	183	1 NT	Ø 9	150	20,2	-20,2
112	76	193	1 NT	Ø 9	150	20,2	-20,2
46	23	16	1 NT	Ø 9	150	20,2	-20,2
91	141	232	1 NT	Ø 9	150	20,2	-20,2
117	55	51	1 NT	Ø 9	150	20,2	-20,2
115	36	234	1 NT	Ø 9	150	20,2	-20,2
110	7	180	1 NT	Ø 9	150	20,2	-20,2
94	158	26	1 NT	Ø 9	150	20,2	-20,2
104	47	225	1 NT	Ø 9	150	20,2	-20,2
26	229	204	1 NT	Ø 9	150	20,2	-20,2
47	49	128	1 NT	Ø 9	150	20,2	-20,2
71	92	82	1 NT	Ø 9	150	20,2	-20,2
8	133	34	1 NT	Ø 9	150	20,2	-20,2
103	43	75	1 NT	Ø 9	150	20,2	-20,2
73	15	168	1 NT	Ø 9	150	20,2	-20,2
88	117	155	1 NT	Ø 9	150	20,2	-20,2
38	113	17	1 NT	Ø 9	150	20,2	-20,2
96	208	112	1 NT	Ø 9	150	20,2	-20,2
19	219	189	1 NT	Ø 9	150	20,2	-20,2
34	115	203	1 NT	Ø 9	150	20,2	-20,2
118	209	199	1 NT	Ø 9	150	20,2	-20,2
85	195	157	1 NT	Ø 9	150	20,2	-20,2
100	95	29	1 NT	Ø 9	150	20,2	-20,2
97	151	110	1 NT	Ø 9	150	20,2	-20,2
92	2	164	1 NT	Ø 9	150	20,2	-20,2
35	84	44	1 NT	Ø 9	150	20,2	-20,2
3	77	45	1 NT	V 9	150	20,2	-20,2
60	87	220	1 NT	Ø 9	150	20,2	-20,2
7	179	25	1 NT	Ø 9	150	20,2	-20,2
54	227	24	1 NT	Ø 9	150	20,2	-20,2
77	102	19	1 NT	Ø 9	150	20,2	-20,2
57	187	37	1 NT	Ø 9	150	20,2	-20,2
28	132	30	2 Hjerter	S 5	150	20,2	-20,2
14	3	8	2 Kløver	Ø 11	150	20,2	-20,2
82	125	210	2 NT	Ø 9	150	20,2	-20,2
22	56	14	2 NT	Ø 9	150	20,2	-20,2
2	226	72	2 NT	Ø 9	150	20,2	-20,2
24	91	90	2 NT	Ø 9	150	20,2	-20,2
111	4	144	2 NT	Ø 9	150	20,2	-20,2
9	185	103	2 NT	Ø 9	150	20,2	-20,2
83	120	217	2 NT	Ø 9	150	20,2	-20,2
40	182	80	2 NT	Ø 9	150	20,2	-20,2
79	140	93	2 NT	Ø 9	150	20,2	-20,2
59	218	126	2 NT	Ø 9	150	20,2	-20,2
21	173	150	2 NT	Ø 9	150	20,2	-20,2
61	118	42	2 NT	Ø 9	150	20,2	-20,2
43	216	224	2 NT	Ø 9	150	20,2	-20,2
49	88	12	2 NT	Ø 9	150	20,2	-20,2
20	99	124	2 NT	Ø 9	150	20,2	-20,2
89	167	178	2 NT	Ø 9	150	20,2	-20,2

69	31	53	2 NT	Ø 9	150	20,2	-20,2
16	142	68	2 NT	Ø 9	150	20,2	-20,2
76	105	46	2 NT	Ø 9	150	20,2	-20,2
56	221	62	2 NT	Ø 9	150	20,2	-20,2
11	146	228	2 NT	Ø 9	150	20,2	-20,2
39	96	191	2 NT	Ø 9	150	20,2	-20,2
29	41	20	2 Spar	S 5	150	20,2	-20,2
55	213	9	3 Kløver	Ø 11	150	20,2	-20,2
36	116	196	3 Kløver	Ø 11	150	20,2	-20,2
72	104	6	3 Kløver	Ø 11	150	20,2	-20,2
37	85	198	3 Kløver	Ø 11	150	20,2	-20,2
23	201	176	1 NT	Ø 10	180	-62,5	62,5
105	143	101	1 NT	Ø 10	180	-62,5	62,5
41	194	64	1 NT	Ø 10	180	-62,5	62,5
99	38	197	1 NT	Ø 10	180	-62,5	62,5
95	18	175	1 NT	Ø 10	180	-62,5	62,5
109	33	162	1 NT	Ø 10	180	-62,5	62,5
52	200	97	1 NT	Ø 10	180	-62,5	62,5
106	74	156	2 NT	Ø 10	180	-62,5	62,5
70	188	127	2 NT	V 10	180	-62,5	62,5
63	83	122	1 NT	N 3	200	-73,6	73,6
108	186	215	2 Spar	S 4	200	-73,6	73,6
50	1	147	1 NT	Ø 11	210	-77,7	77,7
31	207	130	2 NT	Ø 11	210	-77,7	77,7
1	206	100	1 NT	D Ø 9	380	-80,7	80,7
5	159	149	3 NT	Ø 9	400	-90,8	90,8
64	52	94	3 NT	Ø 9	400	-90,8	90,8
68	139	78	3 NT	Ø 9	400	-90,8	90,8
93	177	60	3 NT	Ø 9	400	-90,8	90,8
74	54	184	3 NT	Ø 9	400	-90,8	90,8
67	5	81	3 NT	Ø 9	400	-90,8	90,8
18	119	71	3 NT	Ø 9	400	-90,8	90,8
53	202	135	3 NT	Ø 9	400	-90,8	90,8
27	154	223	3 NT	Ø 9	400	-90,8	90,8
98	59	106	3 NT	Ø 10	430	-105,9	105,9
65	13	79	3 NT	Ø 10	430	-105,9	105,9
30	65	86	3 NT	Ø 10	430	-105,9	105,9
75	190	108	3 NT	Ø 10	430	-105,9	105,9
51	10	181	3 NT	Ø 10	430	-105,9	105,9
6	63	211	3 NT	Ø 10	430	-105,9	105,9
17	61	171	2 Ruter	D N 5	500	-114,0	114,0
81	222	166	2 Spar	D S 5	500	-114,0	114,0
25	137	148	2 Hjerter	D N 4	800	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ AK65 Mappen: **18(82)**
 ♥ T76 Rundennr: **28**
 ♦ 43 NS (Ø)
 ♣ AKQ4


♠ J432 N
 ♥ AQ V
 ♦ AQT6 S
 ♣ 983 Ø
 ♠ 7 K942
 ♥ KJ875
 ♦ JT7
 ♣ JT7

♠ QT98
 ♥ J853
 ♦ 92
 ♣ 652

Bord	NS	ØV		NS	ØV	NS	ØV
83	39	104	1NT	D N 8	380	117,0	-117,0
37	198	113	3NT	D V 7	300	114,0	-114,0
95	169	177	5Ruter	D V 9	300	114,0	-114,0
28	124	142	2Spar	Ø 5	150	110,9	-110,9
5	159	34	2Spar	S 8	110	107,9	-107,9
71	205	166	2Spar	S 8	110	107,9	-107,9
89	167	208	1NT	Ø 5	100	97,8	-97,8
99	32	143	1NT	Ø 5	100	97,8	-97,8
53	212	216	4Ruter	D V 9	100	97,8	-97,8
45	64	207	4Ruter	D V 9	100	97,8	-97,8
106	43	231	4Ruter	D V 9	100	97,8	-97,8
36	70	90	4Ruter	D V 9	100	97,8	-97,8
75	105	125	4Ruter	D V 9	100	97,8	-97,8
32	86	154	4Ruter	D V 9	100	97,8	-97,8
114	170	215	1NT	N 7	90	87,7	-87,7
47	87	128	1NT	N 7	90	87,7	-87,7
29	14	173	1NT	Ø 6	50	79,7	-79,7
76	42	31	3Ruter	V 8	50	79,7	-79,7
19	228	189	4Ruter	V 9	50	79,7	-79,7
27	203	41	4Ruter	V 9	50	79,7	-79,7
74	2	190	4Ruter	Ø 9	50	79,7	-79,7
35	44	182	4Ruter	V 9	50	79,7	-79,7
13	131	148	3Spar	N 8	100	70,6	-70,6
65	97	78	3Spar	N 8	100	70,6	-70,6
60	202	127	3Spar	N 8	100	70,6	-70,6
116	134	66	60%-40%			23,4	-23,4
25	132	40	1Ruter	V 9	110	-7,1	7,1
84	175	112	2Ruter	V 9	110	-7,1	7,1
91	18	157	2Ruter	V 9	110	-7,1	7,1
103	26	151	2Ruter	V 9	110	-7,1	7,1
64	9	135	2Ruter	V 9	110	-7,1	7,1
3	48	100	2Ruter	V 9	110	-7,1	7,1
24	61	201	2Ruter	V 9	110	-7,1	7,1
98	106	156	2Ruter	V 9	110	-7,1	7,1
18	30	176	2Ruter	V 9	110	-7,1	7,1
100	7	74	2Ruter	V 9	110	-7,1	7,1
58	200	15	2Ruter	V 9	110	-7,1	7,1
38	16	221	2Ruter	V 9	110	-7,1	7,1
107	33	186	2Ruter	V 9	110	-7,1	7,1
109	225	172	2Ruter	V 9	110	-7,1	7,1
4	45	3	2Ruter	V 9	110	-7,1	7,1
108	4	75	2Ruter	V 9	110	-7,1	7,1
34	17	10	2Ruter	V 9	110	-7,1	7,1
59	161	92	2Ruter	V 9	110	-7,1	7,1
81	145	93	2Ruter	V 9	110	-7,1	7,1
43	214	227	2Ruter	V 9	110	-7,1	7,1
11	8	63	2Ruter	V 9	110	-7,1	7,1
90	46	141	2Ruter	V 9	110	-7,1	7,1
31	96	91	2Ruter	V 9	110	-7,1	7,1
82	232	102	2Ruter	V 9	110	-7,1	7,1
85	139	138	2Ruter	V 9	110	-7,1	7,1
16	130	69	2Ruter	V 9	110	-7,1	7,1
61	83	218	2Ruter	V 9	110	-7,1	7,1
22	20	71	2Ruter	V 9	110	-7,1	7,1
20	171	219	2Ruter	V 9	110	-7,1	7,1
12	211	235	2Ruter	V 9	110	-7,1	7,1
79	168	79	2Ruter	V 9	110	-7,1	7,1
78	67	108	2Ruter	V 9	110	-7,1	7,1
101	29	107	2Ruter	V 9	110	-7,1	7,1
56	191	49	2Ruter	V 9	110	-7,1	7,1
6	149	153	2Ruter	Ø 9	110	-7,1	7,1
72	52	222	2Ruter	V 9	110	-7,1	7,1
42	85	1	2Ruter	V 9	110	-7,1	7,1
117	51	36	2Ruter	V 9	110	-7,1	7,1
102	197	50	2Ruter	V 9	110	-7,1	7,1
33	174	65	2Ruter	V 9	110	-7,1	7,1
9	146	103	2Ruter	V 9	110	-7,1	7,1
17	119	150	2Ruter	V 9	110	-7,1	7,1
40	24	196	3Ruter	Ø 9	110	-7,1	7,1
7	133	25	3Ruter	Ø 9	110	-7,1	7,1
41	22	165	3Ruter	V 9	110	-7,1	7,1
51	88	115	3Ruter	V 9	110	-7,1	7,1
118	55	230	3Ruter	V 9	110	-7,1	7,1
50	80	126	3Ruter	V 9	110	-7,1	7,1
55	12	181	3Ruter	V 9	110	-7,1	7,1

115	199	144	3Ruter	V 9	110	-7,1	7,1
8	233	28	3Ruter	V 9	110	-7,1	7,1
69	81	120	3Ruter	V 9	110	-7,1	7,1
70	195	192	3Ruter	Ø 9	110	-7,1	7,1
26	229	11	3Ruter	V 9	110	-7,1	7,1
14	68	58	3Ruter	V 9	110	-7,1	7,1
105	38	180	3Ruter	V 9	110	-7,1	7,1
46	27	147	3Ruter	V 9	110	-7,1	7,1
62	54	220	3Ruter	V 9	110	-7,1	7,1
44	160	23	3Ruter	V 9	110	-7,1	7,1
87	59	21	3Ruter	V 9	110	-7,1	7,1
93	110	217	3Ruter	Ø 9	110	-7,1	7,1
96	89	158	3Ruter	V 9	110	-7,1	7,1
88	155	60	3Ruter	V 9	110	-7,1	7,1
94	178	117	3Ruter	V 9	110	-7,1	7,1
104	101	95	3Ruter	V 9	110	-7,1	7,1
80	183	123	3Ruter	V 9	110	-7,1	7,1
49	109	84	3Ruter	V 9	110	-7,1	7,1
15	236	35	3Ruter	Ø 9	110	-7,1	7,1
10	179	226	3Ruter	Ø 9	110	-7,1	7,1
113	193	57	3Ruter	V 9	110	-7,1	7,1
66	184	13	3Ruter	V 9	110	-7,1	7,1
48	187	62	3Ruter	V 9	110	-7,1	7,1
68	82	129	3Ruter	V 9	110	-7,1	7,1
111	234	163	3Ruter	V 9	110	-7,1	7,1
30	223	136	1NT	Ø 8	120	-82,7	82,7
63	6	19	2Ruter	Ø 10	130	-87,7	87,7
57	213	116	2Ruter	Ø 10	130	-87,7	87,7
97	98	152	2Ruter	Ø 10	130	-87,7	87,7
2	206	185	2Ruter	Ø 10	130	-87,7	87,7
23	137	99	2Ruter	V 11	150	-92,8	92,8
52	118	224	3Hjertes	S 7	200	-101,9	101,9
112	209	162	3Hjertes	S 7	200	-101,9	101,9
21	204	56	3Hjertes	S 7	200	-101,9	101,9
73	188	140	3Hjertes	S 7	200	-101,9	101,9
54	94	122	3Hjertes	S 7	200	-101,9	101,9
39	194	121	3Spar	D S 8	200	-101,9	101,9
86	73	210	3Spar	D N 8	200	-101,9	101,9
77	37	111	4Spar	N 8	200	-101,9	101,9
110	47	76	2Ruter	D V 9	280	-110,9	110,9
1	72	77	3Hjertes	S 5	400	-114,0	114,0
67	53	5	4Hjertes	S 6	400	-114,0	114,0
92	164	114	3Ruter	D Ø 9	470	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
107	33	186	2 Hjerter	D N 8	470	117,0	-117,0
62	54	220	2 Hjerter	N 8	110	115,0	-115,0
3	48	100	3 Ruter	V 8	100	113,0	-113,0
29	14	173	1 Hjerter	N 7	80	108,9	-108,9
97	98	152	1 Hjerter	N 7	80	108,9	-108,9
61	83	218	1 Spar	S 7	80	108,9	-108,9
38	16	221	1 Hjerter	N 6	50	75,6	-75,6
20	171	219	1 NT	N 6	50	75,6	-75,6
113	193	57	2 Hjerter	N 7	50	75,6	-75,6
117	51	36	2 Hjerter	N 7	50	75,6	-75,6
67	53	5	2 Hjerter	N 7	50	75,6	-75,6
114	170	215	2 Hjerter	N 7	50	75,6	-75,6
102	197	50	2 Hjerter	N 7	50	75,6	-75,6
2	206	185	2 Hjerter	S 7	50	75,6	-75,6
31	96	91	2 Hjerter	N 7	50	75,6	-75,6
88	155	60	2 Hjerter	N 7	50	75,6	-75,6
56	191	49	2 Hjerter	N 7	50	75,6	-75,6
98	106	156	2 Hjerter	N 7	50	75,6	-75,6
48	187	62	2 Hjerter	N 7	50	75,6	-75,6
55	12	181	2 Hjerter	N 7	50	75,6	-75,6
63	6	19	2 Hjerter	N 7	50	75,6	-75,6
85	139	138	2 Hjerter	N 7	50	75,6	-75,6
78	67	108	2 Hjerter	N 7	50	75,6	-75,6
42	85	1	2 Hjerter	N 7	50	75,6	-75,6
72	52	222	2 Hjerter	N 7	50	75,6	-75,6
109	225	172	2 Hjerter	N 7	50	75,6	-75,6
7	133	25	2 Hjerter	N 7	50	75,6	-75,6
18	30	176	2 Hjerter	N 7	50	75,6	-75,6
108	4	75	2 Hjerter	N 7	50	75,6	-75,6
77	37	111	2 Hjerter	N 7	50	75,6	-75,6
27	203	41	2 Hjerter	N 7	50	75,6	-75,6
69	81	120	3 Hjerter	N 8	50	75,6	-75,6
44	160	23	3 Hjerter	N 8	50	75,6	-75,6
70	195	192	3 Hjerter	N 8	50	75,6	-75,6
118	55	230	3 Hjerter	N 8	50	75,6	-75,6
12	211	235	3 Hjerter	N 8	50	75,6	-75,6
116	134	66	60%-40%			23,4	-23,4
41	22	165	2 Hjerter	N 6	100	1,0	-1,0
103	26	151	2 Hjerter	N 6	100	1,0	-1,0
13	131	148	2 Hjerter	N 6	100	1,0	-1,0
93	110	217	2 Hjerter	D N 7	100	1,0	-1,0
6	149	153	2 Hjerter	N 6	100	1,0	-1,0
90	46	141	2 Hjerter	N 6	100	1,0	-1,0
52	118	224	2 Hjerter	N 6	100	1,0	-1,0
49	109	84	2 Hjerter	D N 7	100	1,0	-1,0
74	2	190	2 Hjerter	N 6	100	1,0	-1,0
81	145	93	2 Hjerter	N 6	100	1,0	-1,0
17	119	150	2 Hjerter	N 6	100	1,0	-1,0
58	200	15	2 Hjerter	N 6	100	1,0	-1,0
28	124	142	2 Hjerter	N 6	100	1,0	-1,0
86	73	210	2 Hjerter	D N 7	100	1,0	-1,0
1	72	77	2 Hjerter	N 6	100	1,0	-1,0
22	20	71	2 Hjerter	N 6	100	1,0	-1,0
11	8	63	2 Hjerter	N 6	100	1,0	-1,0
47	87	128	2 Hjerter	N 6	100	1,0	-1,0
112	209	162	2 Hjerter	N 6	100	1,0	-1,0
30	223	136	2 Hjerter	N 6	100	1,0	-1,0
21	204	56	3 Hjerter	N 7	100	1,0	-1,0
87	59	21	3 Hjerter	N 7	100	1,0	-1,0
83	39	104	3 Hjerter	N 7	100	1,0	-1,0
19	228	189	3 Hjerter	N 7	100	1,0	-1,0
82	232	102	3 Hjerter	N 7	100	1,0	-1,0
26	229	11	3 Hjerter	N 7	100	1,0	-1,0
91	18	157	3 Hjerter	N 7	100	1,0	-1,0
106	43	231	3 Hjerter	N 7	100	1,0	-1,0
105	38	180	3 Hjerter	N 7	100	1,0	-1,0
23	137	99	3 Hjerter	N 7	100	1,0	-1,0
94	178	117	3 Hjerter	S 7	100	1,0	-1,0
33	174	65	3 Hjerter	N 7	100	1,0	-1,0
54	94	122	3 Hjerter	N 7	100	1,0	-1,0
32	86	154	3 Hjerter	N 7	100	1,0	-1,0
37	198	113	3 Hjerter	N 7	100	1,0	-1,0
96	89	158	3 Hjerter	N 7	100	1,0	-1,0
76	42	31	3 Hjerter	N 7	100	1,0	-1,0
15	236	35	3 Hjerter	N 7	100	1,0	-1,0

60	202	127	3 Hjerter	N 7	100	1,0	-1,0
65	97	78	3 Hjerter	N 7	100	1,0	-1,0
66	184	13	3 Hjerter	N 7	100	1,0	-1,0
111	234	163	3 Hjerter	N 7	100	1,0	-1,0
104	101	95	3 Hjerter	N 7	100	1,0	-1,0
53	212	216	3 NT	N 7	100	1,0	-1,0
57	213	116	2 Spar	V 9	140	-44,4	44,4
9	146	103	1 NT	N 4	150	-63,5	63,5
25	132	40	1 NT	N 4	150	-63,5	63,5
36	70	90	3 Hjerter	N 6	150	-63,5	63,5
16	130	69	3 Hjerter	N 6	150	-63,5	63,5
95	169	177	3 Hjerter	N 6	150	-63,5	63,5
4	45	3	3 Hjerter	N 6	150	-63,5	63,5
84	175	112	3 Hjerter	N 6	150	-63,5	63,5
50	80	126	3 Hjerter	N 6	150	-63,5	63,5
100	7	74	3 Hjerter	N 6	150	-63,5	63,5
59	161	92	3 Hjerter	N 6	150	-63,5	63,5
35	44	182	3 Hjerter	N 6	150	-63,5	63,5
71	205	166	3 Hjerter	N 6	150	-63,5	63,5
115	199	144	3 Hjerter	N 6	150	-63,5	63,5
75	105	125	3 Hjerter	N 6	150	-63,5	63,5
46	27	147	3 Hjerter	N 6	150	-63,5	63,5
64	9	135	3 Hjerter	N 6	150	-63,5	63,5
92	164	114	4 Hjerter	N 7	150	-63,5	63,5
80	183	123	4 Hjerter	N 7	150	-63,5	63,5
10	179	226	2 NT	N 4	200	-86,7	86,7
68	82	129	3 Hjerter	N 5	200	-86,7	86,7
51	88	115	3 Hjerter	S 5	200	-86,7	86,7
110	47	76	3 NT	S 5	200	-86,7	86,7
73	188	140	4 Hjerter	N 6	200	-86,7	86,7
34	17	10	2 Hjerter	D N 6	300	-101,9	101,9
101	29	107	2 Hjerter	D N 6	300	-101,9	101,9
24	61	201	2 Hjerter	D S 6	300	-101,9	101,9
43	214	227	2 Hjerter	D N 6	300	-101,9	101,9
79	168	79	2 Hjerter	D N 6	300	-101,9	101,9
8	233	28	2 Hjerter	D N 6	300	-101,9	101,9
5	159	34	3 Hjerter	D N 7	300	-101,9	101,9
99	32	143	3 Hjerter	D N 7	300	-101,9	101,9
14	68	58	3 Hjerter	D N 7	300	-101,9	101,9
89	167	208	3 Hjerter	D N 7	300	-101,9	101,9
40	24	196	3 Hjerter	D N 6	500	-115,0	115,0
39	194	121	3 Hjerter	D N 6	500	-115,0	115,0
45	64	207	4 Hjerter	D N 7	500	-115,0	115,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
71	205	166	3 Kløver	D N 11	1070	117,0	-117,0
69	81	120	3 Kløver	S 9	110	114,9	-114,9
95	169	177	5 Hjerter	Ø 10	100	112,9	-112,9
18	30	176	3 Kløver	S 8	100	109,9	-109,9
66	184	13	4 Kløver	S 9	100	109,9	-109,9
78	67	108	3 Hjerter	Ø 9	140	106,8	-106,8
31	96	91	3 Hjerter	Ø 10	170	98,7	-98,7
58	200	15	3 Hjerter	Ø 10	170	98,7	-98,7
117	51	36	3 Hjerter	Ø 10	170	98,7	-98,7
56	191	49	3 Hjerter	Ø 10	170	98,7	-98,7
30	223	136	3 Hjerter	Ø 10	170	98,7	-98,7
72	52	222	3 Hjerter	Ø 10	170	98,7	-98,7
111	234	163	3 Hjerter	V 10	170	98,7	-98,7
47	87	128	2 Hjerter	Ø 11	200	41,7	-41,7
50	80	126	3 Hjerter	Ø 11	200	41,7	-41,7
3	48	100	3 Hjerter	Ø 11	200	41,7	-41,7
36	70	90	3 Hjerter	Ø 11	200	41,7	-41,7
106	43	231	3 Hjerter	Ø 11	200	41,7	-41,7
7	133	25	3 Hjerter	Ø 11	200	41,7	-41,7
89	167	208	3 Hjerter	Ø 11	200	41,7	-41,7
85	139	138	3 Hjerter	Ø 11	200	41,7	-41,7
107	33	186	3 Hjerter	Ø 11	200	41,7	-41,7
17	119	150	3 Hjerter	Ø 11	200	41,7	-41,7
81	145	93	3 Hjerter	Ø 11	200	41,7	-41,7
48	187	62	3 Hjerter	Ø 11	200	41,7	-41,7
99	32	143	3 Hjerter	Ø 11	200	41,7	-41,7
96	89	158	3 Hjerter	Ø 11	200	41,7	-41,7
4	45	3	3 Hjerter	Ø 11	200	41,7	-41,7
25	132	40	3 Hjerter	Ø 11	200	41,7	-41,7
13	131	148	3 Hjerter	Ø 11	200	41,7	-41,7
100	7	74	3 Hjerter	Ø 11	200	41,7	-41,7
20	171	219	3 Hjerter	Ø 11	200	41,7	-41,7
45	64	207	3 Hjerter	Ø 11	200	41,7	-41,7
43	214	227	3 Hjerter	Ø 11	200	41,7	-41,7
12	211	235	3 Hjerter	Ø 11	200	41,7	-41,7
83	39	104	3 Hjerter	V 11	200	41,7	-41,7
79	168	79	3 Hjerter	Ø 11	200	41,7	-41,7
8	233	28	3 Hjerter	Ø 11	200	41,7	-41,7
108	4	75	3 Hjerter	Ø 11	200	41,7	-41,7
103	26	151	3 Hjerter	V 11	200	41,7	-41,7
54	94	122	3 Hjerter	Ø 11	200	41,7	-41,7
76	42	31	3 Hjerter	Ø 11	200	41,7	-41,7
68	82	129	3 Hjerter	Ø 11	200	41,7	-41,7
38	16	221	3 Hjerter	Ø 11	200	41,7	-41,7
113	193	57	3 Hjerter	Ø 11	200	41,7	-41,7
40	24	196	3 Hjerter	Ø 11	200	41,7	-41,7
22	20	71	3 Hjerter	Ø 11	200	41,7	-41,7
94	178	117	3 Hjerter	Ø 11	200	41,7	-41,7
6	149	153	3 Hjerter	Ø 11	200	41,7	-41,7
44	160	23	3 Hjerter	Ø 11	200	41,7	-41,7
70	195	192	3 Spar	Ø 11	200	41,7	-41,7
59	161	92	4 Kløver	S 8	200	41,7	-41,7
67	53	5	4 Kløver	D S 9	200	41,7	-41,7
102	197	50	4 Kløver	S 8	200	41,7	-41,7
87	59	21	4 Kløver	D S 9	200	41,7	-41,7
115	199	144	4 Kløver	S 8	200	41,7	-41,7
109	225	172	4 Kløver	S 8	200	41,7	-41,7
60	202	127	4 Kløver	S 8	200	41,7	-41,7
110	47	76	4 Kløver	S 8	200	41,7	-41,7
64	9	135	4 Kløver	S 8	200	41,7	-41,7
105	38	180	4 Kløver	S 8	200	41,7	-41,7
37	198	113	4 Kløver	S 8	200	41,7	-41,7
116	134	66	60%-40%			23,4	-23,4
118	55	230	5 Kløver	S 8	300	-11,2	11,2
32	86	154	5 Kløver	S 8	300	-11,2	11,2
98	106	156	5 Kløver	S 8	300	-11,2	11,2
92	164	114	4 Kløver	D S 8	500	-16,3	16,3
33	174	65	5 Kløver	D S 9	500	-16,3	16,3
11	8	63	40%-50%			-23,4	0,0
57	213	116	4 Hjerter	Ø 10	620	-25,4	25,4
10	179	226	4 Hjerter	Ø 10	620	-25,4	25,4
2	206	185	4 Hjerter	Ø 10	620	-25,4	25,4
104	101	95	4 Hjerter	Ø 10	620	-25,4	25,4
112	209	162	4 Hjerter	Ø 10	620	-25,4	25,4
51	88	115	4 Hjerter	Ø 10	620	-25,4	25,4

29	14	173	4 Spar	Ø 10	620	-25,4	25,4
77	37	111	4 Hjerter	Ø 11	650	-65,1	65,1
19	228	189	4 Hjerter	Ø 11	650	-65,1	65,1
82	232	102	4 Hjerter	Ø 11	650	-65,1	65,1
15	236	35	4 Hjerter	Ø 11	650	-65,1	65,1
42	85	1	4 Hjerter	Ø 11	650	-65,1	65,1
35	44	182	4 Hjerter	Ø 11	650	-65,1	65,1
24	61	201	4 Hjerter	Ø 11	650	-65,1	65,1
73	188	140	4 Hjerter	Ø 11	650	-65,1	65,1
16	130	69	4 Hjerter	Ø 11	650	-65,1	65,1
5	159	34	4 Hjerter	Ø 11	650	-65,1	65,1
74	2	190	4 Hjerter	Ø 11	650	-65,1	65,1
27	203	41	4 Hjerter	Ø 11	650	-65,1	65,1
101	29	107	4 Hjerter	Ø 11	650	-65,1	65,1
88	155	60	4 Hjerter	Ø 11	650	-65,1	65,1
46	27	147	4 Hjerter	Ø 11	650	-65,1	65,1
86	73	210	4 Hjerter	Ø 11	650	-65,1	65,1
75	105	125	4 Hjerter	Ø 11	650	-65,1	65,1
93	110	217	4 Hjerter	Ø 11	650	-65,1	65,1
23	137	99	4 Hjerter	Ø 11	650	-65,1	65,1
9	146	103	4 Hjerter	Ø 11	650	-65,1	65,1
21	204	56	4 Hjerter	Ø 11	650	-65,1	65,1
65	97	78	4 Hjerter	Ø 11	650	-65,1	65,1
39	194	121	4 Hjerter	Ø 11	650	-65,1	65,1
61	83	218	4 Hjerter	Ø 11	650	-65,1	65,1
1	72	77	4 Hjerter	Ø 11	650	-65,1	65,1
114	170	215	4 Hjerter	V 11	650	-65,1	65,1
55	12	181	4 Hjerter	Ø 11	650	-65,1	65,1
62	54	220	4 Hjerter	Ø 11	650	-65,1	65,1
90	46	141	4 Hjerter	Ø 11	650	-65,1	65,1
84	175	112	4 Hjerter	Ø 11	650	-65,1	65,1
63	6	19	4 Hjerter	Ø 11	650	-65,1	65,1
28	124	142	4 Spar	V 11	650	-65,1	65,1
34	17	10	4 Hjerter	Ø 12	680	-98,7	98,7
91	18	157	5 Kløver	D S 8	800	-107,8	107,8
49	109	84	5 Kløver	D S 8	800	-107,8	107,8
14	68	58	5 Kløver	D S 8	800	-107,8	107,8
52	118	224	5 Kløver	D S 8	800	-107,8	107,8
97	98	152	5 Kløver	D S 8	800	-107,8	107,8
26	229	11	5 Kløver	D S 8	800	-107,8	107,8
41	22	165	5 Ruter	D N 8	800	-107,8	107,8
80	183	123	5 Ruter	D N 8	800	-107,8	107,8
53	212	216	4 Hjerter	D Ø 11	990	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
91	190	59	3 Spar	D S 10	930	117,0 -117,0
16	236	61	2 Spar	D S 8	670	115,0 -115,0
9	179	35	4 Spar	S 10	620	111,9 -111,9
29	173	41	4 Spar	S 10	620	111,9 -111,9
47	212	160	3 NT	D Ø 6	500	108,9 -108,9
77	120	140	3 Spar	S 11	200	106,9 -106,9
92	141	152	2 Spar	S 10	170	92,8 -92,8
32	189	201	2 Spar	S 10	170	92,8 -92,8
102	75	47	2 Spar	S 10	170	92,8 -92,8
53	129	218	2 Spar	S 10	170	92,8 -92,8
78	222	167	2 Spar	S 10	170	92,8 -92,8
56	78	128	2 Spar	S 10	170	92,8 -92,8
61	200	54	3 Spar	S 10	170	92,8 -92,8
68	184	9	3 Spar	S 10	170	92,8 -92,8
42	115	118	3 Spar	S 10	170	92,8 -92,8
86	210	175	3 Spar	S 10	170	92,8 -92,8
54	108	191	3 Spar	S 10	170	92,8 -92,8
14	148	176	3 Spar	S 10	170	92,8 -92,8
110	151	180	3 Spar	S 10	170	92,8 -92,8
13	28	185	3 NT	Ø 6	150	66,6 -66,6
99	158	178	3 NT	Ø 6	150	66,6 -66,6
33	142	96	3 NT	Ø 6	150	66,6 -66,6
27	91	11	3 NT	Ø 6	150	66,6 -66,6
43	1	27	3 NT	Ø 6	150	66,6 -66,6
6	149	3	3 NT	Ø 6	150	66,6 -66,6
63	5	216	3 NT	Ø 6	150	66,6 -66,6
89	67	18	3 NT	Ø 6	150	66,6 -66,6
66	123	12	3 NT	Ø 6	150	66,6 -66,6
20	204	86	3 NT	Ø 6	150	66,6 -66,6
40	187	90	3 NT	Ø 6	150	66,6 -66,6
2	72	68	3 NT	Ø 6	150	66,6 -66,6
7	233	58	3 NT	Ø 6	150	66,6 -66,6
65	195	53	2 Spar	N 9	140	43,4 -43,4
4	206	153	2 Spar	S 9	140	43,4 -43,4
79	232	114	2 Spar	S 9	140	43,4 -43,4
106	98	57	2 Spar	S 9	140	43,4 -43,4
5	45	211	2 Spar	S 9	140	43,4 -43,4
10	34	226	3 Spar	S 9	140	43,4 -43,4
34	227	113	3 Spar	S 9	140	43,4 -43,4
104	162	231	3 Spar	S 9	140	43,4 -43,4
11	25	131	3 Spar	S 9	140	43,4 -43,4
3	100	159	3 Spar	S 9	140	43,4 -43,4
95	177	74	2 Spar	S 8	110	27,2 -27,2
98	208	95	2 Spar	S 8	110	27,2 -27,2
28	124	40	2 Spar	S 8	110	27,2 -27,2
67	166	161	2 Spar	S 8	110	27,2 -27,2
52	221	213	2 Spar	S 8	110	27,2 -27,2
75	125	168	2 Spar	S 8	110	27,2 -27,2
116	230	66	60%-40%			23,4 -23,4
24	69	44	2 NT	Ø 6	100	6,1 -6,1
80	192	111	3 NT	Ø 7	100	6,1 -6,1
84	145	205	3 NT	V 7	100	6,1 -6,1
112	43	33	3 NT	Ø 7	100	6,1 -6,1
83	60	73	3 NT	Ø 7	100	6,1 -6,1
12	219	8	3 NT	Ø 7	100	6,1 -6,1
71	135	112	3 NT	V 7	100	6,1 -6,1
76	183	93	3 NT	Ø 7	100	6,1 -6,1
74	31	81	3 NT	Ø 7	100	6,1 -6,1
88	52	102	3 NT	Ø 7	100	6,1 -6,1
50	147	24	3 NT	Ø 7	100	6,1 -6,1
107	172	29	4 Ruter	Ø 8	100	6,1 -6,1
114	51	186	4 Ruter	Ø 8	100	6,1 -6,1
117	199	36	5 Ruter	V 9	100	6,1 -6,1
64	97	127	5 Ruter	D V 10	100	6,1 -6,1
97	7	106	2 NT	Ø 7	50	-18,2 18,2
62	15	84	3 NT	Ø 8	50	-18,2 18,2
37	198	154	3 NT	V 8	50	-18,2 18,2
22	99	63	3 NT	Ø 8	50	-18,2 18,2
46	17	64	3 NT	V 8	50	-18,2 18,2
101	107	26	3 NT	V 8	50	-18,2 18,2
59	126	83	3 Ruter	V 8	50	-18,2 18,2
1	48	103	3 Ruter	V 8	50	-18,2 18,2
45	23	224	3 Ruter	V 8	50	-18,2 18,2
94	157	117	2 Ruter	Ø 8	90	-28,2 28,2
23	71	223	2 Hjerter	N 7	100	-39,3 39,3

72	79	104	2 Hjerter	N 7	100	-39,3	39,3
31	14	132	3 Spar	S 8	100	-39,3	39,3
69	105	2	3 Spar	S 8	100	-39,3	39,3
38	196	16	3 Spar	S 8	100	-39,3	39,3
85	37	42	3 Spar	N 8	100	-39,3	39,3
70	82	188	3 Spar	S 8	100	-39,3	39,3
87	217	155	3 Spar	S 8	100	-39,3	39,3
100	32	197	4 Spar	N 9	100	-39,3	39,3
81	138	39	4 Spar	S 9	100	-39,3	39,3
108	215	76	3 Kløver	Ø 9	110	-53,5	53,5
93	46	164	3 Ruter	Ø 9	110	-53,5	53,5
35	62	121	3 Ruter	V 9	110	-53,5	53,5
8	77	133	3 Ruter	V 9	110	-53,5	53,5
19	150	20	3 Ruter	V 10	130	-58,5	58,5
82	169	110	2 NT	Ø 9	150	-60,5	60,5
109	193	4	2 Hjerter	N 6	200	-75,6	75,6
17	130	228	2 Hjerter	N 6	200	-75,6	75,6
111	209	163	2 Hjerter	N 6	200	-75,6	75,6
18	56	119	2 Hjerter	N 6	200	-75,6	75,6
25	136	182	2 Hjerter	N 6	200	-75,6	75,6
49	49	109	2 Hjerter	N 6	200	-75,6	75,6
30	137	174	2 Hjerter	D S 7	200	-75,6	75,6
90	21	139	2 Hjerter	N 6	200	-75,6	75,6
55	19	202	2 Hjerter	N 6	200	-75,6	75,6
96	101	89	2 Hjerter	S 6	200	-75,6	75,6
57	92	122	2 Hjerter	S 6	200	-75,6	75,6
21	171	235	2 Hjerter	D N 7	200	-75,6	75,6
115	225	170	3 Kløver	N 7	200	-75,6	75,6
105	143	50	4 Spar	S 8	200	-75,6	75,6
60	87	116	2 Hjerter	N 5	300	-92,8	92,8
36	88	203	2 Hjerter	N 5	300	-92,8	92,8
51	220	65	3 Hjerter	S 6	300	-92,8	92,8
73	6	13	2 Hjerter	S 4	400	-100,9	100,9
58	214	80	3 Hjerter	S 5	400	-100,9	100,9
103	156	38	3 NT	V 9	400	-100,9	100,9
41	10	85	3 NT	Ø 9	400	-100,9	100,9
48	165	207	3 NT	Ø 9	400	-100,9	100,9
15	30	146	3 NT	Ø 10	430	-106,9	106,9
118	134	55	2 Hjerter	D N 6	500	-113,0	113,0
44	181	22	2 Hjerter	D N 6	500	-113,0	113,0
39	94	194	2 Hjerter	D N 6	500	-113,0	113,0
26	70	229	2 Ruter	N 3	500	-113,0	113,0
113	234	144	4 Spar	D S 8	500	-113,0	113,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
64	97	127	5 Ruter	D Ø 7 1100	117,0	-117,0
105	143	50	4 Ruter	D Ø 7 800	105,9	-105,9
86	210	175	4 Ruter	D V 7 800	105,9	-105,9
30	137	174	4 Ruter	D V 7 800	105,9	-105,9
20	204	86	4 Ruter	D V 7 800	105,9	-105,9
115	225	170	4 Ruter	D V 7 800	105,9	-105,9
42	115	118	4 Ruter	D V 7 800	105,9	-105,9
109	193	4	4 Ruter	D V 7 800	105,9	-105,9
43	1	27	4 Ruter	D V 7 800	105,9	-105,9
29	173	41	4 Ruter	D V 7 800	105,9	-105,9
79	232	114	5 Ruter	D V 8 800	105,9	-105,9
101	107	26	3 Hjerter	D N 9 530	94,8	-94,8
34	227	113	3 Kløver	D Ø 7 500	81,7	-81,7
78	222	167	3 Ruter	D V 7 500	81,7	-81,7
27	91	11	3 Ruter	D V 7 500	81,7	-81,7
47	212	160	3 Ruter	D V 7 500	81,7	-81,7
98	208	95	3 Ruter	D V 7 500	81,7	-81,7
2	72	68	3 Ruter	D V 7 500	81,7	-81,7
103	156	38	3 Ruter	D V 7 500	81,7	-81,7
28	124	40	3 Ruter	D V 7 500	81,7	-81,7
39	94	194	3 Ruter	D V 7 500	81,7	-81,7
22	99	63	3 Ruter	D V 7 500	81,7	-81,7
51	220	65	3 Ruter	D V 7 500	81,7	-81,7
81	138	39	3 Ruter	D V 7 500	81,7	-81,7
48	165	207	3 NT	N 10 430	67,6	-67,6
96	101	89	3 NT	N 10 430	67,6	-67,6
46	17	64	4 Hjerter	N 10 420	64,5	-64,5
75	125	168	1 NT	V 4 300	61,5	-61,5
61	200	54	4 Ruter	V 7 300	61,5	-61,5
21	171	235	2 Ruter	D V 7 200	48,4	-48,4
8	77	133	2 Ruter	D V 7 200	48,4	-48,4
111	209	163	2 Ruter	D V 7 200	48,4	-48,4
6	149	3	2 Ruter	D V 7 200	48,4	-48,4
19	150	20	2 Ruter	D V 7 200	48,4	-48,4
87	217	155	2 Ruter	D V 7 200	48,4	-48,4
73	6	13	2 Ruter	D V 7 200	48,4	-48,4
69	105	2	2 Ruter	D V 7 200	48,4	-48,4
31	14	132	3 Kløver	Ø 7 200	48,4	-48,4
11	25	131	3 Kløver	Ø 7 200	48,4	-48,4
35	62	121	3 Ruter	D V 8 200	48,4	-48,4
107	172	29	2 Spar	S 10 170	36,3	-36,3
116	230	66	60%-40%		23,4	-23,4
63	5	216	2 Hjerter	S 9 140	-3,0	3,0
56	78	128	3 Hjerter	S 9 140	-3,0	3,0
40	187	90	3 Hjerter	N 9 140	-3,0	3,0
38	196	16	3 Hjerter	N 9 140	-3,0	3,0
71	135	112	3 Hjerter	N 9 140	-3,0	3,0
114	51	186	3 Hjerter	N 9 140	-3,0	3,0
112	43	33	3 Hjerter	N 9 140	-3,0	3,0
10	34	226	3 Hjerter	S 9 140	-3,0	3,0
66	123	12	3 Hjerter	N 9 140	-3,0	3,0
49	49	109	3 Hjerter	S 9 140	-3,0	3,0
76	183	93	3 Hjerter	N 9 140	-3,0	3,0
94	157	117	3 Hjerter	N 9 140	-3,0	3,0
1	48	103	3 Hjerter	N 9 140	-3,0	3,0
72	79	104	3 Hjerter	S 9 140	-3,0	3,0
50	147	24	3 Hjerter	N 9 140	-3,0	3,0
3	100	159	3 Hjerter	N 9 140	-3,0	3,0
15	30	146	3 Hjerter	N 9 140	-3,0	3,0
106	98	57	3 Hjerter	N 9 140	-3,0	3,0
4	206	153	3 Hjerter	N 9 140	-3,0	3,0
59	126	83	3 Hjerter	N 9 140	-3,0	3,0
88	52	102	3 Hjerter	S 9 140	-3,0	3,0
26	70	229	3 Hjerter	N 9 140	-3,0	3,0
37	198	154	3 Hjerter	S 9 140	-3,0	3,0
5	45	211	3 Hjerter	S 9 140	-3,0	3,0
97	7	106	3 Hjerter	N 9 140	-3,0	3,0
41	10	85	3 Hjerter	N 9 140	-3,0	3,0
23	71	223	3 Hjerter	N 9 140	-3,0	3,0
57	92	122	3 Hjerter	S 9 140	-3,0	3,0
108	215	76	3 Hjerter	N 9 140	-3,0	3,0
7	233	58	3 Hjerter	N 9 140	-3,0	3,0
70	82	188	3 Hjerter	N 9 140	-3,0	3,0
74	31	81	3 Hjerter	N 9 140	-3,0	3,0
36	88	203	3 Hjerter	N 9 140	-3,0	3,0

12	219	8	3 Hjerter	N 9 140	-3,0	3,0
52	221	213	3 Hjerter	N 9 140	-3,0	3,0
99	158	178	3 Hjerter	N 9 140	-3,0	3,0
113	234	144	3 Hjerter	S 9 140	-3,0	3,0
89	67	18	3 Hjerter	N 9 140	-3,0	3,0
92	141	152	2 Ruter	V 7 100	-43,4	43,4
82	169	110	3 Ruter	V 8 100	-43,4	43,4
13	28	185	3 Hjerter	S 8 50	-74,6	74,6
24	69	44	3 Hjerter	S 8 50	-74,6	74,6
95	177	74	3 NT	N 8 50	-74,6	74,6
117	199	36	4 Hjerter	S 9 50	-74,6	74,6
93	46	164	4 Hjerter	S 9 50	-74,6	74,6
90	21	139	4 Hjerter	N 9 50	-74,6	74,6
85	37	42	4 Hjerter	N 9 50	-74,6	74,6
58	214	80	4 Hjerter	N 9 50	-74,6	74,6
14	148	176	4 Hjerter	N 9 50	-74,6	74,6
33	142	96	4 Hjerter	N 9 50	-74,6	74,6
17	130	228	4 Hjerter	S 9 50	-74,6	74,6
45	23	224	4 Hjerter	N 9 50	-74,6	74,6
118	134	55	4 Hjerter	S 9 50	-74,6	74,6
60	87	116	4 Hjerter	S 9 50	-74,6	74,6
62	15	84	4 Hjerter	N 9 50	-74,6	74,6
18	56	119	4 Hjerter	S 9 50	-74,6	74,6
67	166	161	4 Hjerter	S 9 50	-74,6	74,6
100	32	197	4 Hjerter	N 9 50	-74,6	74,6
68	184	9	4 Hjerter	N 9 50	-74,6	74,6
110	151	180	4 Hjerter	S 9 50	-74,6	74,6
80	192	111	4 Hjerter	N 9 50	-74,6	74,6
44	181	22	4 Hjerter	N 9 50	-74,6	74,6
91	190	59	4 Hjerter	N 9 50	-74,6	74,6
32	189	201	4 Hjerter	N 9 50	-74,6	74,6
16	236	61	4 Hjerter	S 9 50	-74,6	74,6
104	162	231	4 Hjerter	N 9 50	-74,6	74,6
54	108	191	4 Hjerter	N 9 50	-74,6	74,6
83	60	73	4 Hjerter	N 9 50	-74,6	74,6
53	129	218	4 Hjerter	S 9 50	-74,6	74,6
65	195	53	3 NT	N 7 100	-106,9	106,9
77	120	140	4 Hjerter	D N 9 100	-106,9	106,9
102	75	47	4 Hjerter	D S 9 100	-106,9	106,9
84	145	205	3 NT	N 6 150	-110,9	110,9
55	19	202	2 Ruter	D V 8 180	-114,0	114,0
9	179	35	2 Ruter	D Ø 8 180	-114,0	114,0
25	136	182	3 NT	N 5 200	-117,0	117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV		NS	ØV	NS	ØV
47	212	160	4 Hjerter	D Ø 8	500	117,0	-117,0
30	137	174	3 NT	V 6	300	115,0	-115,0
102	75	47	1 Spar	V 6	100	104,9	-104,9
59	126	83	2 Hjerter	Ø 7	100	104,9	-104,9
77	120	140	2 Spar	V 7	100	104,9	-104,9
113	234	144	2 Spar	V 7	100	104,9	-104,9
6	149	3	3 Hjerter	Ø 8	100	104,9	-104,9
34	227	113	3 Kløver	V 8	100	104,9	-104,9
54	108	191	3 NT	V 8	100	104,9	-104,9
95	177	74	3 NT	Ø 8	100	104,9	-104,9
93	46	164	5 Kløver	V 10	100	104,9	-104,9
57	92	122	1 Spar	V 7	80	86,7	-86,7
103	156	38	1 Spar	V 7	80	86,7	-86,7
7	233	58	1 Spar	V 7	80	86,7	-86,7
101	107	26	1 Spar	V 7	80	86,7	-86,7
14	148	176	1 Spar	V 7	80	86,7	-86,7
15	30	146	1 Spar	V 7	80	86,7	-86,7
73	6	13	1 Spar	V 7	80	86,7	-86,7
87	217	155	1 Spar	Ø 7	80	86,7	-86,7
58	214	80	1 Spar	V 7	80	86,7	-86,7
52	221	213	2 Kløver	V 8	90	75,6	-75,6
71	135	112	2 Ruter	V 8	90	75,6	-75,6
92	141	152	1 Hjerter	V 8	110	48,4	-48,4
42	115	118	1 Kløver	V 9	110	48,4	-48,4
46	17	64	1 Spar	V 8	110	48,4	-48,4
88	52	102	1 Spar	V 8	110	48,4	-48,4
23	71	223	1 Spar	V 8	110	48,4	-48,4
76	183	93	2 Hjerter	Ø 8	110	48,4	-48,4
78	222	167	2 Kløver	V 9	110	48,4	-48,4
86	210	175	2 Kløver	V 9	110	48,4	-48,4
4	206	153	2 Kløver	Ø 9	110	48,4	-48,4
16	236	61	2 Kløver	V 9	110	48,4	-48,4
10	34	226	2 Kløver	V 9	110	48,4	-48,4
25	136	182	2 Kløver	V 9	110	48,4	-48,4
118	134	55	2 Spar	V 8	110	48,4	-48,4
37	198	154	2 Spar	V 8	110	48,4	-48,4
94	157	117	3 Kløver	Ø 9	110	48,4	-48,4
11	25	131	3 Kløver	V 9	110	48,4	-48,4
112	43	33	3 Kløver	V 9	110	48,4	-48,4
12	219	8	3 Kløver	V 9	110	48,4	-48,4
2	72	68	3 Kløver	V 9	110	48,4	-48,4
38	196	16	3 Kløver	V 9	110	48,4	-48,4
109	193	4	3 Kløver	V 9	110	48,4	-48,4
18	56	119	3 Kløver	V 9	110	48,4	-48,4
9	179	35	3 Kløver	Ø 9	110	48,4	-48,4
17	130	228	3 Kløver	V 9	110	48,4	-48,4
19	150	20	3 Kløver	V 9	110	48,4	-48,4
116	230	66	60%-40%			23,4	-23,4
89	67	18	1 NT	Ø 8	120	19,2	-19,2
32	189	201	1 NT	V 8	120	19,2	-19,2
65	195	53	1 NT	Ø 8	120	19,2	-19,2
22	99	63	2 NT	V 8	120	19,2	-19,2
66	123	12	1 Kløver	V 10	130	-16,1	16,1
61	200	54	1 Kløver	V 10	130	-16,1	16,1
55	19	202	1 Kløver	V 10	130	-16,1	16,1
91	190	59	1 Kløver	V 10	130	-16,1	16,1
69	105	2	2 Kløver	V 10	130	-16,1	16,1
115	225	170	2 Kløver	V 10	130	-16,1	16,1
83	60	73	2 Kløver	V 10	130	-16,1	16,1
28	124	40	2 Kløver	V 10	130	-16,1	16,1
51	220	65	2 Kløver	V 10	130	-16,1	16,1
50	147	24	2 Kløver	V 10	130	-16,1	16,1
99	158	178	2 Kløver	V 10	130	-16,1	16,1
45	23	224	3 Kløver	V 10	130	-16,1	16,1
104	162	231	3 Kløver	V 10	130	-16,1	16,1
82	169	110	3 Kløver	V 10	130	-16,1	16,1
114	51	186	3 Kløver	Ø 10	130	-16,1	16,1
100	32	197	3 Kløver	V 10	130	-16,1	16,1
108	215	76	3 Kløver	V 10	130	-16,1	16,1
70	82	188	3 Kløver	V 10	130	-16,1	16,1
26	70	229	3 Kløver	V 10	130	-16,1	16,1
39	94	194	3 Kløver	V 10	130	-16,1	16,1
110	151	180	3 Kløver	V 10	130	-16,1	16,1
68	184	9	3 Kløver	V 10	130	-16,1	16,1
117	199	36	3 Kløver	V 10	130	-16,1	16,1

107	172	29	3 Kløver	V 10	130	-16,1	16,1
64	97	127	3 Kløver	V 10	130	-16,1	16,1
33	142	96	3 Kløver	V 10	130	-16,1	16,1
90	21	139	3 Kløver	V 10	130	-16,1	16,1
29	173	41	3 Kløver	V 10	130	-16,1	16,1
62	15	84	3 Kløver	V 10	130	-16,1	16,1
105	143	50	3 Ruter	Ø 10	130	-16,1	16,1
20	204	86	3 Ruter	V 10	130	-16,1	16,1
41	10	85	1 Hjerter	Ø 9	140	-54,5	54,5
56	78	128	1 Spar	V 9	140	-54,5	54,5
36	88	203	1 Spar	V 9	140	-54,5	54,5
8	77	133	2 Hjerter	V 9	140	-54,5	54,5
13	28	185	3 Hjerter	Ø 9	140	-54,5	54,5
80	192	111	3 Hjerter	Ø 9	140	-54,5	54,5
53	129	218	3 Hjerter	V 9	140	-54,5	54,5
96	101	89	3 Kløver	V 11	150	-62,5	62,5
79	232	114	1 NT	S 5	200	-68,6	68,6
35	62	121	1 NT	N 5	200	-68,6	68,6
40	187	90	1 NT	S 5	200	-68,6	68,6
72	79	104	2 Ruter	N 6	200	-68,6	68,6
81	138	39	2 Ruter	N 6	200	-68,6	68,6
97	7	106	2 Hjerter	S 5	300	-78,7	78,7
84	145	205	2 Ruter	N 5	300	-78,7	78,7
5	45	211	2 Ruter	N 5	300	-78,7	78,7
21	171	235	2 Ruter	N 5	300	-78,7	78,7
44	181	22	2 Spar	N 5	300	-78,7	78,7
74	31	81	1 NT	D N 5	500	-88,8	88,8
3	100	159	2 Ruter	D N 6	500	-88,8	88,8
31	14	132	2 Ruter	D N 6	500	-88,8	88,8
106	98	57	3 Ruter	N 4	500	-88,8	88,8
67	166	161	3 Ruter	N 4	500	-88,8	88,8
49	49	109	3 NT	V 9	600	-97,8	97,8
43	1	27	3 NT	Ø 9	600	-97,8	97,8
48	165	207	3 NT	V 9	600	-97,8	97,8
111	209	163	3 NT	Ø 9	600	-97,8	97,8
1	48	103	2 Ruter	D N 5	800	-108,9	108,9
60	87	116	2 Ruter	D N 5	800	-108,9	108,9
27	91	11	2 Ruter	D N 5	800	-108,9	108,9
75	125	168	2 Ruter	D N 5	800	-108,9	108,9
24	69	44	2 Ruter	D N 5	800	-108,9	108,9
63	5	216	2 Ruter	D N 5	800	-108,9	108,9
85	37	42	2 Spar	D N 5	800	-108,9	108,9
98	208	95	3 Kløver	D V 10	870	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
99	158	101	3NT	V 4	250	117,0 -117,0
115	51	29	3NT	V 5	200	114,0 -114,0
63	81	112	3NT	V 5	200	114,0 -114,0
23	223	146	3NT	V 6	150	94,8 -94,8
9	233	30	3NT	V 6	150	94,8 -94,8
19	121	236	3NT	V 6	150	94,8 -94,8
7	149	34	3NT	V 6	150	94,8 -94,8
1	48	211	3NT	V 6	150	94,8 -94,8
82	232	31	3NT	V 6	150	94,8 -94,8
10	226	35	3NT	V 6	150	94,8 -94,8
52	122	200	3NT	V 6	150	94,8 -94,8
95	89	197	3NT	V 6	150	94,8 -94,8
45	90	212	3NT	V 6	150	94,8 -94,8
13	99	8	3NT	V 6	150	94,8 -94,8
101	162	177	3NT	V 6	150	94,8 -94,8
29	235	44	3NT	V 6	150	94,8 -94,8
60	17	194	3NT	V 6	150	94,8 -94,8
30	40	204	3NT	V 6	150	94,8 -94,8
98	32	178	3NT	V 6	150	94,8 -94,8
84	104	157	3NT	V 6	150	94,8 -94,8
53	220	123	3NT	V 7	100	57,5 -57,5
27	198	10	3NT	V 7	100	57,5 -57,5
50	27	23	3NT	V 7	100	57,5 -57,5
4	206	131	3NT	Ø 7	100	57,5 -57,5
48	65	129	3NT	V 7	100	57,5 -57,5
41	191	1	3NT	V 7	100	57,5 -57,5
12	185	56	3NT	V 7	100	57,5 -57,5
25	130	70	3NT	V 7	100	57,5 -57,5
34	132	115	3NT	V 7	100	57,5 -57,5
75	210	42	3NT	V 7	100	57,5 -57,5
70	2	169	3NT	V 7	100	57,5 -57,5
62	184	80	3NT	V 7	100	57,5 -57,5
35	196	174	3NT	V 7	100	57,5 -57,5
24	182	96	3NT	V 7	100	57,5 -57,5
61	216	195	3NT	V 7	100	57,5 -57,5
64	5	214	3NT	V 7	100	57,5 -57,5
38	165	160	3NT	V 7	100	57,5 -57,5
85	110	192	3NT	V 7	100	57,5 -57,5
2	72	3	3NT	V 7	100	57,5 -57,5
79	145	166	6 Kløver	V 10	100	57,5 -57,5
80	13	168	2 Spar	Ø 7	50	32,3 -32,3
65	213	97	3NT	V 8	50	32,3 -32,3
90	175	59	5 Kløver	V 10	50	32,3 -32,3
71	39	161	5 Kløver	V 10	50	32,3 -32,3
58	140	54	6 Kløver	Ø 11	50	32,3 -32,3
81	217	60	2 Hjerter	D S 7	100	25,2 -25,2
107	143	151	2 Hjerter	D N 7	100	25,2 -25,2
33	187	189	2 Spar	Ø 8	110	21,2 -21,2
110	225	98	3 Kløver	V 9	110	21,2 -21,2
86	155	183	3 Kløver	V 10	130	15,1 -15,1
21	176	63	3 Kløver	Ø 10	130	15,1 -15,1
78	93	6	3 Kløver	V 10	130	15,1 -15,1
114	170	163	3 Kløver	V 10	130	15,1 -15,1
108	144	180	3 Hjerter	N 6	150	6,1 -6,1
103	38	33	3 Kløver	V 11	150	6,1 -6,1
116	230	186	3NT	N 6	150	6,1 -6,1
109	134	50	3 Ruter	V 11	150	6,1 -6,1
83	102	139	4 Kløver	Ø 11	150	6,1 -6,1
49	19	87	3 Kløver	V 12	170	-6,1 6,1
18	148	68	3 Kløver	V 12	170	-6,1 6,1
37	142	147	3 Kløver	V 12	170	-6,1 6,1
111	57	231	3 Kløver	V 12	170	-6,1 6,1
59	221	49	3 Kløver	V 12	170	-6,1 6,1
42	64	94	3 Kløver	V 12	170	-6,1 6,1
54	109	92	3 Kløver	Ø 12	170	-6,1 6,1
93	107	106	3 Kløver	V 13	190	-16,1 16,1
20	150	14	4 Kløver	Ø 13	190	-16,1 16,1
113	209	215	4 Kløver	V 13	190	-16,1 16,1
117	66	199	40%-60%			-23,4 23,4
39	173	91	3NT	V 9	400	-38,3 38,3
32	227	16	3NT	Ø 9	400	-38,3 38,3
91	120	21	3NT	V 9	400	-38,3 38,3
28	136	124	3NT	V 9	400	-38,3 38,3
94	74	18	3NT	V 9	400	-38,3 38,3
55	24	218	3NT	V 9	400	-38,3 38,3

11	28	179	3NT	V 9	400	-38,3 38,3
43	62	181	3NT	V 9	400	-38,3 38,3
14	171	119	3NT	V 9	400	-38,3 38,3
46	113	202	3NT	V 9	400	-38,3 38,3
72	9	205	3NT	V 9	400	-38,3 38,3
17	69	20	3NT	V 9	400	-38,3 38,3
67	79	15	3NT	V 9	400	-38,3 38,3
8	133	153	3NT	Ø 9	400	-38,3 38,3
97	95	46	3NT	V 9	400	-38,3 38,3
106	43	47	5 Kløver	V 11	400	-38,3 38,3
44	154	88	5 Kløver	V 11	400	-38,3 38,3
118	36	55	5 Kløver	V 11	400	-38,3 38,3
87	152	188	5 Kløver	V 11	400	-38,3 38,3
51	22	84	4 Spar	Ø 10	420	-69,6 69,6
112	172	234	5 Kløver	V 12	420	-69,6 69,6
76	125	167	5 Kløver	Ø 12	420	-69,6 69,6
47	116	207	5 Kløver	Ø 12	420	-69,6 69,6
105	193	75	5 Kløver	Ø 12	420	-69,6 69,6
69	108	135	5 Kløver	V 12	420	-69,6 69,6
102	164	76	5 Kløver	V 12	420	-69,6 69,6
56	78	83	5 Kløver	V 12	420	-69,6 69,6
77	52	67	5 Kløver	V 12	420	-69,6 69,6
15	25	228	5 Kløver	Ø 12	420	-69,6 69,6
104	156	4	5 Kløver	Ø 12	420	-69,6 69,6
16	86	219	5 Kløver	V 12	420	-69,6 69,6
40	137	85	3NT	V 10	430	-86,7 86,7
66	114	128	3NT	V 10	430	-86,7 86,7
96	117	7	3NT	V 10	430	-86,7 86,7
100	208	26	3NT	Ø 10	430	-86,7 86,7
88	138	37	3NT	V 10	430	-86,7 86,7
92	73	190	5 Kløver	V 13	440	-97,8 97,8
31	224	203	5 Kløver	V 13	440	-97,8 97,8
57	118	126	5 Kløver	V 13	440	-97,8 97,8
5	45	58	5 Kløver	V 13	440	-97,8 97,8
36	41	229	5 Kløver	V 13	440	-97,8 97,8
74	127	82	5 Kløver	V 13	440	-97,8 97,8
3	103	159	3NT	V 12	490	-105,9 105,9
68	53	12	3NT	V 12	490	-105,9 105,9
89	222	141	3 Hjerter	D S 6	500	-109,9 109,9
22	201	11	3 Hjerter	D N 6	500	-109,9 109,9
26	71	61	4 Hjerter	D N 6	800	-113,0 113,0
6	100	77	6 Kløver	V 12	920	-115,0 115,0
73	111	105	6 Kløver	V 13	940	-117,0 117,0


SPILLSTENSILER NM Mix Par 2010, 31. juli 2010

♠ Q98652 Mappen: 25(89)
 ♥ 9 Rundrenn: 30
 ♦ AK976 ØV (N)
 ♣ A
 ♠ K7
 ♥ KQJ653
 ♦ 32
 ♣ 963
 3
 ♥ AT72
 ♦ J54
 ♣ KJ542

Bord	NS	ØV		NS	ØV	NS	ØV
17	69	20	3 Ruter	D N 11	670	115,0	-115,0
47	116	207	3 Ruter	D N 11	670	115,0	-115,0
68	53	12	3 Ruter	D N 11	670	115,0	-115,0
44	154	88	4 Spar	D N 10	590	110,9	-110,9
53	220	123	2 Spar	D N 9	570	108,9	-108,9
87	152	188	5 Ruter	D N 11	550	104,9	-104,9
97	95	46	5 Ruter	D N 11	550	104,9	-104,9
28	136	124	5 Ruter	D N 11	550	104,9	-104,9
36	41	229	4 Ruter	D N 10	510	99,8	-99,8
14	171	119	4 Ruter	D S 10	510	99,8	-99,8
61	216	195	3 NT	D Ø 7	500	96,8	-96,8
34	132	115	3 Ruter	D N 9	470	93,8	-93,8
84	104	157	3 Ruter	D N 9	470	93,8	-93,8
113	209	215	4 Spar	N 10	420	90,8	-90,8
6	100	77	3 NT	S 9	400	87,7	-87,7
106	43	47	5 Ruter	N 11	400	87,7	-87,7
70	2	169	2 NT	V 5	300	84,7	-84,7
109	134	50	3 Hjertes	V 7	200	81,7	-81,7
69	108	135	3 Hjertes	V 7	200	81,7	-81,7
15	25	228	3 Ruter	N 11	150	75,6	-75,6
23	223	146	3 Ruter	N 11	150	75,6	-75,6
21	176	63	3 Ruter	N 11	150	75,6	-75,6
118	36	55	3 Ruter	N 11	150	75,6	-75,6
99	158	101	2 Spar	N 9	140	68,6	-68,6
41	191	1	2 Spar	N 9	140	68,6	-68,6
88	138	37	2 Spar	N 9	140	68,6	-68,6
115	51	29	2 Ruter	N 10	130	45,4	-45,4
49	19	87	2 Ruter	N 10	130	45,4	-45,4
43	62	181	2 Ruter	S 10	130	45,4	-45,4
8	133	153	2 Ruter	N 10	130	45,4	-45,4
2	72	3	2 Ruter	N 10	130	45,4	-45,4
104	156	4	2 Ruter	N 10	130	45,4	-45,4
90	175	59	3 Ruter	N 10	130	45,4	-45,4
1	48	211	3 Ruter	N 10	130	45,4	-45,4
3	103	159	3 Ruter	N 10	130	45,4	-45,4
32	227	16	3 Ruter	N 10	130	45,4	-45,4
19	121	236	3 Ruter	N 10	130	45,4	-45,4
96	117	7	3 Ruter	N 10	130	45,4	-45,4
7	149	34	3 Ruter	N 10	130	45,4	-45,4
80	13	168	3 Ruter	N 10	130	45,4	-45,4
81	217	60	4 Ruter	S 10	130	45,4	-45,4
64	5	214	4 Ruter	N 10	130	45,4	-45,4
98	32	178	4 Ruter	N 10	130	45,4	-45,4
89	222	141	4 Ruter	N 10	130	45,4	-45,4
91	120	21	4 Ruter	N 10	130	45,4	-45,4
74	127	82	4 Ruter	N 10	130	45,4	-45,4
94	74	18	2 Ruter	N 9	110	11,1	-11,1
22	201	11	2 Spar	N 8	110	11,1	-11,1
79	145	166	2 Spar	N 8	110	11,1	-11,1
57	118	126	2 Spar	N 8	110	11,1	-11,1
46	113	202	2 Spar	N 8	110	11,1	-11,1
110	225	98	2 Spar	N 8	110	11,1	-11,1
82	232	31	2 Spar	N 8	110	11,1	-11,1
25	130	70	2 Spar	N 8	110	11,1	-11,1
93	107	106	2 Spar	N 8	110	11,1	-11,1
29	235	44	2 Spar	N 8	110	11,1	-11,1
54	109	92	3 Ruter	N 9	110	11,1	-11,1
71	39	161	3 Ruter	N 9	110	11,1	-11,1
65	213	97	3 Ruter	N 9	110	11,1	-11,1
48	65	129	3 Ruter	N 9	110	11,1	-11,1
108	144	180	2 Hjertes	V 7	100	-5,0	5,0
73	111	105	2 Hjertes	V 7	100	-5,0	5,0
117	66	199	40%-60%			-23,4	23,4
55	24	218	2 Spar	S 7	50	-29,2	29,2
58	140	54	2 Spar	N 7	50	-29,2	29,2
107	143	151	3 NT	S 8	50	-29,2	29,2
60	17	194	3 NT	S 8	50	-29,2	29,2
35	196	174	3 Ruter	N 8	50	-29,2	29,2
40	137	85	3 Ruter	N 8	50	-29,2	29,2
92	73	190	3 Spar	N 8	50	-29,2	29,2
26	71	61	3 Spar	N 8	50	-29,2	29,2
103	38	33	4 Ruter	N 9	50	-29,2	29,2
100	208	26	4 Spar	N 9	50	-29,2	29,2
9	233	30	4 Spar	N 9	50	-29,2	29,2
102	164	76	4 Spar	N 9	50	-29,2	29,2

76	125	167	4 Spar	N 9	50	-29,2	29,2
112	172	234	4 Spar	N 9	50	-29,2	29,2
50	27	23	5 Ruter	N 10	50	-29,2	29,2
52	122	200	5 Ruter	N 10	50	-29,2	29,2
12	185	56	5 Ruter	N 10	50	-29,2	29,2
24	182	96	5 Ruter	N 10	50	-29,2	29,2
18	148	68	5 Ruter	N 10	50	-29,2	29,2
66	114	128	5 Ruter	N 10	50	-29,2	29,2
37	142	147	5 Ruter	N 10	50	-29,2	29,2
63	81	112	5 Ruter	N 10	50	-29,2	29,2
75	210	42	3 NT	S 7	100	-70,6	70,6
33	187	189	3 NT	S 7	100	-70,6	70,6
20	150	14	3 NT	D S 8	100	-70,6	70,6
42	64	94	3 NT	D S 8	100	-70,6	70,6
16	86	219	3 NT	S 7	100	-70,6	70,6
78	93	6	3 NT	S 7	100	-70,6	70,6
95	89	197	3 NT	S 7	100	-70,6	70,6
59	221	49	3 Spar	D N 8	100	-70,6	70,6
116	230	186	4 Ruter	N 8	100	-70,6	70,6
45	90	212	4 Spar	D N 9	100	-70,6	70,6
10	226	35	4 Spar	N 8	100	-70,6	70,6
111	57	231	4 Spar	N 8	100	-70,6	70,6
13	99	8	4 Spar	D N 9	100	-70,6	70,6
38	165	160	4 Spar	N 8	100	-70,6	70,6
4	206	131	5 Ruter	D N 10	100	-70,6	70,6
105	193	75	5 Ruter	D N 10	100	-70,6	70,6
11	28	179	5 Ruter	N 9	100	-70,6	70,6
5	45	58	5 Ruter	N 9	100	-70,6	70,6
31	224	203	6 Ruter	N 10	100	-70,6	70,6
67	79	15	3 NT	S 6	150	-93,8	93,8
85	110	192	3 NT	S 6	150	-93,8	93,8
27	198	10	5 Ruter	N 8	150	-93,8	93,8
72	9	205	6 Ruter	N 9	150	-93,8	93,8
101	162	177	3 NT	D S 7	300	-106,9	106,9
114	170	163	3 Spar	D N 7	300	-106,9	106,9
56	78	83	4 Spar	D N 8	300	-106,9	106,9
30	40	204	4 Spar	D N 8	300	-106,9	106,9
83	102	139	4 Spar	D N 8	300	-106,9	106,9
51	22	84	4 Spar	D N 8	300	-106,9	106,9
62	184	80	5 Ruter	D N 9	300	-106,9	106,9
39	173	91	5 Ruter	D N 9	300	-106,9	106,9
77	52	67	6 Ruter	D N 10	300	-106,9	106,9
86	155	183	3 NT	D S 6	500	-117,0	117,0

SPILLSTENSILER NM Mix Par 2010, 31. juli 2010



Bord	NS	ØV	NS	ØV	NS	ØV
100	208	26	3NT	Ø 7	200	116,0 -116,0
65	213	97	6Spar	V 10	200	116,0 -116,0
52	122	200	5Ruter	V 10	100	112,9 -112,9
19	121	236	2NT	V 9	150	110,9 -110,9
90	175	59	2NT	V 10	180	108,8 -108,8
111	57	231	2Hjertter	N 5	300	106,8 -106,8
81	217	60	3NT	V 9	600	86,5 -86,5
79	145	166	3NT	V 9	600	86,5 -86,5
25	130	70	3NT	Ø 9	600	86,5 -86,5
96	117	7	3NT	V 9	600	86,5 -86,5
1	48	211	3NT	Ø 9	600	86,5 -86,5
76	125	167	3NT	V 9	600	86,5 -86,5
35	196	174	3NT	Ø 9	600	86,5 -86,5
50	27	23	3NT	V 9	600	86,5 -86,5
37	142	147	3NT	Ø 9	600	86,5 -86,5
18	148	68	3NT	Ø 9	600	86,5 -86,5
94	74	18	3NT	V 9	600	86,5 -86,5
106	43	47	3NT	V 9	600	86,5 -86,5
80	13	168	3NT	V 9	600	86,5 -86,5
104	156	4	3NT	Ø 9	600	86,5 -86,5
110	225	98	3NT	V 9	600	86,5 -86,5
38	165	160	3NT	V 9	600	86,5 -86,5
83	102	139	3NT	Ø 9	600	86,5 -86,5
23	223	146	3NT	V 9	600	86,5 -86,5
5	45	58	5Ruter	V 11	600	86,5 -86,5
29	235	44	3NT	V 10	630	13,2 -13,2
45	90	212	3NT	Ø 10	630	13,2 -13,2
78	93	6	3NT	V 10	630	13,2 -13,2
31	224	203	3NT	V 10	630	13,2 -13,2
54	109	92	3NT	V 10	630	13,2 -13,2
30	40	204	3NT	V 10	630	13,2 -13,2
105	193	75	3NT	V 10	630	13,2 -13,2
68	53	12	3NT	V 10	630	13,2 -13,2
2	72	3	3NT	Ø 10	630	13,2 -13,2
16	86	219	3NT	V 10	630	13,2 -13,2
69	108	135	3NT	Ø 10	630	13,2 -13,2
10	226	35	3NT	V 10	630	13,2 -13,2
118	36	55	3NT	V 10	630	13,2 -13,2
43	62	181	3NT	Ø 10	630	13,2 -13,2
95	89	197	3NT	V 10	630	13,2 -13,2
59	221	49	3NT	Ø 10	630	13,2 -13,2
13	99	8	3NT	V 10	630	13,2 -13,2
14	171	119	3NT	V 10	630	13,2 -13,2
41	191	1	3NT	V 10	630	13,2 -13,2
4	206	131	3NT	Ø 10	630	13,2 -13,2
17	69	20	3NT	V 10	630	13,2 -13,2
92	73	190	3NT	V 10	630	13,2 -13,2
82	232	31	3NT	V 10	630	13,2 -13,2
40	137	85	3NT	V 10	630	13,2 -13,2
88	138	37	3NT	V 10	630	13,2 -13,2
49	19	87	3NT	V 10	630	13,2 -13,2
89	222	141	3NT	V 10	630	13,2 -13,2
53	220	123	3NT	Ø 10	630	13,2 -13,2
27	198	10	3NT	V 10	630	13,2 -13,2
85	110	192	3NT	Ø 10	630	13,2 -13,2
107	143	151	3NT	V 10	630	13,2 -13,2
77	52	67	3NT	V 10	630	13,2 -13,2
47	116	207	3NT	Ø 10	630	13,2 -13,2
74	127	82	3NT	V 10	630	13,2 -13,2
98	32	178	3NT	Ø 10	630	13,2 -13,2
64	5	214	3NT	V 10	630	13,2 -13,2
91	120	21	3NT	V 10	630	13,2 -13,2
113	209	215	3NT	Ø 10	630	13,2 -13,2
46	113	202	3NT	V 10	630	13,2 -13,2
103	38	33	3NT	Ø 10	630	13,2 -13,2
7	149	34	3NT	V 10	630	13,2 -13,2
93	107	106	3NT	Ø 10	630	13,2 -13,2
116	230	186	3NT	Ø 10	630	13,2 -13,2
108	144	180	3NT	V 10	630	13,2 -13,2
114	170	163	3NT	Ø 10	630	13,2 -13,2
51	22	84	3NT	Ø 10	630	13,2 -13,2
44	154	88	3NT	V 10	630	13,2 -13,2
48	65	129	3NT	Ø 10	630	13,2 -13,2
33	187	189	3NT	V 10	630	13,2 -13,2
109	134	50	3NT	V 10	630	13,2 -13,2

60	17	194	3NT	V 10	630	13,2 -13,2
84	104	157	3NT	Ø 10	630	13,2 -13,2
55	24	218	4NT	V 10	630	13,2 -13,2
70	2	169	40%-60%			-23,4 23,4
117	66	199	40%-60%			-23,4 23,4
97	95	46	3NT	Ø 11	660	-72,2 72,2
75	210	42	3NT	V 11	660	-72,2 72,2
71	39	161	3NT	V 11	660	-72,2 72,2
57	118	126	3NT	V 11	660	-72,2 72,2
24	182	96	3NT	V 11	660	-72,2 72,2
34	132	115	3NT	V 11	660	-72,2 72,2
12	185	56	3NT	V 11	660	-72,2 72,2
73	111	105	3NT	V 11	660	-72,2 72,2
101	162	177	3NT	Ø 11	660	-72,2 72,2
8	133	153	3NT	Ø 11	660	-72,2 72,2
58	140	54	3NT	Ø 11	660	-72,2 72,2
66	114	128	3NT	V 11	660	-72,2 72,2
102	164	76	3NT	V 11	660	-72,2 72,2
3	103	159	3NT	V 11	660	-72,2 72,2
22	201	11	3NT	V 11	660	-72,2 72,2
21	176	63	3NT	V 11	660	-72,2 72,2
63	81	112	3NT	V 11	660	-72,2 72,2
115	51	29	3NT	V 11	660	-72,2 72,2
67	79	15	3NT	V 11	660	-72,2 72,2
86	155	183	3NT	Ø 11	660	-72,2 72,2
36	41	229	3NT	V 11	660	-72,2 72,2
9	233	30	3NT	V 11	660	-72,2 72,2
6	100	77	3NT	V 11	660	-72,2 72,2
87	152	188	3NT	V 11	660	-72,2 72,2
11	28	179	3NT	Ø 11	660	-72,2 72,2
39	173	91	3NT	Ø 11	660	-72,2 72,2
15	25	228	3NT	V 11	660	-72,2 72,2
28	136	124	3NT	Ø 11	660	-72,2 72,2
42	64	94	3NT	V 11	660	-72,2 72,2
99	158	101	3NT	V 11	660	-72,2 72,2
26	71	61	3NT	V 11	660	-72,2 72,2
20	150	14	3NT	Ø 12	690	-105,8 105,8
56	78	83	3NT	Ø 12	690	-105,8 105,8
62	184	80	5Ruter	D V 11	750	-108,8 108,8
32	227	16	2Hjertter	D N 5	800	-112,9 112,9
61	216	195	2Hjertter	D N 5	800	-112,9 112,9
112	172	234	2Hjertter	D N 5	800	-112,9 112,9
72	9	205	2Hjertter	D N 4	1100	-117,0 117,0